

The Royal Sanitary Institute

Library.



Eighty-Third
Annual Report of the
Registrar-General for
Scotland

1937

Crown Copyright Reserved

WELLCOME INSTITUTE LIBRARY	
Coll.	we!MOmec
Call	8w
No.	WA

EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses :

120 George Street, Edinburgh 2 ; York House, Kingsway, London, W.C. 2 ;

26 York Street, Manchester 1 ; 1 St. Andrew's Crescent, Cardiff ;

80 Chichester Street, Belfast ;

or through any bookseller

1938

Price 4s. 0d. net

CONTENTS.

	PAGE
<i>REPORT.</i>	
Introductory Letter,	v
General Summary,	vi
Population Estimates,	viii
Births,	ix
Marriages,	xii
Deaths,	xiv
Causes of Death,	xix
<i>APPENDIX I.</i>	
Seventy-third Annual Report on Vaccination (1936),	xxxii
<i>APPENDIX II.</i>	
Additional Marriage Statistics for Year 1936,	xxxv
<i>APPENDIX III.</i>	
Weather Report for Year 1937,	xlili
<i>APPENDIX IV.</i>	
Re-registration of Births,	xlvi
Entries in Adopted Children Register,	xlvi
Searches and Extracts in General Registry Office,	xlvi
<i>APPENDIX V.</i>	
Alteration of Boundaries of Burghs, Registration Districts, etc., which became effective during 1937,	xlix
<i>APPENDIX VI.</i>	
Fertility of Married Women in 1931,	li
<i>APPENDIX VII.</i>	
Nomenclature in Scotland, 1935,	lv

APPENDED TABLES.

<i>BIRTHS, DEATHS, AND MARRIAGES, 1937.</i>	
Table 1. Births, Deaths, and Marriages, 1855 to 1937,	lxiii
„ 2. Birth, Death, and Marriage rates, 1855 to 1937,	lxiv
„ 3. Quarterly Returns of Births, Deaths, and Marriages, 1927 to 1937,	lxv
„ 4. Birth, Death, and Marriage rates in Counties and Large Burghs,	lxvi
„ 5. Do. do. Small Burghs,	lxviii
„ 6. Do. do. Landward Areas,	lxxii
„ 7. Birth-rate among Married and among Unmarried Women,	lxxiii
(For Births, Deaths, and Marriages by Calendar Months, see Table 34.)	
<i>MARRIAGES, 1936.</i>	
Table 8. Method of Celebration, etc., of Marriages, 1855-1936. Numbers and Percentages,	lxxv
„ 9. Regular and Irregular Marriages, 1936,	lxxvi
„ 10. Church of Celebration of Regular Marriages, 1936,	lxxvii
„ 11. Civil Condition and Method of Signature of Persons Marrying, 1936,	lxxviii

Contents.

iii

	PAGE
Table 12. Ages of Men at Marriage, 1936,	lxxx
„ 13. Ages of Women at Marriage, 1936,	lxxxii
„ 14. Ages in Combination of Men and Women at Marriage, 1936, ...	lxxxiv
„ 15. Ages in Combination of Bachelors and Spinsters at Marriage, 1936,	lxxxv
„ 16. Ages in Combination of Bachelors and Widows at Marriage, 1936,	lxxxvi
„ 17. Ages in Combination of Widowers and Spinsters at Marriage, 1936,	lxxxvii
18. Ages in Combination of Widowers and Widows at Marriage, 1936,	lxxxviii
„ 18A. Ages in Combination of Divorced Men and of Women at Marriage, 1936	lxxxix
„ 18B. Ages in Combination of Men and of Divorced Women at Marriage, 1936	xc

DEATHS, 1937.

Table 19. Ages at Death and Death rates—Scotland, Large Burghs, Small Burghs and Landward—by Age Groups,	xc
„ 20. Ages at Death, Single Years of Age, and Condition as to Marriage—Males and Females,	xcii
„ 21. Deaths and Death-rates—Age-Groups and Selected Causes—Males and Females,	xciv
„ 22. Deaths and Death-rates from Selected Causes—Scotland, Large Burghs, Small Burghs and Landward,	xcvii
„ 23. Deaths from Selected Causes and in Age-Groups, 1927–1937, ...	xcviii
„ 24. Death-rates from Selected Causes and in Age-Groups, 1927–1937, ...	xcix
„ 25. Deaths from Principal Epidemic and certain other Diseases, 1855–1937,	c
„ 26. Death-rates from Principal Epidemic and certain other Diseases, 1855–1937,	ci
„ 27. Deaths and Death-rates from Puerperal Conditions,	cii
„ 28. Deaths from Malignant Disease,	civ
„ 29. Deaths from Suicide,	cvi
„ 30. Deaths from Poison, Accidental and Suicidal, and from Secondary Anæsthetics,	cvii
„ 31. Deaths of Children of less than One Year from Selected Causes, ...	cviii
„ 32. Deaths of Children of less than One Year from Selected Causes, showing the Month of Registration of Death,	cix
„ 33. Deaths of Children of less than One Year by Age-periods, with Infantile Mortality Rates—Counties and Large Burghs, ...	cx

OTHER TABLES.

Table 34. Meteorology of Scotland, and Births, Deaths, Deaths under One Year, and Marriages by Month in 1937,	cxii
„ 35. Weather, and Weekly Death-rates,	cxii
„ 36. Vaccinations in Scotland, 1926–1936, with Percentage of Total Births, and Percentage of Survivors,	cxiii
„ 37. Deaths from Small-pox in Scotland, 1855–1936, with Vaccination Particulars, 1864–1936,	cxiv

ABSTRACTS.

General Registration Summary—Births, Deaths, and Marriages in the Counties and Large Burghs in 1937, with Vaccination particulars for 1936, ...	2-3
---	-----

CAUSES OF DEATH—FULL LIST.

Scotland—Sex and Age, ...	4
Public Health Districts of Scotland (Large Burghs, &c.)—Both Sexes, ...	24
Scotland, by Month of Registration—Both Sexes, ...	42
Public Health Districts—Short List by Sex and Age, ...	48

STATISTICS OF BURGHS AND LANDWARD AREAS.

In County of Aberdeen, ...	106
Do. Angus, ...	107
Do. Argyll, ...	108
Do. Ayr, ...	109
Do. Banff, ...	111
Do. Berwick, ...	112
Do. Bute, ...	113
Do. Caithness, ...	113
Do. Clackmannan, ...	113
Do. Dunbarton, ...	114
Do. Dumfries, ...	115
Do. East Lothian, ...	116
Do. Fife, ...	117
Do. Inverness, ...	119
Do. Kincardine, ...	120
Do. Kinross, ...	121
Do. Kirkcudbright, ...	121
Do. Lanark, ...	121
Do. Midlothian, ...	123
Do. Moray, ...	123
Do. Nairn, ...	124
Do. Orkney, ...	125
Do. Peebles, ...	125
Do. Perth, ...	125
Do. Renfrew, ...	127
Do. Ross and Cromarty, ...	127
Do. Roxburgh, ...	128
Do. Selkirk, ...	129
Do. Stirling, ...	129
Do. Sutherland, ...	130
Do. West Lothian, ...	130
Do. Wigtown, ...	131
Do. Zetland, ...	131

METEOROLOGICAL ABSTRACTS, ...	132
-------------------------------	-----

REPORT

ON THE

VITAL STATISTICS of SCOTLAND for the YEAR 1937.

GENERAL REGISTRY OFFICE OF BIRTHS, &c.,

NEW REGISTER HOUSE,

EDINBURGH, *9th September 1938.*

SIR,

In compliance with the requirements of the 7th Section of the Registration of Births, Deaths and Marriages (Scotland) Act, 1854, 17 & 18 Vict., c. 80, I beg to transmit with a view to its being laid before Parliament a Report on the Vital Statistics of Scotland for the year 1937.

The Statistical Summary and the portion dealing with Causes of Death have been prepared under the direction of Dr. Peter L. McKinlay, Superintendent of Statistics in this Department. In addition to the usual Appendices dealing respectively with (1) Vaccination, (2) Marriages, (3) the Weather, there are also included two special Appendices, one on the Fertility of Married Women at various age-periods as shown in the Census Schedules of 1931, and another on the nomenclature of the people of Scotland in 1935.

I am, Sir,

Your obedient Servant,

J. G. KYD,

Registrar-General.

THE SECRETARY,

DEPARTMENT OF HEALTH FOR SCOTLAND.

REPORT TO THE REGISTRAR-GENERAL

By PETER L. MCKINLAY, M.D.,

Superintendent of Statistics.

SUMMARY.

DURING the year 1937 the usual periodical Returns relating to births, deaths and marriages in Scotland have been issued. Incorporated with the Return for the fourth quarter of the year was an Annual Summary which included, in addition to the leading figures for Scotland and for each of the large burghs, a complete analysis of the deaths in Scotland as a whole, showing the classification of cause of death according to the International short list by sex and by age. The more essential features of the Scottish vital statistics for 1937 have thus already been made available in a condensed form, but this is now superseded by the detailed information contained in the present Report.

The principal feature in the vital statistics of the year under review was the influenza epidemic in the months particularly of January and February. This has led to a slight increase in the general death-rate for 1937 compared with 1936, and the rate is in fact the highest since 1929, a year also of considerable prevalence of influenza. The death-rate from all causes has over the last four years shown a slight, though progressive increase, but this is largely attributable to the increasing proportion of persons of older age in the population, correction for age differences eliminating a considerable part of the increase. The birth-rate of 1937 has shown a slight fall over that for 1936 and is in fact, with the exception of 1933, the lowest so far observed in this country. The proportion of illegitimate births, 6·15 per cent., is the lowest in Scottish experience. The marriage-rate is the highest for the last 15 years, and has tended to rise progressively since 1931. General mortality, as previously stated, was rather unfavourable; but, viewed over a period of years, and especially after allowance is made for the ageing of the population, distinct improvement is observed. Infant mortality is fractionally lower than in recent years, but the present position and rate of improvement compared with other countries is discouraging. Although general mortality in the large burghs is appreciably in excess of that for smaller towns and county districts, the improvement in the former over the last 20 years is actually relatively greater. Thus for 1911-13 the rates (standardised to the 1931 Scottish population) in the aggregate of large burghs and of county districts were 19·3 and 13·8 per 1,000 population respectively, whereas in the triennium 1931-33 the corresponding rates were respectively 14·6 and 11·9 per 1,000 population. Thus in 1911-13 the urban (large burgh) exceeded the rural death-rates by 40 per cent., whereas twenty years later the excess was reduced to 23 per

cent., although in both aggregates marked diminution is observed. For the year under review the rates for large burghs and county districts, standardised to 1931 population, were 15·08 and 12·36 per 1,000 population, an urban excess still of some 22 per cent. Apart from influenza, mortality from the principal epidemic diseases was favourable except in respect of whooping-cough, to which cause were attributed some 200 more deaths than the average of the preceding quinquennium. Other causes in this group, diphtheria, cerebro-spinal fever, scarlet fever, erysipelas, dysentery, &c., have all shown low or average rates, the deaths from measles being only bettered by the abnormally low prevalence in 1933, and those from typhoid and paratyphoid fevers creating a new low record for this country. Deaths from tuberculosis are practically the same as in 1936, the improvement here being best seen by comparison over a period of years. Deaths from malignant disease, although slightly fewer in number than last year, are above the average for the preceding quinquennial period, which was the most unfavourable found in Scotland. Investigation shows that much of the increase in this cause is to be accounted for by change in the ages of the population over past years, and even since 1931 (since when the crude rate has steadily risen) no deterioration except that which can be explained by difference of age constitution of the population has really taken place. There is little change in mortality ascribed to cerebral hæmorrhage and allied conditions, to genito-urinary diseases or to respiratory diseases. Deaths from affections of the circulatory system are still on the increase, chiefly due to heart disease and disease of the coronary arteries and occurring principally at ages over 65 years. Part of this is explained by the increasing proportion of elderly persons, but it may also be partly due to difference of certification practice. Diseases of the digestive system show fewer deaths, mainly due to the further decline in diarrhœa and enteritis. Deaths from gastric and duodenal ulcer and from appendicitis are more numerous than in recent years, the trend of the former being definitely upwards. A most satisfactory feature of the year's experience is the further improvement of mortality among women during pregnancy and the puerperium. In 1936 an improvement was manifest and this has continued intensified into the present year, the total maternal death-rate being 4·8 per 1,000 births and for sepsis alone 1·6. The improvement has been mainly in the deaths from puerperal septic conditions (as it was in 1936 compared with the previous years). Deaths from violence have increased during the year, mainly due to accidents, as mortality from suicide is low (the lowest in fact since 1926). The increased accidental deaths were from drowning, railway deaths and accidents connected with motor vehicles.

The principal numbers and rates shown in the Report are as follows :—

Births registered during the year numbered 87,810, being 1,118 fewer than in 1936. The rate, 17·65 per 1,000 population, is only

half of that recorded sixty years ago. Illegitimate births are fewer, 5,404 in 1937 compared with 5,744 in the previous year, the proportion to total births being 6·2 per cent.

Marriages registered during the year numbered 38,351, or 455 more than in 1936. The rate was 7·71, the highest since those of the post-war period. Terminations of marriage by decrees of divorce or nullity totalled 649, which is also the highest number since the years immediately after the War.

Deaths from all causes numbered 68,942, or 1,193 more than in 1936, the rates for the two years being 13·85 and 13·44 per 1,000 respectively. Infant deaths, 7,050, were 265 less than in the previous year, the rate being 80·3 per 1,000 births.

The total number of deaths from the principal epidemic diseases showed an increase in the present year, due chiefly to influenza (the most severe visitation since 1929, the deaths in that year and in 1937 from this cause being 3,435 and 2,693 respectively) and in less degree to whooping-cough, from which deaths numbered 717.

Deaths from respiratory tuberculosis numbered 2,791 (compared with 2,753 in 1936) and from other forms 872 (912 in 1936). The rate in 1937 from all forms of tuberculosis was 74 per 100,000 population, which contrasts strikingly with one of 404 seventy years ago.

Deaths from malignant disease, 7,810, although slightly fewer than last year, in general tend to be increasing and account for 12 per cent. of all deaths in this country.

The number of deaths of women during childbearing was 424, a decrease of 70 over those in 1936. The rate per 1,000 births is 4·8, those for the years 1931 to 1936 being 5·9, 6·3, 5·9, 6·2, 6·3 and 5·6 respectively.

Violent deaths numbered 3,020, which is 194 more than in the previous year. Of this total, 453 were suicidal in nature, and of the remainder 280 were from burning, 321 from drowning, 107 from accidental suffocation, 608 from road accidents and 120 from accidents in mines and quarries. Deaths from drowning show an increase of 86 compared with 1936, from road accidents an increase of 44, and from railway accidents an increase of 43.

The relative importance of the main causes and cause groups of death remains substantially unchanged, heart disease, cancer, cerebral hæmorrhage and pneumonia being the most outstanding numerically.

POPULATION.

The estimated population of Scotland as at the middle of 1937 was 4,976,600, of whom 2,396,900 were males and 2,579,700 were females. This represents a net increase over the estimate for the previous year of about 10,300; this increase is attributable mainly to the excess of births over deaths. It is estimated that the population of Scotland has increased since the Census of 1931 by about 133,600 persons. In the Reports which have been issued since that date attention has been drawn to the fact that the increase of

population, although mainly attributable to the excess of births over deaths, has also been partially due to a small inward balance into Scotland by overseas migration. This balance, which in 1931 and 1932 amounted to fully 10,000 per annum, has steadily decreased until now it amounts to little over 2,000 per annum. On the other hand there is evidence that unrecorded emigration, principally to England, is tending to increase, and that this emigration has in recent years considerably exceeded the small inward balance of overseas migration. For the greater part of the ten years between the Censuses of 1921 and 1931 the population of Scotland was declining on account of very large emigration, principally overseas, but this decline appears to have been arrested about the year 1930. While these estimates of population have shown an increase for each year since 1930, the annual increase, which was at maximum between the years 1931 and 1932, when it amounted to about 40,000, has shown a decline in each year, and the increase for 1936–37 is, as already stated, only slightly over 10,000. (*Table A.*)

BIRTHS.

The number of living children whose births were registered in Scotland during the year 1937 amounted to 87,810, of whom 45,035 were males and 42,775 were females. The sex ratio was thus 105·3 males to every 100 females, being rather above the average for the past 40 years. This ratio moves within somewhat narrow limits, the highest proportion ever recorded in Scotland having been 107·2 in 1933 and the lowest 103·2 in 1905. (*Tables 1 and 2.*)

Since the year 1876, when the birth-rate reached the highest point recorded since the institution of national registration in Scotland (35·62 per thousand of the total population), the general trend, apart from minor fluctuations, has been steadily downwards, the rates in recent years amounting to little more than half those recorded when the birth-rate was at its maximum, while in 1933, in 1935, and again now in 1937, it has fallen to rather less than half of the maximum quoted above. The only major interruption of this steady decline occurred in the years immediately following

TABLE A.—Population of Scotland and its Groups of Public Health Districts in 1937.

GROUPS OF DISTRICTS.	Census 1931 (Resident).			Census 1921 (Enumerated).			Estimated to 30th June 1937.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
Large Burghs	2,654,670	1,259,964	1,394,706	2,572,557	1,233,882	1,338,675	2,731,500	1,300,500	1,431,000
Small Burghs	730,389	339,324	391,065	774,681	356,303	418,378	756,300	352,500	403,800
Landward	1,457,921	726,235	731,686	1,535,259	757,457	777,802	1,488,800	743,900	744,900
SCOTLAND	4,842,980	2,325,523	2,517,457	4,882,497	2,347,642	2,534,855	4,976,600	2,396,900	2,579,700

the War. From 1920 the downward tendency was practically continuous till 1933, when the rate reached 17·62, the absolute minimum ever recorded for Scotland. The birth-rate for 1937 was 17·65, being 0·26 less than in the previous year and 0·34 less than the previous five years' average. It is only 0·03 above the minimum rate recorded in 1933. Compared with the previous year, the decline occurred in the first and in the fourth quarters of the year, in each of which the birth-rate was 0·7 less than in 1936, but in the second and third quarters of the year the birth-rate was very slightly higher than in the previous year. It has been observed that if the ten years, 1915–24—representing the War years, when the rates declined rapidly, and the years of high birth-rates following the War—are cut out, the trend of the crude birth-rates since the latter year has tended to follow the downward course of the rates for the years immediately preceding 1915, occupying the approximate positions which they would have had if the trend of these pre-war years had continued. The rates for the years 1934 to 1937 have been rather higher than might have been expected from this trend. This may be partly due to the high marriage-rates which have been recorded during the past four years.

The birth-rate for the year was 18·48 in the large burghs, 16·03 in the small burghs and 16·92 in the landward districts. The decline has been most marked in the small burghs and in the landward districts, where the rates in the previous year were 16·43 and 17·28 respectively. In the large burghs in 1936 the birth-rate was 18·66. Of the total number of births, 57·5 per cent. were registered in the large burghs, 13·8 in the small burghs and 28·7 in the landward districts. In the case of births and deaths, but not of marriages, all local rates quoted in this Report have been corrected by transfer to place of usual residence. (*Table B.*)

The geographical variations of the birth-rate will be seen in Tables 4 to 6. In counties, including burghs, the rate ranged from 19·8 in Lanark, 19·4 in West Lothian, 19·3 in Wigtown and 18·4 in Renfrew and in Stirling, to 13·2 in Bute, 12·6 in Berwick, 12·1 in Peebles and 11·8 in Selkirk. In the large burghs the highest

TABLE B.—Birth-rate in Scotland and its Groups of Public Health Districts in 1937.

GROUPS OF DISTRICTS.	Births.					Birth-rate per 1000 of Estimated Population.			Illegitimate Births per 100 Total Births.
	Total.	Legitimate.		Illegitimate.		Total.	Legitimate	Illegitimate.	
		Males.	Females.	Males.	Females.				
Large Burghs .	50,491	24,358	23,316	1,459	1,358	18·48	17·45	1·03	5·58
Small Burghs .	12,125	5,883	5,565	348	329	16·03	15·14	0·90	5·58
Landward .	25,194	11,970	11,314	1,017	893	16·92	15·64	1·28	7·58
SCOTLAND .	87,810	42,211	40,195	2,824	2,580	17·64	16·56	1·09	6·15

rates were found in Port Glasgow 24·2, in Hamilton 22·9, in Coatbridge 21·9 and in Stirling 21·8, and the lowest in Dunfermline 15·6, in Inverness 15·0, in Perth 14·6 and in Rutherglen 13·7. In small burghs with populations of 5,000 and over this rate ranged from 22·3 in Johnstone, 21·9 in Campbeltown, 21·7 in Kilsyth and 21·0 in Kirkintilloch, to 11·4 in Dunoon, 11·1 in Galashiels, 10·2 in Milngavie and 9·4 in Largs. In the landward areas of counties it ranged from 19·7 in Wigtown, 19·6 in Lanark and 19·0 in Ayr, to 12·7 in Perth, 12·6 in Peebles, 12·3 in Argyll and 10·6 in Bute.

The monthly birth-rate ranged from 19·9 in April, 19·0 in May and 18·8 in June, to 16·7 in September, 16·3 in October and 16·1 in November. Compared with the previous year the decline in these rates is most marked in October, in March, in January and in November, while increases of 0·5 are recorded both in April and in August. (*Table 34.*)

The geographical variations of the birth-rates may be more accurately determined if measured according to the number of births per thousand women aged 15 to 44 years (estimated to number 1,191,400 in 1937), and this is shown in Table C. So measured, the rate for the landward areas is highest (77·5 per thousand), followed by that for the large burghs (73·7) and for the small burghs (66·9), the rate for the whole of Scotland being 73·7. Table 7 shows also the number of legitimate births per thousand married women aged under 45, the rate for Scotland being 152·4. For the landward areas this rate was 156·3, for the large burghs 153·1 and for the small burghs 142·1. This latter standard modifies considerably the relative position of many areas from that shown in the crude birth-rate figures of Table 4. Thus the highest rates in the counties in Table 7 are 175·1 in Nairn, 170·7 in Ross and Cromarty, 168·8 in Orkney and 168·0 in Sutherland, in all of which counties the crude birth-rate (Table 4) is less than the rate for Scotland. Among the large burghs the four with the highest rates in Table 7 are the same as in Table 4 and in almost the same order. In the counties the lowest rates are found in Selkirk (109·4), in Berwick (112·1) and in

TABLE C.—Birth-rate per 1000 Women aged 15–44, 1937.

GROUPS OF DISTRICTS.	Estimated Number of Women aged 15–44.	Births.	Birth-rate per 1000 of Population.		Birth-rate per 1000 Women aged 15–44.	
		Number.	Rate.	Relative Quantity, Scotland being = 100.	Rate.	Relative Quantity, Scotland being = 100.
Large Burghs . . .	685,200	50,491	18·48	104·8	73·7	100·0
Small Burghs . . .	181,200	12,125	16·03	90·9	66·9	90·8
Landward	325,000	25,194	16·92	95·9	77·5	105·2
SCOTLAND	1,191,400	87,810	17·64	100·0	73·7	100·0

Peebles (114·2). These counties also show the lowest rates in Table 4. (*Table 7.*)

The total number of women who gave birth to living children during the year was 86,755. Of them, 85,710 or 98·80 per cent. gave birth to single children, 1,035 or 1·19 per cent. to twins, and 10 or 0·01 per cent. to triplets. Thus of the total number of mothers, 1,045 or 1·20 per cent. of the total gave birth to two or more children. This percentage is the same as in 1934 and in 1936, but with those exceptions this is the lowest percentage of multiple births recorded for Scotland since 1906, when it was 1·18. Between 1855 and 1875 the quinquennial average was invariably 1·20 or over, but from 1876 to 1900 this average was always below 1·20, and only in two individual years was it as high as 1·20. From 1901 to 1920 the tendency was for the proportion of multiple births to increase, and in the five years 1916–20 the percentage was as high as 1·39, being 1·53 in the year 1919. Since then the tendency has been towards diminution, and for the five years preceding 1937 the average was only 1·23. (*Tables 1 and 2.*)

Illegitimate Births.—These numbered 5,404, and they constituted 6·15 per cent. of the total births. This rate is without exception the lowest ever recorded in Scotland, being 0·06 less than in 1903, which was the previous minimum. It is 0·31 less than in 1936 and 0·63 less than the previous five years' average. Illegitimate births constituted 5·6 per cent. of the total births in large burghs and in the small burghs, but in the landward districts they amounted to 7·6 per cent. of the total.

International Birth-rates.—Compared with the Scottish birth-rate of 17·6, that of England and Wales is 14·9, of Northern Ireland 19·8 and of Eire 19·2. The accompanying table shows the average rates in 1937 for certain countries of the world. The greater portion of these and of the other international rates published in this Report have been kindly furnished by the Secretary-General of the Institut International de Statistique.

BIRTH-RATES.			
Poland	24·9	New Zealand	17·3
Italy	22·7	Czecho-Slovakia	17·2
Northern Ireland	19·8	United States of America	16·7
Hungary	19·8	Norway	15·3
Netherlands	19·8	Switzerland	15·0
Canada	19·7	England and Wales	14·9
Eire	19·2	Sweden	14·3
Germany	18·8	Austria	12·8
Scotland	17·6		

MARRIAGES.

Marriages registered in Scotland during the year 1937 numbered 38,351, which is 455 more than in the previous year. The marriage-rate, 7·71 per thousand, is 0·08 above that of the previous year and 0·40 above the previous five years' average. For the fourth year in

succession both the number and rate are higher than for any year since the post-war years 1919 to 1921. Apart from these years the rate for the triennial period 1935–37 is higher than for any other triennial period in Scotland. The previous highest triennial average (apart from the post-war period, when it was 8·93) is 7·63 per thousand (1872 to 1874), but the average for 1935–37 is 7·67. During the three years following the War the marriage-rates were 9·14 in 1919, 9·61 in 1920 and 8·04 in 1921. The marriage-rate has never at any time since the institution of national registration in Scotland in 1855 been less than 6 per thousand. (*Tables 2 and 3.*)

The marriage-rate was highest in the aggregate of large burghs (9·08) and lowest in the landward districts (5·31), that for the small burghs being 7·45. (*Table D.*) The relative position of these three aggregates is in conformity with the experience of previous years. For individual geographical areas the rates are shown in Tables 4 to 6. As already indicated, the numbers referring to marriages have not been corrected in any way for transfer to place of usual residence. The high rate in the large burghs is to some extent due to the tendency to resort to these areas for the purpose of celebrating marriages, especially irregular marriages.

The monthly marriage-rate ranged from 11·8 in July and 11·0 in June to 5·1 in February and 4·2 in May. (*Table 34.*)

Compared with the Scottish marriage-rate of 7·7 per thousand that for England and Wales is 8·7, for Northern Ireland 6·6 and for Eire 5·1. Marriage-rates for various countries are given in the following table :—

MARRIAGE-RATES.

New Zealand	9·5	Poland	8·0
Germany	9·1	Canada	7·9
Hungary	8·8	Scotland	7·7
England and Wales	8·7	Netherlands	7·7
Sweden	8·7	Switzerland	7·2
Italy	8·6	Austria	6·9
Czecho-Slovakia	8·3	Northern Ireland	6·6
Norway	8·2	Eire	5·1

TABLE D.—Marriages in Scotland and its Groups of Public Health Districts in 1937.

GROUPS OF DISTRICTS.	Marriages.	Marriage-rate per 1000 of Population.	
	Number.	Rate.	Relative Quantity, Scotland being = 100.
Large Burghs	24,810	9·08	117·8
Small Burghs	5,634	7·45	96·6
Landward	7,907	5·31	68·9
SCOTLAND	38,351	7·71	100·0

Divorce.—By decrees pronounced in Scotland during the year, 649 marriages were terminated, 642 by divorce while 7 were declared null. Of these, 567 affected marriages registered in Scotland and 82 affected marriages registered elsewhere. The trend of these figures over the whole period of registration has been upwards, increasing steadily from an annual average of 17 in 1855–1864 and 14 in 1865–1874 to one of 458 in 1915–1924, with a maximum of 829 in 1919. For the ten years 1925–1934 this average shows a small increase to 488, the number in 1937 being thus 161 more than that average. The number in 1937 is 7 more than in the previous year, and is the largest number recorded in any year except 1919 and 1920. (*Table E.*)

DEATHS.

Deaths registered during the year numbered 68,942, the annual rate per thousand population being 13·85. This rate is 0·41 above that for the previous year and 0·60 above the previous five years' average. Among males the death-rate was 14·59 per thousand and among females 13·17. Apart from slight annual variations, the general trend of the combined rate since the early days of registration has until very recent years been steadily downwards, death-rates of over 23 per thousand having been recorded in 1864 (a maximum of 23·58), in 1874 and in 1875, and an absolute minimum of 12·92 being reached in 1934. But since 1934 each year has shown an increase in the death-rate, and the rate for 1937 is higher than in any year since 1929, when, as in 1937, influenza was prevalent. As already indicated, the death-rate is 0·41 per thousand higher than in 1936, and this may be attributed to the epidemic of influenza in the early months of the year, the death-rate from that cause being also 0·41 higher than in the previous year. But apart from such year to year variations the downward trend of the death-rate, as indicated above, would seem to have been arrested during the last three years. As the general death-rate, after the years of childhood, increases with age, it follows that, other things being equal, the death-rate will tend to increase as the population grows older. Both in 1921 and in 1931 it was found that the population was on the average older by almost two years than at the preceding Census, and this increase appears to be continuing. In 1931 the death-rate

TABLE E.—Number of Divorces in Scotland, 1855–1937, including Decrees of Nullity of Marriage.

<i>Years.</i>	<i>Annual Average.</i>	<i>Year.</i>	<i>Annual Numbers.</i>
1855–64	= 17	1927	= 474
1865–74	= 14	1928	= 504
1875–84	= 60	1929	= 519
1885–94	= 100	1930	= 469
1895–1904	= 159	1931	= 569
1905–14	= 222	1932	= 488
1915–24	= 458	1933	= 510
1925–34	= 488	1934	= 468
		1935	= 498
		1936	= 642
		1937	= 649

was 13·26 and in 1937 it was 13·85. But if allowance is made for difference in the age and sex distribution in 1937 compared with 1931, the death-rate for 1937 so standardised is found to be 13·32. It would appear, therefore, that much the greater part of the increase between 1931 and 1937 is due to the ageing of the population rather than to any deterioration in the standard of health. The effect of standardising the Scottish death-rates for recent years to the age and sex distribution of the population found in Scotland at the Census of 1931 is seen in the following series :—

			Crude Death-rate.	Standardised Death-rate.	Effect of Standardisation.
1931	13·26	13·26	—
1932	13·53	13·44	— 0·09
1933	13·20	13·08	— 0·12
1934	12·92	12·74	— 0·18
1935	13·19	12·86	— 0·33
1936	13·44	13·02	— 0·42
1937	13·85	13·32	— 0·53

It will thus be seen that the standardised death-rate for 1937 is only 0·06 above that for 1931, and that a considerable part of the increase in the death-rates since 1934, the year of minimum death-rate, may be attributed to the ageing of the population.

Comparison of the mortality-rates in the three large aggregates of districts shows a direct relationship to urbanisation. When the crude death-rate, i.e. the rate shown only as “corrected for transfer,” is taken as the standard for comparison, this association is not so apparent, but when these rates are standardised for differences of age and sex constitution of the population (the population of Scotland in 1931 being taken as standard) the increase in mortality in the urban areas as compared with the rural areas is marked. In the landward areas the standardised rate was 12·36 per thousand, in the small burghs it was 12·95, and in the large burghs it was 15·08. (*Table F*).

TABLE F.—Deaths in Scotland and its Groups of Public Health Districts in 1937.

GROUPS OF DISTRICTS.	Deaths.		Death-rate per 1000 of Population.	
	Registered Number.	Corrected for Transfers.	Corrected for Transfers.	Corrected for Transfers and Adjusted for Age and Sex Distribution, 1931.
Large Burghs	42,123	38,600	14·13	15·08
Small Burghs	9,156	10,723	14·18	12·95
Landward	17,663	19,619	13·18	12·36
SCOTLAND	68,942	68,942	13·85	...

In the counties, inclusive of burghs, the highest death-rates (standardised for age and sex) were found in Lanark (15·8), in Ayr (14·5), in Renfrew and in Dunbarton 14·1 and in Angus 14·0, and the lowest in Sutherland 10·4, in Nairn 10·5, in Inverness 11·0 and in Banff 11·3. In the large burghs taken individually this rate ranged from 16·8 in Greenock, 16·6 in Coatbridge, 16·4 in Glasgow and 15·9 in Ayr, to 13·0 in Perth, 12·9 in Falkirk, 12·4 in Kirkcaldy and 12·2 in Inverness. In small burghs with populations of 5,000 and over this rate ranged from 16·3 in Ardrossan and in Helensburgh, 16·0 in Kilsyth and 15·8 in Campbeltown, to 11·2 in Bo'ness, 10·8 in Oban, 10·5 in Forfar and 10·4 in Peterhead. In landward areas it ranged from 14·1 in Ayr, 13·9 in Lanark, 13·8 in Stirling and 13·6 in West Lothian, to 10·6 in Aberdeen and in Banff, 10·5 in Inverness, 10·2 in Sutherland and 10·0 in Nairn. (*Tables 4–6.*)

The monthly death-rate ranged from 20·6 in January, 17·3 in February and 16·6 in December, to 10·9 in September and 10·6 in August. (*Table 34.*)

The following table gives the crude death-rates of various countries, but while these rates give a general indication of the mortality in these countries, they are not corrected in any way for differences in the age and sex distribution of the populations concerned. Compared with the Scottish death-rate of 13·9, that for England and Wales is 12·4, for Northern Ireland 15·1 and for Eire 15·3. Rates for various countries are included in the following table :—

DEATH-RATES.			
Eire	15·3	Sweden	12·0
Northern Ireland	15·1	Germany	11·7
Hungary	14·1	Switzerland	11·3
Italy	14·0	United States of	
Poland	14·0	America	11·2
Scotland	13·9	Norway	10·4
Austria	13·4	Canada	10·2
Czecho-Slovakia	13·3	New Zealand	9·1
England and Wales	12·4	Netherlands	8·8

Age and Sex.—The death-rates in separate age and sex groups show generally the differences usually found, namely, higher male than female mortality at each age period, and the characteristic increase of the mortality-rates with age after childhood. Table G (1) shows the population estimates by age periods on which the rates for 1937 have been based, and from Table G (2), in which comparison is made of the death-rates at ages in each sex since 1911, there will be seen the amount of improvement which has taken place since that date. Apart from the final age-group, for which comparative rates are not complete, mortality throughout this period has fallen in each separate group. This change is specially marked among children aged between 1 and 5 years, the mortality in this age-group being in 1937 very much less than half of the corresponding death-rate in 1911–1915. The improvement

in the rate diminishes generally with advancing age, the rates at the highest ages showing only a comparatively small decline. Comparing the death-rates of each age with those for the previous year, it is found that the death-rate has declined at ages under 5, but it shows little change between the ages of 5 and 15, and there has been a rise in almost all age-groups thereafter, although the increase is inconsiderable except at the very highest ages. In the large burghs the death-rate is higher than in the rest of Scotland in every age-group. (*Table 19.*)

Infantile Mortality.—Deaths of children aged less than 1 year numbered 7,050, and as births numbered 87,810, the infantile mortality-rate is 80·3 per thousand births, that for males being 89·6 and for females 70·5. Compared with the previous year, the rate for both sexes is less by 2·0, that for males being less by 2·6 and for females less by 1·4. The rate for both sexes is 0·5 below the previous five years' average. Up to and including 1915 this rate was invariably over 100, but since that year it has only three times exceeded that figure. Apart from comparatively small year-to-year variations, the tendency has been fairly steadily downwards since the beginning of the century, although the rates for 1936 and 1937 have both been higher than those for the years 1934 and 1935. As is usually the case, the rate was highest in the large burghs, where it was 90,

TABLE G (1).—Estimated Population of Scotland, by Age and Sex, 1937.

Age.	Both Sexes.	Males.	Females.	Age.	Both Sexes.	Males.	Females.
0	83,000	41,900	41,100	45-54	550,500	251,800	298,700
1-4	318,000	160,600	157,400	55-64	467,600	220,700	246,900
5-9	408,000	205,400	202,600	65-74	283,400	130,000	153,400
10-14	439,500	220,500	219,000	75-84	100,600	39,800	60,800
15-24	856,500	430,700	425,800	85 and over	12,000	3,600	8,400
25-34	800,100	388,000	412,100				
35-44	657,400	303,900	353,500	All Ages	4,976,600	2,396,900	2,579,700

TABLE G (2).—Age group Death-rates per 1000 of Population from 1911-1937.

RS.	MALES.												FEMALES.											
	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
15	140·0	18·5	3·7	2·4	4·1	5·6	8·8	16·2	33·5	67·4	162·7	..	111·2	17·5	3·7	2·6	3·8	5·5	8·3	12·9	26·4	54·3	147·0	..
20	110·8	15·5	3·6	2·4	4·5	6·2	8·5	16·2	34·3	69·1	170·2	..	85·4	14·7	3·6	2·7	4·3	6·0	7·8	12·6	25·9	49·8	149·5	..
25	109·1	15·1	2·9	1·9	3·2	4·6	6·9	12·0	26·8	61·9	144·5	289·7	82·6	13·7	2·7	1·9	3·2	4·5	6·3	10·1	21·5	49·2	118·7	252·6
30	103·8	11·8	2·7	1·9	3·1	4·2	7·0	11·9	25·9	62·4	143·2	303·8	79·0	10·2	2·4	1·7	2·9	4·1	5·9	10·0	20·6	48·4	118·6	271·4
35	96·2	9·3	2·6	1·6	2·9	3·8	6·3	11·8	24·3	59·7	140·7	289·8	74·1	8·3	2·2	1·5	2·8	3·7	5·2	9·1	19·4	47·0	117·4	260·6
40	100·5	10·1	2·6	1·7	3·0	3·9	6·3	11·6	24·5	60·4	140·8	293·8	74·4	9·5	2·3	1·4	2·9	3·7	5·3	9·2	19·5	47·0	118·6	266·2
45	100·4	10·6	2·7	1·6	3·0	3·8	6·6	11·6	24·1	60·1	142·1	273·7	80·0	9·7	2·3	1·7	2·9	4·0	5·5	9·4	19·8	47·7	119·7	268·5
50	94·1	8·5	2·4	1·7	3·0	4·0	6·4	12·2	24·9	59·8	139·4	290·5	73·6	7·4	2·1	1·5	2·8	3·7	5·3	9·1	19·4	47·8	117·9	257·1
55	93·5	9·8	2·9	1·6	2·8	3·8	6·1	11·6	24·0	57·3	135·7	275·7	73·0	8·3	2·5	1·5	2·8	3·6	5·0	8·9	19·2	45·0	110·9	246·6
60	92·3	7·2	2·4	1·7	2·7	3·5	6·1	11·8	24·2	61·0	145·5	314·5	69·6	6·4	2·0	1·4	2·7	3·4	5·1	9·0	19·3	47·4	119·9	265·0
65	98·6	7·9	2·4	1·5	2·8	3·5	6·1	12·6	24·6	61·2	145·4	313·6	75·6	7·3	1·9	1·2	2·6	3·2	4·9	9·2	18·9	47·3	117·4	263·5
70	96·2	7·2	2·2	1·5	2·8	3·8	6·3	12·8	25·8	63·0	150·3	351·2	73·5	6·6	1·9	1·2	2·7	3·4	4·9	9·1	19·5	50·0	121·2	288·6

Rates calculated on revised population estimates for years since 1921

that for the small burghs being 69 and for the landward areas 66. The rate in the small burghs is 3 higher than in the previous year, but in each of the other groups it is 3 lower. In the large burghs it ranged from 114 in Kilmarnock, 104 in Glasgow, 100 in Ayr and 99 in Coatbridge, to 70 in Edinburgh and in Falkirk, 69 in Dumbarton, 67 in Kirkcaldy and 59 in Dunfermline. In the counties, exclusive of large burghs, the rate ranged from 82 in Ayr and in Banff, 80 in Moray, and 74 in West Lothian, in Caithness and in Angus, to 38 in Kinross, 36 in Zetland, 34 in Peebles and 33 in Sutherland. (*Table 4.*)

The infantile mortality-rate ranged from 109 in December and 100 in January and in November, to 63 in September, 60 in August and 56 in July. (*Table 34.*)

Among legitimate children the infantile mortality-rate amounted to 78 per thousand legitimate births for Scotland as a whole. For the large burghs this rate was 87 per thousand births and for the rest of Scotland 65. The rate among illegitimate children was 122 for Scotland, 145 for the large burghs and 96 for the rest of Scotland. In 1936 these rates were 120, 135 and 104 respectively. Comparing the illegitimate rate with the legitimate, the excess of the former rate is greatest between the ages of one week and two months. (*Table 33.*)

Compared with the infantile mortality-rate of 80·3 in Scotland, that in England and Wales was 57, in Northern Ireland 77 and in Eire 72. Rates for various countries are included in the following table :—

INFANTILE MORTALITY PER 1,000 BIRTHS.

Poland	136	Eire	72
Hungary	135	Germany	64
Czecho-Slovakia	122	England and Wales	57
Italy	110	United States of	
Scotland	80	America	54
Northern Ireland	77	Netherlands	38
Canada	76	New Zealand	31

Centenarians. — The deaths of 16 reputed centenarians were registered during the year, 4 being males and 12 females. After the usual examination the age was verified as being at least 100 years in 10 cases. Of those whose ages were verified, three were aged 100 years, two were 101, two were 102, one was 104, one was 105, and one (a female) was aged 106 years and 51 weeks. The greatest age yet verified in these Reports occurred in 1936 and was 109 years and 14 days, but with that exception the greatest age now verified for 1937 is the highest on record since the practice of endeavouring to verify the ages of centenarians was commenced in 1910. Since that date 388 such deaths have been registered, 64 being of males and 324 of females, and the age has been verified as being at least 100 years in 205 instances. In 70 cases the evidence found was against the claim, while in 113 cases no satisfactory

evidence of age could be obtained. The proportion of ages verified has increased steadily and has exceeded 60 per cent. in the last ten years.

CAUSES OF DEATH.

Certified Deaths. — Of the 68,942 deaths registered in 1937, 68,743 or 99·7 per cent. were certified as to cause of death by a registered medical practitioner or by Procurator-Fiscal's report and 199 or 0·3 per cent. were uncertified. The latter number is the lowest on record, being 14 less than in 1936, which was the smallest number recorded up to that date. It is in marked contrast to the figure prevailing fifty years ago, when the average number of uncertified deaths was over 6,000. (*Table H.*)

The cause of death was specified in 67,932 cases, or 98·5 per cent. of the total deaths, while in 1,010 or 1·5 per cent. it was either ill-defined or not specified. Of the latter, 996 were attributed to sudden death, syncope, heart failure or other ill-defined cause, while in 14 cases the cause was unspecified.

Principal Epidemic Diseases. — Deaths from the principal epidemic diseases (Nos. 1–18 of International List) numbered 4,468, as compared with 2,719 in the previous year. The death-rate was 90 per 100,000 and is 35 more than in the previous year. It is the highest epidemic rate since 1929. This is principally due to an epidemic of *influenza* which was prevalent in the months of January and February, and which was responsible for the deaths of 2,693 persons throughout the year. In the previous year only 659 deaths were due to influenza, and the number for 1937 is the highest for any year since 1929, when it amounted to 3,435. The death-rate from influenza was 54 per 100,000 in 1937. Next to influenza the most important cause of death was *whooping-cough*, which was responsible for 717 deaths, the equivalent annual death-rate being 14 per 100,000. This number is 201 above the five years' average and the rate is 4 above. The very great majority of these deaths occurred in the first five months of the year. Deaths from *diphtheria* numbered 426, the equivalent death-rate being 9 per

TABLE H.—Deaths from Uncertified Causes, 1881-1937.

Year.	Uncertified Causes.	Percentage of Uncertified to Total.	Year.	Uncertified Causes.	Percentage of Uncertified to Total.
1881-1890 . .	6061	8·2	1928 . . .	356	0·5
1891-1900 . .	3239	4·1	1929 . . .	326	0·5
1901-1910 . .	1839	2·4	1930 . . .	340	0·5
1911-1920 . .	1239	1·7	1921-1930 . .	499	0·8
1921 . . .	716	1·1	1931 . . .	333	0·5
1922 . . .	675	0·9	1932 . . .	303	0·5
1923 . . .	573	0·9	1933 . . .	272	0·4
1924 . . .	608	0·9	1934 . . .	225	0·4
1925 . . .	498	0·8	1935 . . .	230	0·4
1926 . . .	418	0·7	1936 . . .	213	0·3
1927 . . .	481	0·7	1937 . . .	199	0·3

100,000. These deaths are 15 fewer than the five years' average, while the rate is the same. Deaths from *cerebro-spinal fever* numbered 144, the rate being 3 per 100,000. These deaths are 24 fewer than the five years' average. *Scarlet fever* accounted for 123 deaths, which was equal to a rate of 2 per 100,000. This number is 132 below the five years' average and the rate is 3 below. This is the smallest number of deaths from scarlet fever ever registered in Scotland in any year, with the single exception of 1929, when the number was 109. Deaths from *measles* numbered 119 and are equal to a death-rate of 2 per 100,000. This number is 420 below the five years' average and the rate is 9 below. With the single exception of 1933, when deaths from measles reached the abnormally low total of 36, this is the lowest on record for Scotland in any year. Deaths from *typhoid fever* numbered 11 and from *paratyphoid fevers* 5. The total from these two is 23 less than in 1936 and is the lowest number on record, the previous lowest being 22 in 1934. Other diseases in the epidemic group include 109 from erysipelas (52 fewer than in the previous year), 85 from lethargic encephalitis (10 fewer), 25 from dysentery (12 fewer) and 11 from acute poliomyelitis (13 fewer). Deaths from syphilis numbered 79 and from other venereal diseases 6. The "other infectious diseases" referred to on page 7 will be found in detail in Table J. They include 7 deaths from pink disease, and 3 each from German measles, from chickenpox and from infective jaundice.

Tuberculosis.—Deaths from all forms of tuberculosis, exclusive of those associated with influenza, numbered 3,663, and are 2 fewer

TABLE J.—The Causes of Death shown in the International Headings, Nos. 44 and 69, on pages 7 and 9, consisted of the following (age in brackets):—

No. 44.	Males.	Females.	Total.
Pink disease	(10 mos.) (10 mos.) (1)	(8 mos.) (8 mos.) (10 mos.) (10 mos.)	7
German measles	(3 mos.) (1)	(10 mos.)	3
Chickenpox	(1)	(1) (1)	3
Spirochaetosis Ictero-haemorrhagica	(34) (68) (78)	—	3
Mumps	(51)	(1)	2
Sprue	(68)	—	1
Septicæmia after vaccination	—	(4 mos.)	1
Abortus fever	—	(38)	1
Rat bite fever	—	(51)	1
Anthrax	—	(58)	1
TOTAL	11	12	23
No. 69.			
Acidosis	(3 mos.) (4) (13)	(8 mos.)	4
Cyclical vomiting	(3 mos.)	(6) (33)	3
Acholic jaundice	(2 weeks)	(25)	2
Pellagra	—	(42) (57)	2
Osteomalacia	—	(37) (51)	2
Diabetes insipidus	(80)	—	1
Hæmolytic jaundice	—	(1 week)	1
Toxæmia	—	(34)	1
TOTAL	6	10	16

than in the year 1936 and only 17 more than in 1935, which was the smallest number ever recorded in Scotland. The death-rate was 74 per 100,000, being the same as in 1936 and in 1935, and 3 below the five years' average. The death-rate from tuberculosis has declined rapidly in recent years, the rate in the period 1866–1870 having been as high as 382, but in the past four years it has shown little or no change. Mortality from this cause was highest in the large burghs (89), while in the small burghs and in the landward areas it was 55. Compared with the previous year the rate in the large burghs was 2 less, in the small burghs the same and in the landward areas 2 more. In the individual large burghs this rate ranged from 132 in Greenock, 121 in Coatbridge, 110 in Rutherglen and 106 in Glasgow and in Ayr, to 50 in Arbroath, 43 in Airdrie, 38 in Kirkcaldy and 31 in Port Glasgow. In Edinburgh it was 81. In the counties, exclusive of large burghs, this rate ranged from 120 in Ross and Cromarty, 111 in Zetland, 86 in Bute and 78 in Sutherland, to 32 in Selkirk, 24 in Nairn, 23 in Berwick and 14 in Kinross. The death-rate for Scotland from the respiratory form of the disease was 56 and from other forms 18.

Mortality from tuberculosis, as already indicated, has been steadily declining for many years past, both absolutely and relatively. Thirty years ago (1901–1905) the pulmonary and non-pulmonary forms of the disease accounted for approximately 8·5 and 4·3 per cent. respectively of the total male deaths, whereas now the corresponding proportions are 4·4 and 1·3 per cent. Among females a similar trend is manifest. Formerly 8·7 per cent. of all female deaths were from pulmonary forms of tuberculosis and 3·9 per cent. from non-pulmonary, but these proportions have now fallen to 3·7 and 1·2 respectively. A special report on the decline of the death-rate from tuberculosis was included in the Annual Report for 1935.

Malignant Disease.—Deaths from this group of causes numbered 7,810 and are equal to a death-rate of 157 per 100,000. Compared with the previous year the deaths are 99 fewer and the rate 2 less, but the rate is 2 more than the five years' average. What has already been said (see page xiv) about the effect on the general death-rate of the ageing of the population applies in an even more marked degree to the death-rate from cancer, which is essentially a disease of the more advanced ages. If allowance is made for the estimated ageing of the population since 1931 it is found that the increase in the death-rate from cancer between 1931 (148) and 1937 (157) appears to be entirely due to the increasing age of the population.

The most frequent sites among males were the digestive system (stomach, intestine, rectum, liver and œsophagus), the genito-urinary system, the respiratory system and the buccal cavity (mouth, tongue, &c.). Among females the sites affected, in order of numerical importance, were the digestive system, breast and genitalia. Compared with the previous year, increases are noted from malignant disease of the pancreas and of the lung, while

decreases are observed in those cases affecting the larynx. Among male deaths those from cancer of the rectum show a considerable increase, but those from cancer of the intestine show a rather large decrease. Male deaths from cancer of the tongue and of the stomach and pylorus are also markedly fewer. (*Table 28.*)

Diabetes.—Deaths from this cause numbered 867, an increase of 59 as compared with 1936. Male deaths numbered 280 and female deaths 587. The death-rate, 17 per 100,000, is 1 more than in the previous year. In 1925 deaths from diabetes numbered 457, which was lower than for the immediately preceding years, but since that year the number has generally increased. Compared with the average for the past five years deaths from diabetes numbered 130 more. Of this increase 94 occurred among females and only 36 among males. In the Report for 1936 attention was drawn to the fact that the increase was at the older ages, while deaths at the younger ages showed little change, or in some cases an appreciable decline. In 1937 deaths among males at ages under 45 declined from 51 (in 1936) to 37, and among females they declined from 51 to 36. A more detailed examination of the trend of mortality from this cause was given in an Appendix to the Annual Report for 1931. It was then found that at that date any improvement was greater among males than among females, that there was definite improvement at the younger ages, but that in later life mortality had increased. It is now found that while deaths from diabetes are increasing, the increase is less among males than among females and that death is occurring at later ages.

Other General Diseases.—In addition to the foregoing diseases there were 226 deaths from rheumatic fever, being the same as in 1936, 136 from chronic rheumatism, osteo-arthritis (2 fewer than in 1936), and 312 from anæmia, of which 253 were attributed to pernicious anæmia. The deaths from all forms of anæmia were the same as in the previous year, but those from pernicious anæmia are 17 fewer. Deaths from diseases of the thyroid and parathyroid numbered 190, being 5 more than in the previous year, and those from leukæmia and aleukæmia numbered 177, being 25 more than in the previous year. Deaths from pernicious anæmia were more fully dealt with in an Appendix to this Report for 1931. The diseases summarised under No. 69 on page 9 are shown in detail in Table J.

Diseases of the Nervous System.—Deaths from this group of diseases numbered 7,999 and are 117 fewer than in the previous year. They include 61 from cerebral abscess and other inflammation of the brain, 181 from meningitis other than tuberculous or cerebro-spinal, 94 from general paralysis of the insane and 56 from locomotor ataxy. The deaths from each of these causes are fewer than in the previous year. Those from cerebral hæmorrhage, apoplexy, embolism, thrombosis and softening numbered 6,018,

while those from hemiplegia and other or unspecified forms of paralysis numbered 393, the deaths in these groups numbering 48 more than in the previous year, when the deaths from this group numbered fewer than for several years. (*Page 11.*)

Diseases of the Circulatory System.—Deaths from this group of diseases numbered 15,732 and are 545 more than in the previous year. Of them, 14,360 were attributed to heart disease, 724 to arterio-sclerosis, 261 to gangrene, 139 to aneurysm and 87 to diseases of the veins. In the Report for last year the increase in the number of deaths certified as due to heart disease was commented upon. It was pointed out that in eleven years they had increased from 7,375 to 13,698, and another increase of 662 compared with 1936 has now to be noted. As was the case in 1936, it is found that the largest increases are at ages over 65, 575 of the additional deaths compared with 1936 having occurred at these ages. Deaths from diseases of the coronary arteries (including angina pectoris) continued to increase, numbering 1,756 in 1937, as against 1,584 in 1936 and 946 in 1932. (*Table 23 and page 13.*)

Diseases of the Respiratory System.—Deaths from these causes, excluding those associated with influenza and with tuberculosis, numbered 9,087, being 2 fewer than in the previous year. Of them, 38 were ascribed to diseases of the nose and 34 to diseases of the larynx, 3,273 to bronchitis, 4,858 to pneumonia (of which 1,515 were certified as due to lobar pneumonia), 162 to pleurisy and 722 to other respiratory diseases (of which 378 were classified to congestion of the lungs). The deaths from bronchitis are 57 fewer than in the previous year and those from pneumonia are 65 more. If to these deaths there are added those in which influenza was specified as leading to the respiratory condition named, it is found that the death-rate from bronchitis was 73 per 100,000, being 5 above the five years' average, and the death-rate from pneumonia was 123, or 15 above the average. In recent times it has generally been found that in those years in which influenza was epidemic the deaths from pneumonia and from bronchitis correspondingly increased. In 1937 there was a very marked increase, as already indicated, in the number of deaths from influenza, the number being higher than in any year since 1918-19 with only 2 exceptions, 1922 and 1929. On this occasion, however, there is only a small increase in the number of deaths from pneumonia and the number from bronchitis has slightly decreased. In the ten years 1921 to 1930 the inter-relation between the number of deaths from influenza, from pneumonia and from bronchitis was marked, but in more recent years the tendency has been less pronounced. (*Table 26 and page 14.*)

Diseases of the Digestive System.—The total number of deaths ascribed to this group of diseases, apart from malignant disease and tuberculosis, was 3,781, being 141 fewer than in 1936. Deaths

from gastric and from duodenal ulcer numbered 694 as against 627 in the previous year. Those from diarrhœa and enteritis at all ages numbered 1,013 as compared with 1,172 in the previous year. As is usually the case, the number of deaths from diarrhœa was higher during the later summer months, the maximum numbers being registered in September and in October. Of the total number of deaths, 452 occurred in Glasgow. Deaths from ulceration of the intestines numbered 61, a decrease of 2 from the previous year, and those from appendicitis numbered 452, being 19 more than in the previous year. Deaths from diseases of the liver numbered 584, being 11 more than in the previous year. They include 196 from cirrhosis of the liver, 119 from gallstones and 196 from cholecystitis. (Page 16.)

Diseases of the Genito-Urinary System. — These collectively numbered 2,921, being 122 more than in the previous year. Deaths from diseases of the kidney numbered 2,071, an increase of 106, from urinary calculus and conditions affecting the bladder and urethra 258, a decrease of 18, from diseases of the male reproductive organs 515, an increase of 41, and from diseases of the female reproductive organs 77, a decrease of 7. (Page 18.)

Diseases of Pregnancy and Childbirth.—These collectively numbered 424 and are 70 fewer than in the previous year. Of the 14

TABLE K.—Deaths associated with Pregnancy and Parturition but not classified as Puerperal, 1937.*

Short List No.	CAUSE OF DEATH.	All Ages.	Ages.						
			15-19	20-24	25-29	30-34	35-39	40-44	45 and over.
5	Scarlet fever	2	—	—	—	2	—	—	—
8	Influenza	12	—	3	1	4	3	—	1
	Influenza with pneumonia	13	1	2	4	3	3	—	—
14 (2)	Other epidemic diseases	1	—	—	—	1	—	—	—
10	Tuberculosis of respiratory system	11	1	3	3	2	—	2	—
11	Other tuberculous diseases	4	1	—	2	1	—	—	—
15	Cancer, malignant disease	2	—	—	—	—	2	—	—
18	Diabetes mellitus	1	—	—	—	1	—	—	—
20	Other general dis., chronic poisonings	4	—	1	1	—	1	1	—
23	Other diseases of nervous system and sense organs	1	—	—	—	1	—	—	—
24	Heart disease	20	—	5	4	2	7	1	1
25	Other circulatory diseases	1	—	—	—	1	—	—	—
26	Bronchitis	2	—	—	—	—	2	—	—
27	Pneumonia (all forms)	39	1	6	9	13	7	3	—
28	Other respiratory diseases	5	—	1	3	—	—	1	—
29	Diarrhœa, &c.	4	1	2	—	1	—	—	—
30	Appendicitis	4	—	1	1	1	—	1	—
31 (2)	Other diseases of liver, &c.	6	1	3	1	—	1	—	—
32 (2)	Other digestive diseases	1	—	—	—	1	—	—	—
33	Chronic nephritis	5	—	—	1	—	2	2	—
40	Suicide	1	—	—	—	—	1	—	—
42	Other violence	3	1	1	—	1	—	—	—
	All causes	142	7	28	30	35	29	11	2

* See explanatory note on page xxv.

headings under which deaths from puerperal causes are classified in the detailed list, decreases (compared with the previous year) were recorded in nine, no change in one and small increases in four. Deaths from puerperal sepsis (including post-abortive) accounted for 144 and are 51 fewer than in the previous year, while there were 71 from puerperal albuminuria and convulsions, being the same as in the previous year, 61 from puerperal hæmorrhage, being 14 fewer than in the previous year, 13 from abortion not returned as septic, being 7 fewer, and 34 from phlegmasia alba dolens or embolism, being 5 more than in the previous year. Deaths from all puerperal causes are equal to a rate of 4·8 per thousand births, the rate for sepsis alone being 1·6 and for other puerperal conditions 3·2. It will be observed that the improvement in this rate is almost entirely due to the decline in the number of deaths from sepsis. In the large burghs the rate from all puerperal causes was 5·1, in the small burghs 4·6 and in the landward districts 4·3. In the groups of districts the decline was most marked in the small burghs, where the decrease compared with the previous year amounted to 1·2, this being followed by the rate for the landward districts, which declined by 0·9, while that for the large burghs declined by 0·6. Death-rates from septic and from non-septic conditions are shown for each Public Health District in Table 27. A detailed examination of the mortality from diseases and accidents associated with child-birth appeared in the Annual Report for 1931. (*Page 19.*)

In addition to the deaths assigned to puerperal conditions there were 142 deaths associated with pregnancy and parturition, but which were not classified as such. These are shown in Table K. They include 39 from all forms of pneumonia, 25 from influenza, 20 from heart disease, and 15 each from tuberculosis and from diseases of the digestive system. It should be borne in mind that this supplementary table includes all cases in which the certifier stated on the death certificate that the death had occurred during pregnancy or within four weeks thereafter, but in the great majority of these cases the certificate did not actually specify this condition as a cause of death.

Diseases of the Skin and Cellular Tissue.—The total number of deaths in this group was 332, being 24 more than in the previous year. Of these deaths, 62 were attributed to carbuncle or boil and 200 to cellulitis or acute abscess. (*Page 20.*)

Diseases of the Organs of Locomotion.—These account for 128 deaths and are 23 less than in the previous year. Of them 77 were ascribed to acute infective osteomyelitis and 34 to diseases of the joints. (*Page 20.*)

Malformations.—To this group were assigned 615 deaths, being 10 more than in the previous year. In last year's Report reference was made to the increasing number of deaths from these causes, and this year a small increase is again recorded. As is usually the case, male deaths were in considerable excess of the female (339 as against 276). Of the total number 69 were attributed to congenital hydrocephalus, 162 to spina bifida or meningocele, 205 to congenital heart disease, and 179 to other congenital defects. Deaths from congenital hydrocephalus are 15 more than in the previous year, but other causes show little change. Of the deaths from malformation 561 occurred in the first year of life. (*Table L.*)

Diseases of Early Infancy.—Deaths from these causes collectively numbered 2,794 and are 21 fewer than in the previous year. Of them, 693 were ascribed to congenital debility, 1,532 to premature birth, 263 to injury at birth, and 306 to other diseases peculiar to early infancy. Deaths from injury at birth are 47 more than in the previous year.

Senility.—Deaths assigned to senility or to senile dementia numbered 2,494 and are 62 more than in 1936. (*Page 21.*)

Violence.—Deaths from this cause numbered 3,020 and are 194 more than in the previous year. This is the largest number of deaths from violence since 1930, when the number was 3,060. Of these deaths 2,023 were of males and 997 of females. Deaths attributed to suicide numbered 453, a decrease of 43, to homicide 18, a decrease of 10, to war injuries 6, a decrease of 6, and to accidental causes 2,543, an increase of 253. The number of deaths from suicide is the smallest recorded since 1926, when the number was 424. Of the 453 suicidal deaths 233 were by poisoning, of which 158 were by coal gas and 49 by lysol and allied preparations. Suicidal deaths by other forms of poisoning numbered 26, including 12 from the barbiturate group (luminal, &c.). (*Tables 29 and 30 and page 21.*)

Of the accidental deaths 257 were attributed to burns and 23 to

TABLE L—Deaths from Congenital Malformations in 1937.

	Both Sexes.	Males.	Females.	Under 1 day.	1-6 days.	1 week.	2 weeks.	3 and 4 weeks.	1-2 months.	3-5 months.	6-8 months.	9-11 months.	1-4 years.	5-9 years.	10-14 years.	15-24 years.	25 years and over.
Congenital Hydrocephalus . .	69	46	23	7	8	3	3	1	10	12	12	1	8	1	1	2	..
Spina Bifida, Meningocele . .	162	71	91	17	37	27	19	14	23	14	3	3	4	1
Congenital Heart Disease . .	205	117	88	38	55	16	13	6	23	24	6	1	13	3	1	5	1
Other Congenital Defects . .	179	105	74	19	41	11	9	11	53	19	1	1	8	4	..	2	..
TOTAL . .	615	339	276	81	141	57	44	32	109	69	22	6	33	9	2	9	1

conflagration, 321 to drowning, 5 to food poisoning, 45 to gaseous poisoning (of which 39 were by coal gas), 8 to other acute accidental poisoning, 107 to accidental suffocation, 6 to injury by firearms, 30 to weather agencies and 9 to electricity (lightning excepted). Deaths from accidental drowning are 86 more than in the previous year but only 27 more than the previous five years' average. During the first two months of the year the weather was exceptionally stormy (see page xliv) with consequent loss of life at sea. Other differences are of a more normal character. In addition to the deaths from accidental poisoning there were 149 others in which death occurred during or after the administration of an anæsthetic for therapeutic purposes, and in which the anæsthetic may or may not have been a contributory cause. In 28 of these cases the anæsthetic used was ether, in 25 chloroform alone, in 21 chloroform and ether, in 21 nitrous oxide and ether, in 16 nitrous oxide alone, and in 10 ethyl chloride and ether. In the Report of 1936 attention was drawn to the decline in the number of deaths under chloroform alone and to the increase in those under ether alone, but in 1937 this tendency was reversed, as deaths under ether declined from 35 to 28, while those under chloroform increased from 14 to 25. The full list of the anæsthetics used and also of the poisons in the suicidal and the accidental deaths will be found in Table 30.

Deaths due to accidents in coal and other mines and quarries numbered 120, being 5 more than in the previous year, to machinery

TABLE M.—Supplementary Tabulation of Accidental Deaths, 1937.

ACCIDENTS ASSOCIATED WITH		All Ages.	-1	1-	5-	10	15	25	35	45	55-	65-	75-	85 and over.
Mines and Quarries .	{ M.	120	1	19	28	25	30	12	5
	{ F.
Machinery . . .	{ M.	32	..	1	..	4	10	3	3	6	2	3
	{ F.	1	1
Railways . . .	{ M.	102	..	3	..	7	6	14	25	20	20	6	1	..
	{ F.	12	..	1	1	2	1	5	1	1
Tramways . . .	{ M.	15	1	1	1	3	..	4	2	3
	{ F.	5	1	3	1	..
Motor and other mechanical transport .	{ M.	462	..	41	53	18	82	81	47	28	48	37	24	3
	{ F.	146	1	18	29	12	15	7	9	9	13	26	7	..
Horse-drawn vehicles .	{ M.	15	..	1	4	2	..	4	1	1	2	..
	{ F.	1	1
Other or unspecified vehicles . . .	{ M.	40	..	1	..	6	10	4	7	3	5	3	1	..
	{ F.	9	1	1	4	1	2
Water transport (ships, &c.)	{ M.	*41	7	14	6	6	5	1
	{ F.	1	1
Aerial transport . . .	{ M.	16	5	7	2	2
	{ F.
Other specified means of violence . . .	{ M.	835	62	71	44	28	87	78	64	78	106	109	80	28
	{ F.	634	51	54	18	14	25	16	17	31	41	104	171	92
Other unspecified means of violence . . .	{ M.
	{ F.
TOTAL . . .	{ M.	*1678	62	118	97	64	231	232	180	180	199	169	110	34
	{ F.	809	52	73	48	27	43	26	27	45	60	135	181	92

* Including 2 of unstated age.

33, being 6 more than in the previous year, to railway accidents 114, an increase of 43, to tramway accidents 20, a decrease of 6, to accidents in connection with motors and other forms of mechanical transport 608, an increase of 44, to accidents in connection with horse-drawn vehicles 16, an increase of 1, in connection with water transport 42, an increase of 6, and in connection with aircraft 16, an increase of 8. The increase in the number of deaths from railway accidents was largely due to the collision at Castlecary. (*Table M.*)

Motor Accidents.—Of the 608 deaths from motor accidents, 462 were of males and 146 of females. While this excess of male deaths occurred at every age period, it is specially marked between the ages of 15 and 44. The accompanying Table N has been prepared to show the number of deaths attributed to accidents in connection with motors and horse-drawn vehicles respectively within the last two decennial periods. It will be seen that deaths from accidents with motor vehicles increased to a maximum of 747 in 1930. From 1931 to 1934 the number was fairly steady and nearly 100 per annum fewer, the total both for 1933 and 1934 being 662. In 1935 it declined to 555, and for 1936 it increased very slightly to 564. It has now again increased to 608 for 1937, this being the largest increase in any year since 1930. Deaths from accidents with horse-drawn vehicles have tended downwards, the annual average for 1911 to 1920 being 49 compared with 18·5 during the period 1921 to 1930, and, as already indicated, the number in 1937 was 16.

Relative Frequency of Causes of Death.—Table O shows in order of frequency the causes of death to which were ascribed at least 1 per cent. of all deaths during 1937, together with the corresponding figures for the previous year. The list includes 54,734 deaths, or 79·4 per cent. of the total registered during the year. The four most frequent causes were heart disease, malignant tumours, cerebral hæmorrhage and allied conditions, and pneu-

TABLE N.—Accidents with Motor and Horse-drawn Vehicles, 1911-1937.

	<i>Motors.</i>	<i>Horse-drawn Vehicles.</i>		<i>Motors.</i>	<i>Horse-drawn Vehicles.</i>
1911 . .	38	81	1925 . .	319	22
1912 . .	51	54	1926 . .	416	11
1913 . .	32	40	1927 . .	448	18
1914 . .	48	34	1928 . .	507	18
1915 . .	113	49	1929 . .	679	13
1916 . .	118	45	1930 . .	747	20
1917 . .	107	51	1931 . .	627	15
1918 . .	79	47	1932 . .	648	18
1919 . .	141	57	1933 . .	662	9
1920 . .	161	36	1934 . .	662	14
1921 . .	220	30	1935 . .	555	20
1922 . .	213	19	1936 . .	564	15
1923 . .	199	19	1937 . .	608	16
1924 . .	239	15			

monia. Compared with the previous year there are increases in the proportion of deaths attributed to heart disease, to violence and to influenza, while decreases are shown for malignant tumours, cerebral hæmorrhage and allied conditions, pneumonia, tuberculosis, diseases of early infancy and bronchitis. In some of these cases the changes are relatively unimportant. In 1921–30 deaths from heart disease accounted for 11·5 per cent. of the total deaths, and in 1937 this percentage had risen to 20·8.

Infant Deaths—The most important causes of death under one year of age were congenital causes, all forms of pneumonia, diarrhœa, whooping-cough, bronchitis and convulsions. Deaths from these and other causes at the various stages of life under one year will be found in Table 31. From this Table it will be observed that of the 7,050 children who died before completing their first year 1,057 did not survive one day, 1,152 others did not survive one week and 1,152 others did not survive one month. Table P (1) shows the proportions who died at these ages in recent years. It will be noted that in the groups of years ending in 1935 there has been slight improvement at each age period between one and six months, although this was not maintained in the last two years. The greatest improvement has been in the period between six months and one year, in which case the improvement has continued until 1937, the rate for which is the lowest shown in the Table. In Table 32 will be found the month of the year in which these infant deaths occurred. The numbers ranged from 778 in December and 736 in March to 432 in September and 427 in July. Table 33 shows for each Public Health District the distribution of these infant deaths according to age (days, weeks, &c.). (Tables 31–33.)

TABLE O.—Relative Frequency of Causes of Death.

<i>Causes of Death.</i>	1937.		1936.	
	<i>Number.</i>	<i>Per cent. of Total.</i>	<i>Number.</i>	<i>Per cent. of Total.</i>
Heart disease	14,360	20·83	13,698	20·52
Malignant tumours	7,810	11·33	7,909	11·85
Cerebral hæmorrhage, &c. . . .	6,411	9·30	6,364	9·53
Pneumonia	4,858	7·05	4,793	7·18
Tuberculosis (all forms)	3,663	5·31	3,665	5·49
Diseases of early infancy and mal- formations	3,409	4·94	3,420	5·12
Bronchitis	3,273	4·75	3,330	4·99
Violence	3,020	4·38	2,826	4·23
Influenza	2,693	3·91	659	0·99
All nephritis	1,885	2·73	1,776	2·66
Diarrhœa, &c. (all ages)	1,074	1·56	1,235	1·85
Diabetes	867	1·26	808	1·21
Whooping-cough	717	1·04	411	0·62
Gastric and duodenal ulcer	694	1·01	627	0·94
	54,734	79·39	51,521	77·19

There have been added to these Tables for the first time extended figures for the deaths of illegitimate infants. As already indicated in an earlier section of this Report the infantile mortality among illegitimate children is about 50 per cent. greater than among the legitimate. From Table 33 it will be seen that this ratio is considerably exceeded between the ages of one week and three months, that at ages under one week this ratio is maintained, but that at ages over six months the excess mortality is considerably less, although it is still higher than among legitimate children. This relative excess in the mortality among illegitimate children is maintained both in the large burghs and in the rest of Scotland. This rate is calculated for each of the 55 Public Health Districts, but it is necessary to point out that, as the figures are in some cases based on a very small number of observations, they are not all equally significant, and that observations for another year might yield very different results. Table 31 shows these deaths classified not only according to age but also according to cause of death. In the case of the more important causes of infant deaths, the excess mortality among illegitimate children as compared with legitimate is greatest in the case of deaths from congenital debility, from injury at birth and from diarrhoeal diseases, but is less marked in the case of deaths from whooping-cough, from congenital malformations and from premature birth. (*Tables 31–33.*)

Children under Five Years.—Table P (2) shows the deaths from certain causes in children under five years of age. The total number of deaths in this age-group is 9,245, being 507 fewer than in the previous year, but if children under one year are excluded the number (i.e. at ages 1 to 4 inclusive) is 2,195, which is 242 less than in the previous year, and, as will be seen from Table 24, the death-rate is 6·9 per thousand against 7·6 in 1936. Deaths from measles are fewer by 290, but this is to a large extent counter-balanced by an increase of 159 in the case of whooping-cough.

TABLE P (1).—Deaths under One Year per 1000 Births in Scotland, 1922–1937.

YEAR.	MALES.						FEMALES.					
	Under 1 year.	Under 1 week.	1 week and under 1 month.	1 month and under 3 months.	3 months and under 6 months.	6 months and under 12 months.	Under 1 year.	Under 1 week.	1 week and under 1 month.	1 month and under 3 months.	3 months and under 6 months.	6 months and under 12 months.
1922–25	103·7	42·6		16·0	16·6	28·5	80·0	32·7		11·8	12·6	23·0
1926–30	96·0	41·1		14·9	16·5	23·5	74·4	31·8		10·6	12·1	19·9
1931–35	90·3	27·9	13·0	14·3	15·0	20·1	70·8	21·6	11·0	10·2	11·4	16·6
1931	93·2	27·5	12·6	13·9	15·9	23·3	69·9	21·7	9·6	9·9	10·4	18·4
1932	94·6	26·8	13·4	15·4	17·0	22·1	77·3	20·7	11·1	12·3	13·8	19·4
1933	89·3	28·8	12·0	14·3	14·2	19·5	72·4	23·3	10·9	10·0	11·4	16·7
1934	86·9	27·7	12·2	14·3	14·0	18·7	68·0	21·6	10·8	9·5	11·1	15·0
1935	86·9	28·8	14·6	13·2	13·6	16·7	66·2	20·7	12·8	9·1	10·1	13·6
1936	92·2	28·4	14·1	15·9	15·2	18·7	71·9	21·3	11·2	10·7	13·0	15·8
1937	89·6	28·2	14·2	15·0	16·2	16·0	70·5	22·0	12·0	10·8	11·5	14·2

Deaths from diphtheria are also more by 32, but those from tuberculosis (all forms) are fewer by 43, from all digestive diseases by 41 and from pneumonia by 40. The leading causes of death in this age-group (1-4) are pneumonia (564), whooping-cough (336), all forms of tuberculosis (211), including 123 from tuberculous meningitis, diphtheria (178) and diseases of the digestive system (168).

TABLE P (2).—Number of Deaths from Selected Causes among Children aged under Five Years in 1937.

Deaths from	Total aged under 5 years.	Under 1 year.	Total aged 1-4 years.	1 year.	2 years.	3 years.	4 years.
Measles	111	33	78	52	20	4	2
Scarlet fever	58	7	51	14	20	14	3
Whooping-cough	697	361	336	220	69	25	22
Diphtheria	187	9	178	45	48	34	51
Erysipelas	13	13
Tubercular meningitis	174	51	123	56	39	16	12
Abdominal tuberculosis	25	6	19	13	2	1	3
Other tuberculous diseases	101	32	69	22	19	9	19
Meningitis, not tuberculous	102	70	32	12	11	7	2
Convulsions	181	146	35	22	8	3	2
Pneumonia (all forms)	1,809	1,245	564	396	98	38	32
Bronchitis	284	258	26	19	4	3	...
Digestive diseases	988	820	168	85	27	34	22
Congenital causes	3,388	3,355	33	16	6	9	2
Other causes	1,127	644	483	200	111	94	78
TOTAL	9,245	7,050	2,195	1,172	482	291	250

APPENDIX I.

SEVENTY-THIRD ANNUAL REPORT ON THE VACCINATION OF CHILDREN IN SCOTLAND (1936).

This report deals with the vaccination of children born in Scotland during the year 1936 who in the ordinary course should have been vaccinated during that year or during the first half of the year 1937.

Children whose births were shown in the Vaccination Returns for the year 1936 numbered 88,932, of whom 5,622 died before reaching the age of statutory vaccination (six months), while 83,310 survived at that date, and it is the latter number which more especially falls to be considered here. (*Table 36.*)

Of the 83,310 children surviving at the time of statutory vaccination, 37,022 or 44·44 per cent. were either certified to have been successfully vaccinated or reported to be insusceptible to vaccination by reason of previous uncertified vaccination, 1,105 or 1·33 per cent. were certified as insusceptible to vaccination for reasons other than previous vaccination, and 45,183 or 54·24 per cent. were not reported as vaccinated, the majority of these, 40,796 or 48·97 per cent. of the total, being unvaccinated by reason of Declaration of Conscientious Objection on the part of the parents. This is the ninth year in succession in which the last-named percentage has shown an increase. (*Table 36.*)

The vaccinated children numbered 37,022, for whom the statutory certificates of vaccination were submitted in respect of 36,809 and certificates of previous vaccination in respect of 213. These 37,022 children constituted 44·44 per cent. of those surviving at the time of statutory vaccination, a rate which is 0·81 less than in the previous year. Prior to the passing of the Vaccination (Scotland) Act, 1907, by which conscientious objection on the part of the parents became a valid reason for avoiding statutory vaccination, over 91 per cent. of the children born in Scotland and surviving at the time of statutory vaccination were successfully vaccinated, but thereafter the proportion fell, being less than 50 per cent. in 1918. In the year 1920, when there was an outbreak of smallpox in Glasgow, this rate rose to 71 per cent., but since then it has steadily declined, reaching the lowest so far recorded of 44 per cent. in the year under review. In the counties, burghs included, the percentage of children surviving at the time of statutory vaccination who were successfully vaccinated ranged from 82·2 in Peebles, 80·3 in Kincardine, 78·6 in Kirkcudbright and 78·2 in Nairn, to 26·1 in Dunbarton, 19·3 in Caithness,

18·3 in Orkney and 6·3 in Zetland. In sixteen counties less than half of the children surviving at the time of statutory vaccination were reported to be successfully vaccinated. In Zetland the births registered during the year numbered 278, and children surviving at the time of compulsory vaccination numbered 270, of whom only 17 were reported to be vaccinated. In the large burghs the percentage successfully vaccinated ranged from 80·7 in Aberdeen, 60·0 in Edinburgh and 59·0 in Perth, to 24·0 in Clydebank, 22·2 in Hamilton, 21·0 in Greenock and 18·6 in Dunbarton. In Glasgow it was 45·3 and in Dundee 26·1.

Children reported as not vaccinated, or as being constitutionally insusceptible, numbered 46,288, or 55·56 per cent. of the total survivors. In the previous year the number and percentage were 45,093 and 54·75 respectively. Of the 46,288 unvaccinated children, 1,105 were certified as constitutionally insusceptible to vaccination, 40,796 were unvaccinated by reason of Statutory Declaration of Conscientious Objection, 1,489 were unvaccinated by reason of postponement of vaccination with medical certificates, and 2,898 were unvaccinated, or presumed to be so, through being lost sight of by removal from the district of registration or otherwise. (*Table 36.*)

Certificates of Constitutional Insusceptibility numbered 1,105, which is 273 fewer than in the previous year. This is the smallest number recorded since 1927, when they amounted to 1,030. In the counties certificates of insusceptibility were relatively frequent in Peebles (4·8 per cent.), in Kinross (4·5 per cent.) and in Perth (2·5 per cent.), but were less than 1 per cent. in 17 counties. In the large burghs this percentage varied from 4·9 in Rutherglen and 2·6 in Perth to less than 1 per cent. in twelve burghs. Prior to 1926 these cases normally numbered less than 1,000 per annum, but they have exceeded 1,000 in every year since that date, and in 1929 and in 1932 they numbered more than 2,000. Since the latter date there has been a substantial decline each year.

Children exempted from vaccination by reason of parental conscientious objection numbered 40,796 and constituted 48·97 per cent. of the total surviving at the time of statutory vaccination. This number is 1,274 more than in the previous year and 3,336 more than the mean of those of the preceding five years. The percentage is 0·98 more than that for the previous year and 4·14 more than the mean of the previous five years. It is the highest percentage of children unvaccinated for this reason which has hitherto been recorded. For the third year in succession the percentage of children in this group is greater than among the successfully vaccinated. In the counties, burghs included, this percentage ranged from 93·0 in Zetland, 78·9 in Orkney, 68·9 in Caithness and 68·7 in Dunbarton, to 17·8 in Kirkeudbright, 16·7 in Nairn, 12·3 in Peebles and 11·5 in Kincardine. In the large burghs it ranged from 79·1 in Dumbarton, 76·0 in Greenock, 73·4 in

Hamilton and 72·3 in Dundee, to 35·4 in Perth, 34·2 in Edinburgh and 14·9 in Aberdeen. It may be pointed out that the same counties and burghs tend to appear year after year among those showing maximum and minimum percentages, and correspondingly among those counties and burghs which show low and high percentages respectively of children successfully vaccinated.

Children who were still unvaccinated at the end of 1937 by reason of postponement on medical grounds numbered 1,489 and constituted 1·79 per cent. of those surviving at the time of statutory vaccination. In the previous year this number was 1,502 and the percentage 1·82. During the past few years the percentage of children in this group has tended to diminish, although on this occasion the decline is slight. (*Table 36.*)

Children whose vaccinations were unaccounted for through removal from the district of registration or otherwise numbered 2,898 and amounted to 3·48 per cent. of the total surviving. In the previous year the corresponding number and percentage were 2,691 and 3·27 respectively. (*Table 36.*)

APPENDIX II.

ADDITIONAL STATISTICS REGARDING MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1936.

A preliminary statement regarding the marriages registered in Scotland during the year 1936 was incorporated in the Eighty-Second Annual Report of the Registrar-General dealing with the detailed statistics of the registered births and deaths of that year, but as full details of the registered marriages were not available at the time when the report was prepared, the statement was necessarily restricted and dealt only with the number of marriages registered in 1936 and the marriage-rates. It is now supplemented by this detailed report on these marriages, including a statistical account of the method of proclamation, the church of celebration, the ages and conjugal conditions of those marrying, and the method of signing the marriage schedules, by writing or by mark.

In the Eighty-Second Annual Report it was stated that the number of marriages registered in Scotland during the year 1936 was 37,914, but after complete examination of the registers the adjusted number was found to be 37,896, the provisional figure being in excess by 18. The marriage-rate for the year 1936, which is 7·631, differs but little from the provisional rate, which was given as 7·634. The corrected number of marriages is 2,910 more than the mean of the number registered annually during the five preceding years, while the marriage-rate is 0·501 above the mean. (*Table 8.*)

Regular and Irregular Marriages.—Of the 37,896 marriages registered during the year 1936, 33,393 or 88·1 per cent. were regular, i.e. solemnized by a minister of religion after proclamation of banns or after publication of notice at a registrar's office, while 4,503 or 11·9 per cent. were irregular, i.e. contracted without proclamation of banns or publication of notice and not solemnized by a minister of religion. In the previous year regular marriages constituted 88·5 per cent. of all marriages registered. In the early years of registration irregular marriages were very few, the annual average prior to 1870 being less than 50, but it was 263 between 1871 and 1880, 650 during 1881–90, 1,428 during 1891–1900 and 2,034 during 1901–10. During the period 1911–20, which included the years of the Great War, the average number increased to 5,312, but during the period 1921–30 it declined to 4,287, and compared with that average the total for 1936 is more by 216. The proportion which irregular marriages bear to the total has likewise increased. In 1855–60 it was only 0·09 per cent. and in 1861–70 it was 0·18 per cent., but in 1871–80 the decennial average amounted to 1·04 per cent., and thereafter it steadily increased to a maximum of 14·90 per cent. in 1911–20, with a subsequent decline to 12·74 per

cent. in 1921–30. The highest figures for individual years were registered during the War period, the percentages then varying from 16·38 in 1917 to 20·48 in 1915. From 1929 to 1935 the tendency was for this percentage to decline slowly, and the percentage for the latter year (11·5) was the lowest since pre-war years, but the rate in 1936 has increased to 11·9. Almost three-fourths of these irregular marriages are registered in Glasgow and in Edinburgh. Of the total marriages registered in the large burghs during 1936, 17·4 per cent. were irregular, while for the rest of Scotland the corresponding percentage was only 1·8. Of these irregular marriages 4,269 took place in the large burghs and 234 in the remainder of Scotland. The former number is 173 more than in the previous year but the latter is 32 fewer. In the large burghs taken individually the percentage of irregular to total marriages ranged from 25·4 in Edinburgh, 21·1 in Glasgow, 20·4 in Dunfermline and 19·2 in Perth, to 0·7 in Port Glasgow, 0·6 in Coatbridge, 0·5 in Greenock and 0·3 in Clydebank and 0 in Rutherglen. In counties, all burghs included, the percentage ranged from 22·5 in Midlothian, 19·4 in Dumfries, 15·9 in Lanark and 12·8 in Angus, to 0 in Kinross, in Peebles and in Selkirk. Of the 4,503 irregular marriages, 4,497 were registered by warrant of the Sheriff and 6 on production of Extract Decree of Declarator. (*Tables 9 and 10.*)

Method of Publication.—Of the 33,393 regular marriages registered throughout the year, 24,778 or 74·2 per cent. of such marriages were solemnized after proclamation of banns in respect of both parties, 7,855 or 23·5 per cent. after publication of notice in respect of both parties, and 760 or 2·3 per cent. after proclamation of banns for one and publication of notice for the other party. (*Table Q.*) The percentage of regular marriages celebrated after proclamation

TABLE Q.—Regular Marriages in Scotland in 1936, following Proclamation of Banns or Publication of Notice at Registrar's Office.

Church of Celebration.	Number.				Percentage of Total for each Church, &c.			Percentage of Total Regular Marriages.
	Total.	Banns.	Publication of Notice	Banns and Publication.	Banns.	Publication of Notice.	Banns and Publication.	
Church of Scotland . . .	23,791	21,030	2,283	478	88·4	9·6	2·0	71·2
United Free Church . . .	348	239	98	11	68·7	28·2	3·2	1·0
Free „ . . .	385	211	160	14	54·8	41·6	3·6	1·2
Roman Catholic „ . . .	4,925	781	3,996	148	15·9	81·1	3·0	14·7
Scottish Episcopal „ . . .	1,026	690	303	33	67·3	29·5	3·2	3·1
Congregational „ . . .	1,215	791	396	28	65·1	32·6	2·3	3·6
Baptist „ . . .	520	360	140	20	69·2	26·9	3·8	1·6
Methodist „ . . .	400	281	114	5	70·3	28·5	1·3	1·2
Jews . . .	102	13	86	3	12·7	84·3	2·9	0·3
All other Regular Marriages	681	382	279	20	56·1	41·0	2·9	2·0
All Regular Marriages	33,393	24,778	7,855	760	74·2	23·5	2·3	100·0

by banns has been steadily increasing in recent years. In 1913, the year before the War, it was 60·3, in 1919 it was 66·1, in 1929 it was 69·9, and although it declined to a small extent in the three years following, it has now risen to 74·2, as already stated. The percentage of those celebrated after publication shows a corresponding decline. (*Table 9.*)

Of the regular marriages in large burghs, 13,452 or 66·2 per cent. of such marriages were celebrated after banns, 6,427 or 31·6 per cent. after publication of notice, and 430 or 2·1 per cent. after banns in respect of one and publication of notice in respect of the other party. In the other districts of Scotland 11,326 or 86·6 per cent. were after banns, 1,428 or 10·9 per cent. after publication of notice, and 330 or 2·5 per cent. after banns and publication of notice. In the county of Kinross all marriages were regular and were preceded by proclamation of banns and in the county of Zetland all the regular marriages were after such proclamation, and this was the case with 98 per cent. or more of the regular marriages celebrated in the counties of Berwick, Caithness, Kirkcudbright, Nairn, Sutherland and Wigtown. (*Table 9.*)

Table Q has been constructed to show the frequency and denomination of those married after proclamation of banns and after publication of notice. Marriage after banns was relatively most frequent in the Church of Scotland (88·4 per cent.), in the Methodist Church (70·3 per cent.) and in the United Free Church (68·7 per cent.), while marriage after publication of notice was relatively most frequent among the Jews (84·3 per cent.) and in the Roman Catholic Church (81·1 per cent.).

Church of Celebration. — Of the 33,393 regular marriages, 23,791 or 71·2 per cent. were celebrated according to the forms of the Church of Scotland, 4,925 or 14·7 per cent. according to those of the Roman Catholic Church, 1,215 or 3·6 per cent. according to the forms of the Congregational Church, and 1,026 or 3·1 per cent. according to the forms of the Scottish Episcopal Church. (*Table Q.*)

TABLE R. —Regular and Irregular Marriages in 1936.

	Number.			Percentage of Total Marriages.		
	SCOTLAND.	Large Burghs.	Other Districts.	SCOTLAND.	Large Burghs.	Other Districts.
Regular Marriages, { Church of Scotland . . .	23,791	13,341	10,450	62·8	54·3	78·5
United Free Church . . .	348	184	164	0·9	0·7	1·2
Free Church	385	208	177	1·0	0·8	1·3
Roman Catholic Ch. . . .	4,925	3,627	1,298	13·0	14·8	9·7
Scottish Episcopal Ch. . .	1,026	776	250	2·7	3·2	1·9
Other Religious Forms . .	2,918	2,173	745	7·7	8·8	5·6
Irregular Marriages . . .	4,503	4,269	234	11·9	17·4	1·8
Total Marriages	37,896	24,578	13,318	100·0	100·0	100·0

The relative frequency of marriage according to the principal denominations in the aggregate of large burghs and other districts is shown in Table R, for previous years in Table 8, and in individual burghs and counties in Table 10. It will be observed that the proportion of marriages according to the forms of the Presbyterian Churches are relatively less frequent in the large burghs than in other districts. Marriages according to the forms of the Church of Scotland constituted at least 85 per cent. of all marriages registered in the counties of Berwick, Caithness, Kincardine, Kirkcudbright, Peebles, Roxburgh and Wigtown, while Roman Catholic marriages constituted at least 15 per cent. of the total in the counties of Bute, Dunbarton, Lanark and Renfrew. In the large burghs Church of Scotland marriages were relatively most frequent (70 per cent. or over) in Kirkcaldy, in Kilmarnock, in Falkirk, in Rutherglen and in Arbroath, while Roman Catholic marriages were most frequent (25 per cent. or over) in Greenock, in Coatbridge, in Hamilton, in Airdrie, in Dunbarton and in Port Glasgow. A complete list of the principal denominations and communities named in the Marriage Registers for 1936 is given in Table S.

Conjugal Condition of those Marrying.—Of the 37,896 males marrying during the year, 35,409 or 93·5 per cent. were bachelors, 2,213 or 5·8 per cent. were widowers, and 274 or 0·7 per cent. had been divorced. Of the 37,896 women marrying, 36,501 or 96·3 per cent. were spinsters, 1,107 or 2·9 per cent. were widows, and 288 or 0·8 per cent. had been divorced. The combinations of the various conjugal conditions are shown in the following table :—

		Spinsters.	Widows.	Divorced Women.	Total.
Bachelors	34,679	534	196	35,409
Widowers	1,603	544	66	2,213
Divorced men	219	29	26	274
Total	36,501	1,107	288	37,896

TABLE S.—Marriages in Scotland in 1936 by Denominations, &c. in Order of Frequency.

1. Church of Scotland .	23,791	16. Church of Christ . . .	19
2. Roman Catholic Church	4,925	17. Apostolic Church . . .	18
3. Congregational „	1,235	18. Catholic Apostolic Church	15
4. Scottish Episcopal „	1,026	19. Four Square Gospel Church	15
5. Baptist „	520	20. Church of England . . .	13
6. Methodist „	400	21. Reformed Presbyterian Church	12
7. Free „	385	22. Church of God	10
8. United Free „	348	23. Other Religious Forms .	73
9. Christian Brethren . . .	190		
10. Salvation Army	108		
11. Jews	102	All Religious Forms . . .	33,393
12. Free Presbyterian Church	61		
13. Original Secession „	50	Irregular Marriages . . .	4,503
14. Unitarian „	48		
15. Church of the Nazarene .	29	All Marriages	37,896

From the above table it may be deduced that 97·9 per cent. of the bachelors married spinsters, while 1·5 per cent. married widows; that 72·4 per cent. of the widowers married spinsters, while 24·6 per cent. married widows, and that of all males who had been divorced 79·9 per cent. married spinsters, 10·6 per cent. married widows and 9·5 per cent. married women who had been divorced. In the case of all men marrying 96·3 per cent. married spinsters, 2·9 per cent. married widows and 0·8 per cent. married women who had been divorced. Of all spinsters marrying 95·0 per cent. married bachelors and 4·4 per cent. married widowers; among widows 48·2 per cent. married bachelors and 49·1 per cent. married widowers; of women who had been divorced 68·1 per cent. married bachelors, 22·9 per cent. married widowers and 9·0 per cent. married men who had been divorced. In the case of all women marrying 93·4 per cent. married bachelors, 5·8 per cent. married widowers and 0·7 per cent. married men who had been divorced. It will be observed that although 274 divorced men and 288 divorced women remarried during the year, in only 26 cases was it stated that each of the parties to the marriage had been divorced. In 1935 this number was 12. (*Table 11.*)

Method of Signature.—Of the 75,792 persons who were married during 1936, 94 (58 men and 36 women) signed the marriage schedule by mark and the remainder in writing. This number is slightly higher than that for 1935 (92) but is below the average for recent years. The great decrease in this number since the early days of registration is noteworthy. In the decade 1861–70 an annual average number of 7,123 persons signed by mark, but by 1891–1900 this average had fallen to less than 2,000 and by 1911–1920 to a little over 500 per annum. Since 1925 the annual number has always been less than 200, and since 1932 it has never exceeded 100. The change in the sex proportions is likewise striking. Whereas prior to 1870 females signing by mark outnumbered males by 2 to 1, towards the end of the century this ratio was 1·5 to 1. In recent years the numbers of males and females assigned to this group have been more nearly equal, while on 4 occasions (including 1936) males have actually exceeded females. In 1936 males exceeded females by more than 50 per cent. (*Table 8.*)

The age distribution of persons signing by mark is shown in Table T and the Church of Celebration in Table U. In the former table it will be observed that, compared with the total marriages registered among persons of a given age, those signing by mark are relatively most frequent at the older ages, 50 years and over. This is more particularly evident among women. In the case of women aged 60 and over the proportion who signed by mark is 4·7 per cent. It may be noted that those signing by mark include a certain number of blind persons. Of the 94 persons who signed by mark 38 were married according to the forms of the Church of Scotland, 19 according to those of the Roman Catholic Church and 11 according

to those of churches of other denominations, while 26 were married irregularly. In 1935 the last-mentioned number was only 7.

Ages of those Marrying.—The average age of all men marrying during the year was 29·5 and of all women 26·6 years. In the aggregate of large burghs the average age at marriage was 29·7 for men and 26·8 for women. In each of these cases this age was slightly higher than in the previous year. In the other districts of Scotland these averages were 29·1 for men and 26·1 for women, these averages being the same as in the previous year. It will be observed that, as is usually the case, the average age is rather higher in the case of marriages celebrated in the large burghs than in those celebrated elsewhere in Scotland. (*Tables 12 and 13.*)

The average ages arranged according to the conjugal condition of those marrying are set forth below in tabular form :—

Average ages of—	Spinsters.	Widows.	Divorced Women.	All Women.
Bachelors marrying ...	28·1	37·7	34·1	28·3
Widowers marrying ...	45·1	53·9	50·5	47·5
Divorced men marrying	37·3	43·6	40·5	38·3

Average ages of—	Bachelors.	Widowers.	Divorced Men.	All Men.
Spinsters marrying ...	25·5	35·2	30·4	26·0
Widows marrying ...	38·8	47·7	41·7	43·3
Divorced women marrying	33·9	42·4	34·8	35·9

The average age of all bachelors marrying is 0·2 higher than in 1935, that of widowers is 0·4 higher, while that of divorced men is 0·4 lower. The average age of all spinsters marrying is 0·1 more than in the previous year, that of all widows is 0·6 higher, and that of divorced women is 0·4 higher. Tables 14 to 18B show in combination the ages of those who married, together with their conjugal condition before marriage. The ages of divorced men or divorced

TABLE T.—Ages of Persons Marrying who Signed by Mark in 1936.

Age Group.	Numbers.			Percentage who signed by Mark in each Age Group.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
Under 20	2	...	2	0·04	...	0·05
20-29	22	17	5	0·04	0·07	0·02
30-39	15	10	5	0·09	0·10	0·08
40-49	20	10	10	0·65	0·55	0·78
50-59	16	9	7	1·29	1·03	1·88
60 and over	19	12	7	3·00	2·47	4·73
All Ages	94	58	36	0·12	0·15	0·09

women are published in Tables 18A and 18B, but without differentiation to show the conjugal condition of the other spouse, although the results have been tabulated. (*Tables 14–18b.*)

The excess of the average age of bridegrooms over that of brides is 2·9, being the same as in the previous year. Bachelors marrying spinsters were on an average older by 2·6 years, widowers marrying spinsters older by 9·9 years and widowers marrying widows older by 6·2 years, but the average age of bachelors marrying widows is less by 1·1 year. In the case of the last-named group this difference was only 0·2 year in 1935, but all other groups show a slight increase in the excess of the husband's age. (*Tables 14–18.*)

The average age of men at marriage ranged in the counties, inclusive of burghs, from 32·7 in Zetland, 32·1 in Ross and Cromarty and 31·9 in Argyll and in Sutherland, to 28·5 in East Lothian and in Fife, 28·4 in West Lothian and 28·3 in Wigtown. The average age of women marrying during the year ranged from 29·1 in Zetland, 28·4 in Ross and Cromarty, 28·3 in Inverness, 28·2 in Bute and 28·1 in Argyll, to 25·8 in Fife, 25·7 in East Lothian, 25·5 in West Lothian and 25·0 in Wigtown. In the large burghs the average age among males ranged from 31·7 in Inverness, 30·7 in Perth, 30·2 in Edinburgh and 30·0 in Ayr and in Dumbarton, to 27·8 in Airdrie and 27·7 in Hamilton and in Port Glasgow. In Glasgow this average was 29·9, in Dundee 29·5 and in Aberdeen 29·6. Among females the average age in the large burghs ranged from 28·2 in Inverness and 27·4 in Edinburgh and in Perth, to 25·6 in Motherwell and Wishaw, in Coatbridge and in Airdrie, 25·2 in Port Glasgow and 25·0 in Hamilton. In Glasgow it was 26·9 and in Dundee and in Aberdeen 26·7. (*Tables 12 and 13.*)

TABLE U.—Church, &c., of Celebration of Persons Marrying who Signed by Mark in 1936.

Church, &c.	Entries in which Mark was Used by			Persons Using Mark.		
	Man only.	Woman only.	Both.	Men.	Women.	Total.
Church of Scotland . . .	19	13	3	22	16	38
Roman Catholic Church . .	10	5	2	12	7	19
Congregational „ . . .	1	...	1	2	1	3
Methodist „	1	1	1
Episcopal „ . . .	1	...	1	2	1	3
Salvation Army . . .	1	...	1	2	1	3
Baptist „ . . .	1	1	...	1
Irregular Marriages . . .	14	6	3	17	9	26
TOTAL . . .	47	25	11	58	36	94

The youngest bridegrooms of the year were 2 bachelors aged 16 and 42 bachelors aged 17. One of the latter married a widow but all the others married spinsters, 4 of whom were only 16 years of age. The youngest brides were 247 aged 16, all of whom except 2 married bachelors whose ages ranged from 17 to over 45. The remaining two brides of this age married widowers aged between 20 and 30. (*Tables 14-17.*)

The oldest men marrying were 7 aged over 80, of whom one was over 85. Two of these were bachelors and 5 were widowers. All of them married brides aged between 40 and 70. The oldest women marrying were 14 over 70 years of age, of whom one was over 75. All but 2 were widows, and all married bridegrooms aged between 60 and 80. Three girls aged 16 married men aged over 30 and 7 aged under 25 married men of over 60. Two bachelors aged under 30 married widows aged over 55. The youngest divorced men who remarried were 3 aged under 25, while 7 were aged over 60. The youngest divorced women were 10 aged under 25, while 4 were aged over 55. (*Tables 14-18b.*)

APPENDIX III.

REPORT ON THE WEATHER IN SCOTLAND FOR THE YEAR ENDING 31st DECEMBER 1937.

Supplied by the Meteorological Office, Edinburgh.

Under the heading of "Meteorological Notes" a descriptive account of the weather is given in the "Monthly Returns" published by authority of the Registrar-General, and the notes are accompanied by statistics for some of the Principal Towns. The present report, for the whole year, is of a general character as to the text, and to it are appended tables summarizing the statistics of the various stations. (Pp. 133–137.)

General.—The outstanding features of the year are indicated in the course of the report. The most notable were, perhaps :—

1. The succession of gales throughout January and the abnormally heavy rainfall in that month over a large part of the country.
2. The exceptional cold of March and December—unequalled since 1919—with comparatively warm conditions in almost every intervening month.
3. The marked deficiency of rainfall over the north-western part of the country in the last quarter of the year.

Pressure and Winds.—Barometric pressure was 0·04 inch below the normal for the year as a whole. The monthly pressure means were below normal in the seven months January to April, June, July and September, and above normal in the remaining five months. The greatest departure from the normal was in February, when the mean pressure was 29·462 inches or 0·410 inch below normal. January, with a mean pressure 0·279 inch below normal, was the only other month in which the departure from normal exceeded 0·2 inch.

In January there was a remarkable excess of winds between east and south, and gales were reported on every day from one part or another of Scotland. The areas chiefly affected were Shetland and Orkney, North-east Scotland and the western seaboard. Winds were chiefly from south-west or west in February, and gales, mainly affecting the northern and western coastal districts, were frequent. There was a pronounced excess of winds from north and north-east in March, associated with high barometric pressure to the north of the British Isles. April had a slight excess of north-east and east winds with less stormy weather than in the first quarter of the year. In May there was a slight excess of southerly winds, but June had an excess of winds between north and west.

From July to November the wind distribution generally approximated to the normal, but August and October each had two more days of calms than the normal. Cold north or north-east winds predominated in December, when severe wintry conditions occurred everywhere in Scotland.

Noteworthy Gales.—In January there was an almost constant succession of gales and these were of extreme severity in the north and west. Much damage was caused to harbours and shipping. In Orkney the month was one of the stormiest in living memory and the tempestuous seas caused considerable coast erosion. In the course of the month gusts of gale force or over were registered at Kirkwall during 395 hours. The highest gusts recorded were 83 m.p.h. at Lerwick on the 25th and 82 m.p.h. at Kirkwall on the 24th. Gales occurred on 19 days in February, the most severe being that of the 27th to 28th which swept the whole of Britain; the highest wind gust registered in Scotland was 78 m.p.h. at Bell Rock. Between March and October, though gales occurred on the north and west coasts, no exceptionally high wind speeds were recorded. November was for the most part quiet for a winter month, but a gust of 78 m.p.h. was recorded at Lerwick in the gale on the 25th. Gales occurred in December on 22 days, the most severe being on the 14th and 22nd, but no exceptionally high wind speeds were recorded.

Temperature.—Mean temperature for the country as a whole was exactly equal to the normal. 1937 was the seventh successive year with a mean temperature equal to or above normal. Only February, March and December had mean temperatures below normal. The deficiencies in March and December amounted to 4.0° and 4.2° F. respectively. In November the mean value was equal to the normal. The remaining eight months had mean temperatures exceeding the normal, but only in April and May did this excess amount to so much as 2° F. Some remarkably low temperatures were recorded in March. On the 8th the screen minimum registered at Braemar was 0° F., which was the lowest screen temperature recorded in March since 1917. On the same day thermometers exposed on the ground registered -2° F. at Braemar and -1° F. at Dalwhinnie. Measured by its mean temperature, March was the coldest month of that name in Scotland since 1919 and March 1919 was the coldest for at least 60 years. December was an even colder month with some temperatures below zero on the 13th, namely -7° F. at Braemar, -5° F. at Logie Coldstone and -3° F. at Balmoral. These are the lowest temperatures recorded anywhere in Scotland under standard conditions since 14th November 1919, when Braemar reported -10° F. The period of greatest warmth was from July 31st to August 2nd, during which shade temperature reached 84° F. at Ruthwell, 81° F. at Dumfries and Kilmarnock, and 80° F. at Kelso, Glenlee and Achnashellach.

Other warm periods occurred around May 29th, when 75°F. was recorded at Forres and Gordon Castle, and around June 25th, when 78°F. was reached at Balmoral, Montrose and Logie Coldstone and 77°F. at Dundee.

Rainfall.—As in 1936, rainfall over Scotland as a whole was deficient, the general rainfall representing 92 per cent. of the normal. January, with 162 per cent. of its normal fall, was easily the wettest month, February coming next with 136 per cent. November was by far the driest month, having only 30 per cent. of its normal rainfall. April was the second driest month with 71 per cent. of the normal, followed closely by March, May and December, all with less than 80 per cent. of their respective normals. The excessive rainfall of January was most marked in the east of Scotland, and especially on Deeside. Aberdeen with 4·96 inches experienced the wettest January since records commenced in 1871. Balmoral and Braemar with 11·80 inches and 13·41 inches respectively had more than four times their normal rainfall. At Braemar it was by far the wettest month since records began there in 1866. In the east of Scotland the months of February, March, June, July and December all yielded abundant rainfall. In the west June, July and September showed an excess over the normal. April, August and October in most parts showed a deficiency, and March a considerable deficiency except on the east coast. November, as has been noted, was much the driest month. Many new low records were established in this month. In Edinburgh it was the driest November in over 160 years of recorded totals. In the Western Highlands December was also notably dry, some places having only a quarter of the normal precipitation. Over the country as a whole December was the fifth successive month with a deficient rainfall.

Snow.—The snowstorm of 29th and 30th January was very severe. There was much drifting and roads became blocked in southern, eastern and central Scotland. Snow occurred fairly frequently in February, the heaviest falls being on the 27th and 28th, when deep drifts were reported in almost all parts of the country. Roads in some districts were blocked for long periods. Much of the precipitation in March was also in the form of snow. The most severe storm was that of the 12th to 14th, with a north-easterly gale, when railway lines as well as roads were blocked, and drifting to a depth of 10 or 12 feet was reported in places. Towards the end of the year the heaviest snowstorms were those between the 8th and 15th December. These caused serious dislocation of road and rail traffic and also of telegraphic and telephone services. Some Highland roads remained blocked to the end of the month.

Thunder.—Thunder was reported in some localities each month, being most frequent in May and July. The storm of January 22nd

extended over a considerable area in south and central Scotland. Heavy rain and hail accompanied a severe storm in Kinross on May 17th. On August 13th thunderstorms were unusually widespread and in some places exceptionally severe. In the latter months of the year the only storm of considerable extent was that on December 7th.

Flooding.—Some flooding occurred at Milnathort (Kinross) as a result of the severe thunderstorm of May 17th. The thaw on December 21st and 22nd, following a period of heavy snowfall, caused the highest flood in the Tweed for many years.

Sunshine.—The totals of bright sunshine were below normal over almost the whole of Scotland. There were exceptions locally in the west, along the Great Glen and in Orkney. The deficiencies were relatively greatest on the east coast, where in some cases the amounts recorded were about 140 hours below the average for the district. Of the individual months, February had, relatively, the best record, with an average of about an hour per day above the normal. March, May and August were also sunny months. On the other hand, April's sunshine showed the greatest deficiency. Many places had less than 100 hours for this month, these figures constituting new low records in several cases. January, June, July, October and November all had deficiencies, though of less outstanding proportions. Tiree had easily the highest aggregate of the year, 1419 hours, followed by Turnberry and Troon in the west and Leuchars and Arbroath in the east.

Fog.—Fog occurred in every month but it was not usually widespread. It was fairly persistent in the Clyde area in February and March. Glasgow had nine days of fog in the latter month. Throughout the summer months such fog as occurred was of the coastal type. December had the greatest number of days with fog in one place or other. The fogs of the first week of December were the most widespread of the year.

Aurora.—Aurora was observed in every month except June, July and August. It was most frequent in October (15 nights) and November (16 nights). The phenomenon was observed over the greater part of the country on April 24th, 25th, September 10th, 11th and December 24th and 25th. Unusually brilliant displays were reported on September 30th and November 30th.

[*For Statistical Tables, see page 133.*]

APPENDIX IV.

RE-REGISTRATION OF BIRTHS.

REGISTRATION OF BIRTHS, &C. (SCOTLAND) (AMENDMENT) ACT, 1934.

This Act, which came into force on 1st January 1935, provides that the Registrar-General may authorise re-registration of the births of persons born illegitimate who have been legitimated by the subsequent marriage of their parents, and also of persons the original entry of whose birth is affected by any matter contained in the Register of Corrected Entries respecting status or paternity.

The number of re-registrations authorised in each year was as follows :—

<i>Year.</i>					<i>No.</i>
1935	1,259
1936	1,063
1937	1,048

ADOPTED CHILDREN REGISTER.

ADOPTION OF CHILDREN (SCOTLAND) ACT, 1930.

This enactment provides for the legal adoption of children in Scotland by Order of the Court, and for the registration of such adoptions in an Adopted Children Register kept at the General Registry Office, Edinburgh. This Register is open for search and Extract purposes under the same conditions as are the Registers of Births, Deaths and Marriages, and an Extract from the Adopted Children Register is evidence of adoption, and also of the date of birth of the child if such date is recorded in the relative entry. The Act came into operation on 1st October 1930, and the following Table shows the number of Adoptions recorded in each year :

<i>Year.</i>			<i>No.</i>	<i>Year.</i>			<i>No.</i>
1930	3	1934	602
1931	347	1935	683
1932	492	1936	704
1933	437	1937	820

SEARCHES AND EXTRACTS.

The principal records maintained in the General Registry Office, Edinburgh, are the duplicate Registers of Births, Deaths and Marriages for every Registration District in Scotland, kept under the provisions of the Scottish Registration Acts, 1854–1934, and the Parochial Registers of Births and Baptisms, Proclamations of Banns and Marriages, and Deaths and Burials kept prior to 1855 in the

respective parishes under the administration of the Church of Scotland. The earlier Census records in the custody of the Registrar-General, including those relating to the decennial censuses from 1841 to 1871 inclusive, have also been made available for search and extract purposes under prescribed conditions.

The following Table shows the number of searches made and extracts issued during each of the past ten years :—

YEAR.	Total Searches.	Official Searches.	Paid Searches.	Extracts.	Total Fees received.		
					£	s.	d.
1928 . .	48,239	34,351	13,888	10,863	2,084	11	5
1929 . .	38,691	24,304	14,387	11,805	2,190	7	7
1930 . .	92,926	79,362	13,564	12,599	2,168	12	9
1931 . .	40,355	28,184	12,171	8,907	1,727	15	7
1932 . .	35,188	22,608	12,580	8,930	1,751	3	4
1933 . .	33,199	20,535	12,664	8,767	1,739	4	0
1934 . .	32,817	19,823	12,994	8,505	1,750	0	2
1935 . .	34,725	21,084	13,641	9,528	1,885	1	1
1936 . .	30,734	16,341	14,393	9,192	2,057	8	10
1937 . .	37,107	21,338	15,769	10,929	2,184	11	5

Of the 21,338 official searches made in 1937; 17,882 (including 3,501 searches in the Census Returns) were for the purposes of Widows, &c. Contributory Pensions Acts, 2,079 (including 211 Census searches) for those of the Old Age Pensions Acts, and 1,377 for other public purposes. The number of Extracts shown for 1937 includes 906 Abbreviated Certificates of Birth issued under Section 4 of the Registration (Scotland) Amendment Act, 1934.

APPENDIX V.

ALTERATIONS OF BOUNDARIES OF BURGHS, LANDWARD AREAS OF COUNTIES, CIVIL PARISHES AND REGISTRATION DISTRICTS REPORTED TO THE REGISTRAR-GENERAL AS BECOMING EFFECTIVE IN 1937.

Area.	Nature of Alteration.	Population at Census 1931.					
		Before Alteration.			After Alteration.		
		Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
I. BURGHS—							
Airdrie - - -	Extension within the Civil Parishes of New Monkland and of Old Monkland.	25,954	12,921	13,033	26,734	13,316	13,418
Galston - - -	Extension within the Civil Parish of Galston.	4,601	2,142	2,459	4,646	2,165	2,481
Biggar - - -	Extension within the Civil Parish of Biggar.	1,323	567	756	1,335	573	762
Greenock - - -	Extension within the Civil Parishes of Greenock and of Inverkip.	78,949	39,191	39,758	79,012	39,225	39,787
Grangemouth - -	Extension within the Civil Parishes of Grangemouth and of Falkirk.	11,799	6,076	5,723	12,282	6,338	5,944
Johnstone - - -	Extension within the Civil Parish of Paisley.	12,978	6,172	6,806	13,005	6,183	6,822
Coatbridge - - -	Extension within the Civil Parish of Old Monkland.	43,056	22,451	20,605	43,312	22,567	20,745
Motherwell and Wishaw	Extension within the Civil Parishes of Bothwell, of Cambusnethan, and of Dalziel.	64,710	32,937	31,773	65,611	33,394	32,217
Cumnock and Holmhead	Extension (no population) within the Civil Parishes of Old Cumnock and of Auchinleck.
Kinross - - -	Extension (no population) within the Civil Parish of Kinross.
Saltcoats - - -	Extension within the Civil Parishes of Ardrossan and of Stevenston.	10,173	4,745	5,428	10,252	4,782	5,470
Coupar Angus - -	Extension within the Civil Parish of Coupar Angus.	1,893	901	992	1,942	922	1,020
II. LANDWARD AREAS—							
Lanark County -	Extension of Burghs of Airdrie, Biggar, Coatbridge and Motherwell and Wishaw.	293,140	147,814	145,326	291,191	146,840	144,351
Ayr County - -	Extension of Burghs of Galston, Cumnock and Holmhead, and Saltcoats.	121,919	60,774	61,145	121,795	60,714	61,081
Kinross County -	Extension (no population) of Kinross Burgh.
Renfrew County -	Extension of Burghs of Greenock and Johnstone.	54,494	25,167	29,327	54,404	25,122	29,282
Stirling County -	Extension of Grangemouth Burgh.	79,438	40,544	38,894	78,955	40,282	38,673
Perth County - -	Extension of Coupar Angus Burgh.	62,490	30,546	31,944	62,441	30,525	31,916

APPENDIX V—*continued.*

Area.	Nature of Alteration.	Population at Census 1931.					
		Before Alteration.			After Alteration.		
		Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
III. COUNTIES - -	None.
IV. CIVIL PARISHES -	None.
V. REGISTRATION DISTRICTS—							
569 Kilmacolm - -	Area within Burgh of Port Glasgow transferred to Registration District of Port Glasgow.	5,402	5,395
574 Port Glasgow -	See above.	19,617	19,624
164 ² Enzie - - -	United to Registration District of Rathven.	1,854
164 ¹ Rathven - -	See above.	11,376	13,230
305 Lunan - - -	United to Registration District of Inverkeilor.	306
293 Inverkeilor - -	See above.	1,206
293 Inverkeilor and Lunan	See above.	1,512
394 ^a Scone and Kinnoull	Area within Burgh of Perth transferred to Registration District of Perth.	2,920	2,782
395 Tibbermore - -		987	962
387 Perth - - -	See above.	34,972	35,135
695 Newbattle - -	Area within Burgh of Dalkeith transferred to Registration District of Dalkeith.	6,673	6,643
683 Dalkeith - -	See above.	7,854	7,884
655 ¹ Middle District of Shotts	Part transferred to Registration District of Calderhead.	3,823	2,050
626 ^b Calderhead -	See above.	11,663	13,436

APPENDIX VI.

FERTILITY OF MARRIED WOMEN IN SCOTLAND.

The lack of a modern measure of the age fertility of married women in Scotland has hampered scientific investigations into population problems. The earliest source of information from which a study of fertility rates could have been made for Scotland was provided in the Birth Registers for 1855—the year in which registration of births, deaths and marriages became compulsory—but the particular form of birth entry adopted in that year was discontinued in the following year, and since then the birth entry has shown neither the age of the mother nor the order of birth (first, second child). The Census Schedule for 1911 contained the following three special items dealing with fertility in the case of married persons :—

- (1) The duration of the existing marriage.
- (2) The number of children born alive to the marriage.
- (3) The number of children of the marriage still alive at the Census date.

While no analysis of the fertility of Scottish women based on the 1855 data has ever been published officially, the information then obtained formed the basis of two private investigations, the findings of which were published many years ago. The results of the answers to the fertility questions at the 1911 Census were published in Volume III of the Census Report for that year, and were the subject of a special study which was published as an Appendix to the same Census Volume. It may be pointed out, however, that the fertility rates based on the 1911 Census Returns are not indicative of the fertility operating in 1911. They represent the cumulative fertility rates throughout all the years of married life of the married couples whose marriages were subsisting in 1911. It follows, therefore, that the children on whose births the fertility rates were based were born during a period extending over 50 years.

The subject of fertility has come into prominence in recent years, and the data which will be accumulated under the Population (Statistics) Act, which became operative on the 1st July 1938, will afford valuable material for studying the subject. In view of the importance of having a comparison between Scottish fertility rates and those already published for England and Wales, and of having a measure from which future fertility trends can be estimated, it was deemed advisable to attempt to investigate the subject from certain data available from the 1931 Census Schedules. Although the Schedule contained no question relating to the number of children which resulted from a marriage, a con-

siderable amount of information may be derived from an analysis of those cases in which (as generally happens) the mother and her infant child (under one year) are enumerated on the same Schedule. In view of the great difficulty in linking up mother and child on the Census Schedules in the case of illegitimate births, the enquiry was limited to legitimate births. It was found impracticable to make a complete survey of all the Census Schedules, but it was thought that a ten per cent. sample would yield useful results in reference to the fertility of married women at various ages.

To obtain a random sample every tenth Enumeration Book was examined for the existence of a child aged under one year. In some cases where the books examined appeared to give too low a proportion of burghal or of landward entries in a particular county or area, one or two additional books were examined to redress the balance, but except in these rare cases the sample was entirely random.

In the most typical case in which the father is the Head, the mother and child are easily identified as Wife and Son (or Daughter) respectively, but even where this relationship was not so clear it could sometimes be established by some other relationship as "Head, Daughter (Married), Grandson (same surname as Daughter)," or "Head, Sister (Married), Niece (same surname as Sister)." But unless the mother could be identified with reasonable certainty the observation was rejected. In some cases (e.g. where either mother or child may have been in a hospital or institution) no contact could be established.

In order to obtain the precise age of the mother at the date of the child's birth, the age of the child at the date of the Census was deducted from that of the mother. In some cases where the mother's age seemed rather advanced, further investigation indicated the probability that the child had been adopted and the case was rejected. Out of a total of 86,134 children under one year of age enumerated in Scotland, 8,672 were found in the books examined, and the legitimate children whose identification with the mother could be established numbered 7,799, which therefore represents the net number of valid observations. Only one case of a mother over age 50 was retained in the sample after investigation.

After the results had been completely tabulated according to the age distribution of the mothers, the number of mothers at each age was increased *pro rata* in the proportion which the total number of legitimate births registered in Scotland in 1931 (85,559) bore to the number (7,799) in the sample. On the assumption that the sample was a fair one, this gives the age distribution of the mothers of the 85,559 legitimate children born in 1931. It may be pointed out, however, that it was necessary to assume a uniform survival rate for the infants irrespective of the age of the mother. This may not be quite the case, but any variation is unlikely to impair seriously the reliability of the fertility rates.

The resulting numbers were then compared with the numbers of married women enumerated at each age-group in Scotland in 1931. The size of the sample appeared to make it undesirable to base any rates on age of mothers in single years, and quinquennial age-groups were therefore used. For the same reason division into areas was sparingly carried out, but rates were calculated, not only for Scotland as a whole, but for the principal groups used in these Reports, viz. :—Large Burghs and the combined Counties excluding Large Burghs, the second group being further divided into Small Burghs and Landward. Separate rates were also compiled for Glasgow and for Edinburgh.

The results are shown in the appended Table. To this Table there has been added the result of a fertility investigation undertaken in respect of England and Wales from the Census records of 1931.* In the last column of the first part of the Table the rates so found for England and Wales are expressed as a percentage of the Scottish rates. The differences are significant, but are of the order which might have been anticipated by reference to the relative overall fertility rates in the two countries. The published fertility rate for England and Wales in 1931 is 122·7 legitimate births per 1,000 married women aged 15–45, as against 168·3 for Scotland (i.e. Scotland=100, England and Wales=72·9). It will be observed from the Table that, while for ages under 20 the English rate is 37 per cent. less than in Scotland, this deficiency diminishes with remarkable regularity until it is only 8 per cent. at ages 40–44. The only break in this regular sequence is at ages 35–39, where the English deficiency increases slightly to 25 per cent., whereas a lower deficiency might have been expected from the trend of the percentages. The comparison between the English and the Scottish rates suggests that generally the Scottish rates ascertained by the sample may be considered to be a close approximation to the rates which would have resulted from a complete analysis of the whole Census data, and they are published in the hope that they may be found useful by investigators in this field. As already stated, the data which will be produced by the Population (Statistics) Act will enable the publication of fertility statistics in the future on a wider basis and with much greater detail.

* Registrar-General's Statistical Review of England and Wales, 1932. Text Table LXXXVIII.

[TABLE.

**LEGITIMATE BIRTHS in 1931 per 1,000 Married Women
in each Age Group.**

Age Groups.	Scotland.	Glasgow.	Edinburgh.	England and Wales.	
				Rate.	Percentage of Scottish rate.
15-19 . .	588	479	502	372	63·2
20-24 . .	386	392	358	267	69·1
25-29 . .	257	276	218	187	72·8
30-34 . .	166	167	146	127	76·5
35-39 . .	107	119	93	81	75·5
40-44 . .	36	34	30	33	91·9

Age Groups.	Scottish Large Burghs.	Scotland (excluding Large Burghs).		
		Total.	Small Burghs.	Landward.
15-19 . .	542	659	620	680
20-24 . .	389	383	398	374
25-29 . .	257	257	244	262
30-34 . .	166	166	134	184
35-39 . .	108	106	101	109
40-44 . .	34	38	31	43

Actual Number of Observations on which above Rates are based.

Age Groups.	Scotland.	Glasgow.	Edinburgh.	All Large Burghs.	Small Burghs.	Landward.
15-19 . .	268	56	20	148	41	79
20-24 . .	1,732	418	147	1,009	276	447
25-29 . .	2,359	578	198	1,347	364	648
30-34 . .	1,863	434	159	1,063	248	552
35-39 . .	1,175	299	100	662	184	329
40-44 . .	361	78	30	189	52	120
45 and over .	41	9	1	22	6	13
ALL AGES .	7,799	1,872	655	4,440	1,171	2,188

APPENDIX VII.

NOMENCLATURE IN SCOTLAND.

Under the above heading a section of the Registrar-General's Annual Report for the year 1860 gave the results of an examination of surnames and Christian names appearing in the General Indexes of Births, Deaths and Marriages for the three years 1855, 1856 and 1858.

In view of the changes which have taken place in the social and industrial life of Scotland since the previous investigation was undertaken, and of the much greater facilities now available for rapid transport which lead to a greater movement of population not only across the border but overseas, it is thought that the results of an investigation into the frequency of occurrence of surnames and Christian names at the present time would be of some public interest. For this purpose an examination was made of the Birth, Death and Marriage Indexes for the year 1935 for surnames, and of the Birth Indexes only for the same year in respect of Christian names.

In the Report for 1860, 6,823 surnames were noted, but in 1935 there was found the surprising total of 14,666 surnames. This latter figure, however, included variations of spelling of the same surname. By eliminating as far as possible these variations, and enumerating each surname under only one spelling—the one most frequently found in the Indexes—a total of 11,976 surnames remains. Thus surnames found in Scotland have risen from 6,823 found eighty years ago to 11,976 in 1935, an increase of 5,153. Many of the unusual names or unfamiliar spellings included in the larger total (14,666) occur only once in the Indexes for 1935. This variety of surnames is illustrated by the following section (selected at random) of 50 consecutive surnames :—

Leck.	Lee.	Legbetter.	Leigh.
Leckenby.	Leebody.	Legg.	Leighton.
Leckie.	Leeburn.	Leggat.	Leil.
Lecky.	Leechman.	Leggate.	Leino.
Ledder.	Leed.	Leggatt.	Leinster.
Leddie.	Leel.	Legge.	Leiper.
Leddy.	Leeming.	Leggeat.	Leishman.
Ledger.	Lees.	Legget.	Leisk.
Ledgerwood.	Leesi.	Leggett.	Leitch.
Ledingham.	Leeson.	Legrix.	Leitchman.
Ledley.	Lefcovitch.	Lehalle.	Leith.
Ledwitch.	Lefevre.	Lehany.	
Ledwith.	Legate.	Leid.	

The following table gives the 100 most usual surnames as shown by a complete examination of the Birth, Death and Marriage Indexes for 1935. These surnames are shown in the order of the frequency in which they occur. In 1860 only the first fifty names were published, and a column is added to the table showing the position occupied in 1860 of such surnames as appeared in the first fifty in that year.

No.	Surname.	Occurrences.	No. in 1860 Report.	No.	Surname.	Occurrences.	No. in 1860 Report.
1	Smith	3,708	1	43	Hunter	920	37
2	MacDonald	2,777	2	44	Martin	867	45
3	Brown	2,678	3	45	Black	846	46
4	Wilson	2,637	8	46	MacIntosh	801	...
5	Thomson	2,633	5	47	Kelly	797	...
6	Robertson	2,399	4	48	MacMillan	785	...
7	Campbell	2,281	7	49	Russell	770	...
8	Stewart	2,198	6	50	Gibson	748	50
9	Anderson	2,085	9	51	MacGregor	726	42
10	Johnston	1,783	13	52	Wallace	720	...
11	Scott	1,712	12	53	Milne	710	...
12	Miller	1,650	14	54	Sutherland	708	49
13	Reid	1,610	15	55	Gordon	689	...
14	Murray	1,531	19	56	Marshall	689	...
15	MacKenzie	1,516	11	57	Kennedy	670	...
16	Clark	1,463	22	58	MacFarlane	669	...
17	Paterson	1,396	17	59	MacPherson	661	...
18	Ross	1,352	16	60	Craig	652	...
19	MacKay	1,311	10	61	Docherty	634	...
20	Mitchell	1,269	27	62	Muir	634	...
21	MacLean	1,260	20	63	Stevenson	634	...
22	Taylor	1,248	26	64	Watt	627	...
23	Watson	1,240	28	65	Munro	626	47
24	Fraser	1,236	18	66	Sinclair	625	48
25	Young	1,229	23	67	Burns	606	...
26	MacLeod	1,216	25	68	Dickson	592	...
27	Morrison	1,212	31	69	Ritchie	585	...
28	Walker	1,167	30	70	Nicol	583	...
29	Gray	1,125	33	71	Cunningham	572	...
30	Cameron	1,123	21	72	MacIntyre	571	...
31	Ferguson	1,121	29	73	Wright	571	...
32	Henderson	1,110	24	74	Wood	561	...
33	Duncan,	1,081	34	75	Findlay	551	...
34	Hamilton	1,029	35	76	Bruce	545	...
35	Graham	1,025	39	77	Crawford	541	...
36	Davidson	1,015	32	78	Irvine	532	...
37	Kerr	1,010	41	79	Hendry	524	...
38	Allan	968	40	80	Murphy	522	...
39	White	952	38	81	Williamson	522	...
40	Simpson	943	44	82	Douglas	518	...
41	Bell	937	43	83	MacKie	499	...
42	Grant	922	36	84	Gallacher	496	...

No.	Surname.	Occurrences.	No. in 1860 Report.	No.	Surname.	Occurrences.	No. in 1860 Report.
85	Lindsay	487	...	93	Donaldson	454	...
86	Christie	485	...	94	Fleming	454	...
87	Alexander	475	...	95	Aitken	452	...
88	Currie	474	...	96	MacNeil	449	...
89	Forbes	466	...	97	Boyd	446	...
90	Hay	460	...	98	Bain	441	...
91	Hughes	456	...	99	Jamieson	434	...
92	MacKinnon	456	...	100	MacDougall	431	...

The following names occur in the same place in 1860 and 1935 :—

- | | |
|---------------|---------------|
| 1. Smith. | 7. Campbell. |
| 2. MacDonald. | 9. Anderson. |
| 3. Brown. | 17. Paterson. |
| 5. Thomson. | 50. Gibson. |

Only four of the fifty surnames of 1860 do not also appear in the first fifty in 1935. They are : MacGregor (now 51), Sutherland (now 54), Munro (now 65) and Sinclair (now 66). These names are replaced in the first fifty by MacIntosh, Kelly, MacMillan and Russell.

It will be seen that the intervening years have not greatly altered the positions of the most usual surnames, though thousands of new surnames of English, Irish or foreign origin have been introduced into Scotland. In spite of the flow from Ireland to Scotland, the only typically Irish name to be included in the first fifty is Kelly, which obtained 47th place, but Docherty, Murphy and Gallacher appear in the next fifty.

CHRISTIAN NAMES.

The 1860 Report gives tables showing frequency of occurrence of 39 male and 51 female names, but the investigation then was confined to the Christian names attached to the first six most usual surnames in the case of male and to the first seven in the case of female. The present investigation covered all surnames appearing in the 1935 Birth Indexes. In order that modern choice in Christian names might be reflected, only the Birth Indexes were examined for this purpose. As with surnames many of the Christian names are spelt in a great variety of ways, for example :—

Kathaleen,	Cathaleen,
Kathalien,	Cathelene,
Katheleen,	Catheline,
Kathieleen,	Cathleen,
Kathleen,	
Kathlen,	
Kathlyn,	

but for the present purpose Christian names have, as far as possible, been classified under their most usual forms and only the first Christian name has been scheduled.

Males.

The male Christian names found in 1935 totalled no less than 616, and of these 324 occurred only once in the Index.

The following table shows the 100 male Christian names most frequently used in Birth Registers in 1935. As already stated, only 39 male Christian names were published in 1860. A column is added showing the position occupied in 1860 by such 39 names.

No.	Name.	Occurrences.	No. in 1860 Report.	No.	Name.	Occurrences.	No. in 1860 Report.
1	John	6,109	1	42	Malcolm	157	24
2	James	5,601	2	43	Stanley	156	...
3	William	4,688	3	44	Colin	134	19
4	Robert	3,140	5	45	Dennis	130	...
5	Alexander	2,271	4	46	Adam	129	33
6	George	2,252	6	47	Brian	125	...
7	Thomas	2,242	8	48	Alfred	122	...
8	David	1,772	7	49	Lawrence	118	...
9	Andrew	1,006	9	50	Leslie	114	...
10	Ian	858	...	51	Bernard	102	...
11	Charles	850	10	52	Anthony	94	...
12	Peter	792	11	53	Philip	88	...
13	Joseph	739	18	54	Martin	85	...
14	Ronald	668	37	55	Gerald	84	...
15	Hugh	663	12	56	Graham	78	...
16	Francis	635	25	57	Ernest	77	...
17	Henry	577	21	58	Derek	76	...
18	Edward	546	30	59	Roy	76	...
19	Donald	531	16	60	Roderick	75	27
20	Archibald	406	13	61	Sydney	74	...
21	Allan	401	29	62	Christopher	68	...
22	Daniel	384	22	63	Gilbert	62	38
23	Patrick	380	...	64	Raymond	61	...
24	Alistair	370	...	65	Jack	60	...
25	Gordon	358	...	66	Morris	59	...
26	Douglas	353	...	67	Stephen	57	...
27	Kenneth	350	32	68	Hector	52	...
28	Michael	327	...	69	Lewis	52	...
29	Norman	307	31	70	Leonard	51	...
30	Richard	303	28	71	Terence	49	...
31	Samuel	285	20	72	Edwin	48	...
32	Walter	275	17	73	Gavin	47	...
33	Arthur	244	...	74	Victor	47	...
34	Duncan	238	15	75	Benjamin	44	...
35	Angus	205	14	76	Ewen	42	...
36	Eric	190	...	77	Finlay	40	...
37	Neil	183	23	78	Hamish	40	...
38	Matthew	178	26	79	Harold	39	...
39	Frederick	173	...	80	Owen	39	...
40	Albert	172	...	81	Bruce	37	...
41	Stewart	158	...	82	Dugald	37	34

No.	Name.	Occurrences.	No. in 1860 Report.	No.	Name.	Occurrences.	No. in 1860 Report.
83	Ralph	37	...	92	Lachlan	25	35
84	Gerard	35	...	93	Robin	25	...
85	Campbell	33	...	94	Cyril	21	...
86	Herbert	33	...	95	Maxwell	21	...
87	Vincent	31	...	96	Murdoch	19	36
88	Murdo	30	...	97	Reginald	19	...
89	Edmund	28	...	98	Desmond	18	...
90	Roger	26	...	99	Russell	18	...
91	Cornelius	25	...	100	Sinclair	18	...

The name Ebenezer occupied the 39th place in 1860, but in 1935 only appears five times.

It will be seen that of the first ten names five retain the same position as in 1860, viz. :—

1. John,
2. James,
3. William,
6. George,
9. Andrew,

4 and 5 (Robert and Alexander) change places as do 7 and 8 (David and Thomas), but the last of the ten—Ian—does not appear in the 1860 list. It may then have been included as John, but it would appear that the name “ Ian ” has grown in popularity in recent decades. Other Highland male names have, however, declined in numbers, for example, Colin, Roderick, Dugald and Lachlan all have lost popularity since 1860.

Biblical names like Abner, Gideon, Ezekiel, &c., once fairly common have now almost fallen into disuse.

Females.

Female Christian names were found to total 727, and 354 of these were only once found in the Index.

The following table shows the 100 female Christian names most frequently used in the 1935 Birth Registers. As already stated, only 51 female names were published in 1860. A column is added showing the position occupied in 1860 of such of those 51 names as appeared in the first 100 in the 1935 Registers.

No.	Name.	Occurrences.	No. in 1860 Report.	No.	Name.	Occurrences.	No. in 1860 Report.
1	Margaret	5,093	1	9	Helen	1,500	10
2	Mary	4,155	2	10	Janet	1,056	6
3	Elizabeth	3,356	3	11	Christina	781	11
4	Catherine	2,578	9	12	Sarah	766	15
5	Annie	2,183	4	13	Jane	753	5
6	Isabella	1,874	7	14	Jessie	703	12
7	Agnes	1,725	8	15	Sheila	562	...
8	Jean	1,620	14	16	Marion	551	13

No.	Name.	Occurrences.	No. in 1860 Report.	No.	Name.	Occurrences.	No. in 1860 Report.
17	Patricia	496	...	59	Doris	112	...
18	Irene	467	...	60	Hannah	111	44
19	Dorothy	401	...	61	Jemima	110	25
20	Joan	353	29	62	Ruth	106	...
21	Kathleen	349	...	63	Gladys	104	...
22	Grace	331	17	64	Elsie	101	...
23	Barbara	312	16	65	Florence	95	...
24	Alice	311	28	66	Rachel	95	35
25	Maureen	300	...	67	Alison	94	42
26	Williamina	292	27	68	Anna	93	...
27	Rose	289	50	69	Johan	93	...
28	Evelyn	279	...	70	Alexandrina	90	...
29	Ellen	271	31	71	Edna	89	...
30	Frances	264	43	72	Marie	89	33
31	Georgina	249	24	73	Rosemary	87	...
32	Marjory	248	30	74	Sheena	87	...
33	Moirá	248	...	75	Mabel	86	...
34	Martha	246	21	76	Cecilia	85	48
35	June	235	...	77	Sylvia	85	...
36	Susan	222	26	78	Elsbeth	84	36
37	Joyce	211	...	79	Emily	84	49
38	Doreen	201	...	80	Esther	83	...
39	Euphemia	192	20	81	Lily	82	38
40	Janette	186	...	82	Henrietta	81	46
41	Eileen	184	...	83	Olive	81	...
42	Edith	178	...	84	Iris	80	...
43	Shirley	172	...	85	Maria	79	...
44	Audrey	171	...	86	Veronica	78	...
45	Theresa	170	...	87	Rebecca	77	...
46	Violet	167	...	88	Aileen	75	...
47	Norma	153	...	89	Phyllis	75	...
48	Robina	152	34	90	Hilda	74	...
49	Muriel	149	...	91	Davina	73	...
50	May	145	...	92	Caroline	72	37
51	Flora	140	22	93	Julia	72	...
52	Eleanor	136	...	94	Norah	72	...
53	Winifred	136	...	95	Beatrice	71	...
54	Bridget	127	...	96	Hazel	69	...
55	Charlotte	122	23	97	Robertá	69	...
56	Lilian	117	...	98	Ethel	66	...
57	Josephine	114	...	99	Myra	62	...
58	Morag	114	...	100	Annabella	61	...

The names which occurred amongst the first 51 female Christian names in 1860 and which do not occur among the first 100 of 1935, with their position in 1860, are :—

Eliza	18th place in 1860.	Rebecca	41st place in 1860.
Betsy	19th ,, ,,	Harriet	45th ,, ,,
Amelia	31st ,, ,,	Susannah	47th ,, ,,
Louisa	39th ,, ,,	Sophia	51st ,, ,,
Matilda	40th ,, ,,		

While the first three of 1860 retain their places, there is evidence of a marked change of fashion in the names chosen for girls. The popularity of Sheila, Irene, Dorothy, Maureen and June is shown by their high place in this list, while in 1860 none of these is mentioned.

A further evidence of change of habit is exemplified by the fact that in 1860 less than 40 per cent. of births registered bore more than one Christian name, but now more than 60 per cent. have two or more Christian names.

The choice of more than one Christian name is much more usual for girls than for boys. The actual proportions found being as follows :—

<i>Boys</i> —Single Christian name	45·5 per cent.
Two or more Christian names ...	54·5	„ „
<i>Girls</i> —Single Christian name	29·1 „ „
Two or more Christian names ...	70·9	„ „

TABLE 1.—Population, Births, Deaths, and Marriages in Scotland, 1855-1937.
Quinquennial averages.

YEAR	Estimated Mid-Year Popula- tion.	BIRTHS.							MARRIAGES.	DEATHS.				Excess of Births over Deaths.
		Total.	Males.	Fem.	Illegit.	Twin Births	Triplet Births	Total.		Males.	Fem.	Under 1 Year.		
1855-60	3,018,000	102,462	52,655	49,807	8,953	1,282	*16	20,645	62,644	31,139	31,505	12,250	39,818	
1861-65	3,127,000	109,764	56,336	53,428	10,742	1,298	13	22,013	69,265	34,380	34,885	13,166	40,499	
1866-70	3,276,000	114,394	58,676	55,718	11,270	1,393	*13	22,832	71,974	35,823	36,151	13,971	42,420	
1871-75	3,441,000	120,376	61,964	58,412	10,941	1,416	13	25,754	77,988	38,961	39,027	15,314	42,388	
1876-80	3,629,000	126,086	64,648	61,438	10,711	1,430	14	24,956	74,801	37,463	37,338	14,921	51,285	
1881-85	3,799,000	126,409	64,805	61,604	10,453	1,417	14	26,176	74,396	37,041	37,355	14,864	52,013	
1886-90	3,944,000	123,977	63,674	60,303	9,973	1,378	13	25,702	74,320	36,729	37,591	14,943	49,657	
1891-95	4,122,000	125,800	64,558	61,242	9,326	1,420	13	27,962	78,350	38,797	39,553	15,896	47,450	
1896-1900	4,345,000	130,209	66,554	63,655	8,870	1,465	16	31,771	78,021	39,070	38,951	16,857	52,188	
1901-05	4,536,000	132,399	67,565	64,834	8,609	1,599	*17	31,838	77,313	38,716	38,597	15,881	55,086	
1906-10	4,680,000	128,987	65,811	63,176	9,125	1,609	*14	31,811	75,534	37,596	37,938	14,501	53,453	
1911-15	4,748,000	120,654	61,607	59,047	8,698	1,538	15	33,857	74,466	37,253	37,213	13,604	46,188	
1916-20	4,820,000	109,750	56,269	53,481	8,315	1,491	*10	37,437	72,365	36,455	35,910	10,869	37,385	
1921	4,882,497	123,291	63,075	60,126	8,757	1,596	8	39,243	66,210	33,085	33,125	11,130	56,991	
1922	4,898,000	115,085	58,826	56,259	7,881	1,498	11	34,375	72,905	36,244	36,661	11,664	42,180	
1923	4,888,000	111,902	57,332	54,570	7,477	1,491	9	35,200	63,283	31,682	31,601	8,825	48,619	
1924	4,862,000	106,900	54,919	51,981	7,086	1,400	13	32,328	70,357	35,168	35,189	10,446	36,543	
1925	4,867,000	104,137	53,426	50,711	6,831	1,309	7	32,456	65,507	33,036	32,471	9,430	38,630	
1921-25	4,880,000	112,245	57,516	54,729	7,006	1,459	10	34,720	67,652	33,843	33,809	10,299	44,593	
1926	4,864,000	102,449	52,362	50,087	7,046	1,279	*12	31,241	63,780	32,021	31,759	8,514	38,669	
1927	4,853,000	96,672	49,314	47,358	6,978	1,237	9	32,553	65,830	33,097	32,733	8,576	30,842	
1928	4,848,000	96,822	49,584	47,238	7,158	1,201	15	32,948	65,271	32,577	32,694	8,299	31,551	
1929	4,832,000	92,880	47,769	45,111	7,165	1,157	12	32,967	70,917	35,386	35,531	8,061	21,963	
1930	4,828,000	94,549	48,069	46,480	6,950	1,265	9	33,315	64,285	32,448	31,837	7,852	30,264	
1926-30	4,845,000	96,674	49,419	47,255	7,059	1,228	11	32,605	66,017	33,106	32,911	8,260	30,657	
1931	4,842,980	92,220	46,972	45,248	6,661	1,117	15	32,652	64,229	32,238	31,991	7,514	27,991	
1932	4,883,000	91,000	46,579	44,421	6,456	1,106	17	33,157	66,045	32,743	33,302	7,840	24,955	
1933	4,912,000	86,546	44,767	41,779	5,964	1,067	10	34,201	64,848	32,593	32,255	7,019	21,698	
1934	4,934,000	88,836	45,414	43,422	6,119	1,034	15	36,934	63,741	32,093	31,618	6,901	25,095	
1935	4,953,000	87,928	44,965	42,963	5,777	1,058	5	37,988	65,331	32,822	32,509	6,751	22,597	
1931-35	4,905,000	89,306	45,739	43,567	6,195	1,076	12	34,986	64,839	32,498	32,341	7,212	24,467	
1936	4,966,200	88,928	45,323	43,605	5,744	1,047	7	37,896	66,749	33,896	32,876	7,315	22,179	
1937	4,976,600	87,810	45,035	42,775	5,404	1,035	10	38,351	68,942	34,964	33,978	7,050	18,868	

* Including one case of quadruplets.

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years.

TABLE 2.—Birth-, Death-, and Marriage-rates in Scotland, 1855-1937.
Quinquennial averages.

YEAR.	Rates per 1000 of Population.						Illegit. Births per cent. of Total Births.	Male Births per cent. of Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Births.
	Birth- rate.	Mar- riage- rate.	Death-rate.			Natural Increase (excess of Births over Deaths).				
			Total.	Males.	Fem.					
1855-60	34.104	6.839	20.750	21.72	19.84	13.36	8.74	105.7	1.23	119.6
1861-65	35.096	7.046	22.139	23.16	21.21	12.96	9.79	105.4	1.21	119.9
1866-70	34.911	6.971	21.969	22.96	21.06	12.94	9.85	105.3	1.24	122.1
1871-75	34.974	7.482	22.655	23.67	21.67	12.32	9.09	106.1	1.20	127.2
1876-80	34.758	6.882	20.617	21.49	19.81	13.94	8.49	105.2	1.16	118.3
1881-85	33.275	6.891	19.582	20.21	18.98	13.69	8.27	105.2	1.15	117.6
1886-90	31.444	6.515	18.843	19.26	18.42	12.60	8.04	105.6	1.13	120.5
1891-95	30.522	6.784	19.014	19.48	18.58	11.51	7.41	105.4	1.15	126.4
1896-1900	29.970	7.310	17.949	18.53	17.40	12.02	6.81	104.6	1.15	129.5
1901-05	29.193	7.020	17.050	17.58	16.56	12.14	6.50	104.2	1.24	119.9
1906-10	27.569	6.800	16.144	16.56	15.75	11.43	7.07	104.2	1.27	112.4
1911-15	25.415	7.131	15.683	16.17	15.23	9.73	7.21	104.3	1.30	112.8
1916-20	22.757	7.761	15.014	15.72	14.36	7.74	7.58	105.2	1.39	99.0
1921	25.233	8.037	13.561	14.09	13.07	11.67	7.11	104.9	1.32	90.3
1922	23.496	7.018	14.885	15.37	14.43	8.61	6.85	104.6	1.33	101.4
1923	22.892	7.201	12.946	13.47	12.46	9.95	6.68	105.1	1.36	78.9
1924	21.986	6.649	14.470	15.10	13.89	7.52	6.63	105.7	1.34	97.7
1925	21.396	6.668	13.459	14.15	12.82	7.94	6.56	105.4	1.28	90.6
1921-25	23.001	7.114	13.864	14.44	13.34	9.14	6.78	105.1	1.33	91.8
1926	21.061	6.423	13.112	13.73	12.55	7.95	6.88	104.5	1.28	83.1
1927	19.919	6.707	13.564	14.22	12.96	6.35	7.22	104.1	1.31	88.7
1928	19.971	6.796	13.463	14.01	12.96	6.51	7.39	105.0	1.28	85.7
1929	19.220	6.822	14.675	15.27	14.12	4.54	7.71	105.9	1.27	86.8
1930	19.583	6.900	13.314	14.01	12.67	6.27	7.35	103.4	1.37	83.0
1926-30	19.951	6.730	13.626	14.25	13.05	6.32	7.30	104.6	1.30	85.4
1931	19.042	6.742	13.262	13.86	12.71	5.78	7.22	103.8	1.24	81.8
1932	18.636	6.790	13.525	13.94	13.14	5.11	7.09	104.9	1.25	86.2
1933	17.618	6.962	13.201	13.79	12.66	4.42	6.89	107.2	1.26	81.1
1934	18.004	7.485	12.918	13.51	12.37	5.09	6.89	104.6	1.20	77.7
1935	17.754	7.670	13.191	13.76	12.66	4.56	6.57	104.7	1.23	76.8
1931-35	18.267	7.133	13.219	13.77	12.71	4.99	6.94	105.0	1.23	80.8
1936	17.906	7.631	13.440	14.16	12.77	4.47	6.46	103.9	1.20	82.3
1937	17.645	7.706	13.853	14.59	13.17	3.79	6.15	105.3	1.20	80.3

Corresponding details for individual years prior to 1921 will be found in the Reports
for 1930 and previous years.

TABLE 3.—Births, Deaths and Marriages in Scotland, 1927 to 1937.

	Numbers.					Rates.				
	Births.		Marri- ages.	Deaths.		Per 1000 of Estimated Population.			Illegit. Births per cent. of Total Births.	Deaths under One Year per 1000 Births.
	Total.	Illegiti- mate.		All Ages.	Under One Year.	Births.	Marri- ages.	Deaths		
1st Quarter 1927 .	24,775	1,738	7,348	19,437	2,728	20·7	6·1	16·2	7·0	110
2nd " " .	25,116	1,812	7,931	15,812	1,949	20·7	6·5	13·1	7·2	78
3rd " " .	23,496	1,741	9,093	13,641	1,566	19·2	7·4	11·1	7·4	67
4th " " .	23,285	1,687	8,181	16,940	2,333	19·0	6·7	13·8	7·2	100
Year 1927 .	96,672	6,978	32,553	65,830	8,576	19·9	6·7	13·6	7·2	89
1st Quarter 1928 .	24,252	1,764	7,383	19,387	2,593	20·1	6·1	16·1	7·3	107
2nd " " .	25,723	1,895	7,905	16,567	2,112	21·3	6·6	13·7	7·4	82
3rd " " .	23,444	1,805	9,236	13,458	1,610	19·2	7·6	11·1	7·7	69
4th " " .	23,403	1,694	8,424	15,859	1,984	19·2	6·9	13·0	7·2	85
Year 1928 .	96,822	7,158	32,948	65,271	8,299	20·0	6·8	13·5	7·4	86
1st Quarter 1929 .	23,449	1,827	6,727	26,386	3,011	19·6	5·6	22·1	7·8	128
2nd " " .	24,380	1,903	8,117	15,895	1,842	20·2	6·7	13·1	7·8	76
3rd " " .	23,053	1,802	9,686	13,283	1,437	18·9	7·9	10·9	7·8	62
4th " " .	21,998	1,633	8,437	15,353	1,771	18·0	6·9	12·6	7·4	81
Year 1929 .	92,880	7,165	32,967	70,917	8,061	19·2	6·8	14·7	7·7	87
1st Quarter 1930 .	23,686	1,798	7,297	19,055	2,600	19·8	6·1	15·9	7·6	110
2nd " " .	24,822	1,846	8,285	15,889	1,823	20·5	6·9	13·2	7·4	73
3rd " " .	22,954	1,731	9,528	13,356	1,358	18·8	7·8	10·9	7·5	59
4th " " .	23,087	1,575	8,205	15,985	2,071	18·9	6·7	13·1	6·8	90
Year 1930 .	94,549	6,950	33,315	64,285	7,852	19·6	6·9	13·3	7·4	83
1st Quarter 1931 .	23,558	1,769	7,071	20,189	2,652	19·7	5·9	16·9	7·5	113
2nd " " .	24,130	1,753	8,153	15,916	1,867	20·0	6·8	13·2	7·3	77
3rd " " .	22,659	1,669	9,348	13,244	1,353	18·6	7·7	10·9	7·4	60
4th " " .	21,873	1,470	8,080	14,880	1,672	17·9	6·6	12·2	6·7	76
Year 1931 .	92,220	6,661	32,652	64,229	7,544	19·0	6·7	13·3	7·2	82
1st Quarter 1932 .	23,069	1,573	7,686	19,634	2,573	19·0	6·3	16·2	6·8	112
2nd " " .	24,245	1,720	7,877	16,407	1,976	20·0	6·5	13·5	7·1	81
3rd " " .	22,033	1,625	9,337	13,192	1,396	18·0	7·6	10·7	7·4	63
4th " " .	21,653	1,538	8,257	16,812	1,895	17·6	6·7	13·7	7·1	88
Year 1932 .	91,000	6,456	33,157	66,045	7,840	18·6	6·8	13·5	7·1	86
1st Quarter 1933 .	21,785	1,474	7,052	20,750	2,359	18·0	5·8	17·1	6·8	108
2nd " " .	23,211	1,639	8,178	15,127	1,706	19·0	6·7	12·4	7·1	73
3rd " " .	21,135	1,462	10,252	13,088	1,343	17·1	8·3	10·6	6·9	64
4th " " .	20,415	1,389	8,719	15,833	1,611	16·5	7·0	12·8	6·8	79
Year 1933 .	86,546	5,964	34,201	64,848	7,019	17·6	7·0	13·2	6·9	81
1st Quarter 1934 .	22,744	1,630	7,692	17,406	2,097	18·7	6·3	14·3	7·2	92
2nd " " .	23,247	1,641	8,852	16,730	1,803	18·9	7·2	13·6	7·1	78
3rd " " .	21,301	1,475	10,760	13,300	1,211	17·1	8·7	10·7	6·9	57
4th " " .	21,544	1,373	9,630	16,305	1,790	17·3	7·7	13·1	6·4	83
Year 1934 .	88,836	6,119	36,934	63,741	6,901	18·0	7·5	12·9	6·9	78
1st Quarter 1935 .	21,978	1,468	7,695	19,177	2,111	18·0	6·3	15·7	6·7	96
2nd " " .	23,259	1,419	9,106	16,205	1,655	18·8	7·4	13·1	6·1	71
3rd " " .	21,566	1,433	11,281	13,461	1,180	17·3	9·0	10·8	6·6	55
4th " " .	21,125	1,457	9,906	16,488	1,808	16·9	7·9	13·2	6·9	86
Year 1935 .	87,928	5,777	37,988	65,331	6,754	17·8	7·7	13·2	6·6	77
1st Quarter 1936 .	22,544	1,447	7,731	20,196	2,441	18·3	6·3	16·4	6·4	108
2nd " " .	23,594	1,611	9,451	16,214	1,677	19·1	7·7	13·1	6·8	71
3rd " " .	21,464	1,352	11,403	13,709	1,378	17·2	9·1	11·0	6·3	64
4th " " .	21,326	1,334	9,311	16,630	1,819	17·1	7·5	13·3	6·3	85
Year 1936 .	88,928	5,744	37,896	66,749	7,315	17·9	7·6	13·4	6·5	82
1st Quarter 1937 .	21,589	1,316	8,093	22,123	2,104	17·6	6·6	18·0	6·1	97
2nd " " .	23,864	1,450	9,363	15,781	1,733	19·2	7·5	12·7	6·1	73
3rd " " .	21,745	1,395	11,516	13,616	1,299	17·3	9·2	10·9	6·4	60
4th " " .	20,612	1,243	9,379	17,422	1,914	16·4	7·5	13·9	6·0	93
Year 1937 .	87,810	5,404	38,351	68,942	7,050	17·6	7·7	13·9	6·2	80

TABLE 4.—Birth-, Death-, and Marriage-rates in Scotland, its Counties and Large Burghs in 1937.

COUNTIES AND LARGE BURGHS.	Estimated Population 1937.	RATES PER 1000 OF POPULATION.														Illegitimate Births per cent. of Total Births.	Infantile Mortality. Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	DEATH-RATE.													
				Crude (Corrected for Transfers).	Corrected and Adjusted for Age and Sex.	All Tuberculosis.	Tuberculosis of Respiratory System.	Principal Epidemic Diseases.					Bronchitis and Pneumonia.				
								*Total.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.		Influenza.			
SCOTLAND	4,976,610	17.6	7.7	13.9	13.9	0.74	0.56	0.90	0.02	0.02	0.14	0.09	0.54	1.63	6.2	80	
LARGE BURGHS	2,781,486	18.5	9.1	14.1	15.0	0.89	0.69	0.93	0.03	0.02	0.19	0.09	0.50	1.97	5.6	90	
SMALL BURGHS	756,309	16.0	7.4	14.2	13.0	0.55	0.42	0.85	0.01	0.03	0.09	0.08	0.57	1.27	5.6	69	
LANDWARD	1,488,815	16.9	5.3	13.2	12.4	0.55	0.39	0.86	0.02	0.02	0.08	0.07	0.60	1.20	7.6	66	
ABERDEEN COUNTY †	324,229	17.4	8.0	12.8	11.9	0.52	0.37	0.69	—	0.05	0.08	0.08	0.44	1.27	9.6	68	
Aberdeen Burgh	177,317	17.1	9.7	13.0	13.1	0.55	0.40	0.64	—	0.01	0.10	0.10	0.37	1.85	6.4	72	
Remainder of County	146,912	17.9	5.9	12.5	10.8	0.50	0.34	0.74	—	0.09	0.05	0.05	0.52	1.17	13.2	64	
ANGUS COUNTY.	272,763	16.4	7.8	15.0	14.0	0.70	0.52	0.97	0.00	0.03	0.21	0.04	0.65	1.72	6.5	83	
Arbroath Burgh	18,049	15.7	8.2	16.7	13.8	0.50	0.33	0.39	—	—	0.11	—	0.22	1.61	3.9	71	
Dundee Burgh	177,711	17.6	8.6	15.0	15.0	0.82	0.57	1.06	0.01	0.03	0.29	0.05	0.64	1.98	5.9	87	
Remainder of County	77,003	13.9	6.1	14.6	12.1	0.43	0.43	0.91	—	0.04	0.06	0.01	0.78	1.16	9.7	74	
ARGYLL COUNTY	61,800	13.5	5.0	16.8	12.4	0.61	0.47	0.97	—	0.02	—	0.02	0.89	1.07	9.0	53	
AYR COUNTY	292,200	17.8	7.5	14.1	14.5	0.63	0.49	1.10	0.09	0.04	0.15	0.17	0.54	1.42	5.1	89	
Ayr Burgh	40,419	17.0	9.7	15.4	15.9	1.06	0.89	0.89	0.05	0.07	0.20	0.20	0.27	1.76	4.4	100	
Kilmarnock Burgh	39,847	18.5	7.9	14.2	15.3	0.53	0.40	1.43	0.28	0.03	0.18	0.10	0.63	1.73	4.2	114	
Remainder of County	211,934	17.9	7.0	13.9	14.2	0.57	0.43	1.07	0.06	0.04	0.13	0.17	0.57	1.29	5.4	82	
BANFF COUNTY.	53,886	17.7	6.1	12.6	11.3	0.48	0.37	1.08	0.02	0.02	0.13	0.09	0.82	1.43	11.0	82	
BERWICK COUNTY	26,402	12.0	4.8	14.1	12.0	0.23	0.19	0.64	—	0.04	0.11	0.04	0.42	0.91	8.1	54	
BUTE COUNTY	16,231	13.2	4.9	18.2	13.0	0.86	0.62	0.99	—	—	—	—	0.92	1.29	7.5	47	
CAITHNESS COUNTY	25,889	16.1	5.8	16.6	12.4	0.66	0.50	1.12	0.12	—	0.12	—	0.89	1.20	11.2	74	
CLACKMANNAN COUNTY	32,807	16.3	6.5	12.5	12.4	0.37	0.30	0.43	0.06	0.03	0.06	0.03	0.21	0.93	3.9	64	
DUNBARTON COUNTY	156,073	16.6	6.2	13.2	14.1	0.67	0.50	0.57	—	0.04	0.06	0.08	0.36	1.79	4.6	73	
Clydebank Burgh	47,751	17.9	7.0	12.6	15.6	0.82	0.61	0.54	—	0.06	0.06	0.17	0.23	2.26	4.8	82	
Dumbarton Burgh	21,813	17.9	6.0	13.1	13.7	0.83	0.64	0.46	—	—	0.05	—	0.37	1.74	5.4	69	
Remainder of County	86,509	15.6	5.8	13.5	13.4	0.55	0.40	0.61	—	0.03	0.07	0.06	0.43	1.55	4.3	68	
DUMFRIES COUNTY	81,973	15.7	8.3	14.7	13.4	0.56	0.41	0.98	—	0.02	0.01	0.05	0.76	0.94	9.9	72	
Dumfries Burgh	23,696	17.4	10.7	14.9	14.6	0.80	0.51	0.93	—	—	—	0.04	0.72	1.22	10.4	90	
Remainder of County	58,277	15.0	7.3	14.6	12.9	0.46	0.38	1.00	—	0.03	0.02	0.05	0.77	0.82	9.7	64	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	

	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
EAST LOTHIAN COUNTY		47,644	17.0	6.4	11.6	11.5	0.40	0.31	0.65	0.02	0.04	0.08	—	0.42	0.76	5.4	51
FIFE COUNTY																	
Dunfermline Burgh		283,194	16.4	7.0	12.7	12.7	0.44	0.32	0.87	—	0.02	0.08	0.03	0.65	1.18	4.8	66
Kirkcaldy Burgh		36,771	15.6	8.5	13.3	13.5	0.52	0.46	1.22	—	0.03	—	0.03	1.12	1.52	3.3	59
Remainder of County		44,947	15.9	9.3	12.3	12.4	0.38	0.22	0.65	—	—	0.04	—	0.51	1.16	4.3	67
		201,476	16.7	6.2	12.7	12.7	0.44	0.32	0.86	—	0.02	0.11	0.03	0.60	1.12	5.1	67
INVERNESS COUNTY																	
Inverness Burgh		81,472	14.3	6.6	14.3	11.0	0.61	0.54	1.02	—	0.02	0.17	0.04	0.70	0.80	8.0	69
Remainder of County		23,294	15.0	16.1	14.0	12.2	0.64	0.56	1.07	—	0.04	0.17	0.04	0.73	0.99	5.7	72
		58,178	14.1	2.8	14.4	10.6	0.60	0.53	1.00	—	0.02	0.17	0.03	0.69	0.72	9.0	68
KINCARDINE COUNTY †																	
KINROSS COUNTY		26,455	17.1	6.5	14.2	11.5	0.45	0.30	0.53	—	—	—	—	0.53	1.21	9.5	60
KIRKCUDBRIGHT COUNTY		7,079	14.7	5.5	16.0	13.1	0.14	—	0.71	—	—	—	—	0.71	1.84	4.8	38
LANARK COUNTY		30,358	17.3	5.9	15.4	12.8	0.40	0.33	1.22	—	—	0.03	0.30	0.72	1.42	13.3	59
Airdrie Burgh		1,627,803	19.8	8.7	14.0	15.8	0.94	0.74	0.93	0.03	0.02	0.21	0.10	0.46	2.16	5.5	95
Coatbridge Burgh		27,832	21.6	7.1	12.0	13.7	0.43	0.40	1.08	—	—	0.25	0.11	0.68	1.62	6.3	75
Glasgow Burgh		44,488	21.9	7.0	14.7	16.6	1.21	0.76	1.35	—	0.02	0.25	0.09	0.63	2.27	2.8	99
Hamilton Burgh		1,119,863	19.8	9.5	14.6	16.4	1.06	0.85	0.97	0.03	0.03	0.25	0.11	0.45	2.41	5.7	104
Motherwell and Wishaw Burgh		38,991	22.9	8.3	13.1	14.9	0.62	0.31	0.90	0.03	—	—	0.21	0.62	1.69	5.5	73
Rutherglen Burgh		67,392	20.0	7.5	12.2	14.5	0.67	0.38	0.96	0.06	0.01	0.18	0.09	0.56	1.48	4.9	72
Remainder of County		25,433	13.7	10.1	13.2	14.5	1.10	0.90	0.63	0.08	0.04	0.07	—	0.43	1.81	6.0	72
		303,784	19.5	6.3	12.1	13.8	0.60	0.43	0.71	0.03	0.01	0.07	0.10	0.43	1.51	5.1	71
MIDLOTHIAN COUNTY																	
Edinburgh Burgh		556,303	16.0	9.1	13.6	13.6	0.75	0.58	0.94	0.02	0.02	0.14	0.08	0.60	1.60	6.1	69
Remainder of County		466,517	15.8	9.5	14.0	13.8	0.81	0.64	0.98	0.03	0.02	0.14	0.07	0.64	1.70	6.3	70
		89,386	16.9	6.9	11.6	12.2	0.45	0.25	0.74	—	0.02	0.13	0.13	0.39	1.11	5.2	65
MORAY COUNTY		41,002	18.1	6.6	14.5	12.1	0.54	0.39	0.61	0.02	—	0.02	0.05	0.49	1.22	10.8	80
NAIRN COUNTY		8,292	15.6	4.9	13.9	10.5	0.24	0.24	1.09	—	—	0.12	—	0.96	1.21	3.9	54
ORKNEY COUNTY		21,730	15.3	7.8	19.1	12.9	0.37	0.14	1.47	—	0.05	0.05	—	—	0.97	4.5	60
PEEBLES COUNTY		14,501	12.1	6.8	14.0	11.8	0.41	0.34	0.62	0.07	—	—	0.07	0.48	1.45	4.6	34
PERTH COUNTY		112,729	13.5	6.3	15.2	12.8	0.56	0.47	0.82	0.01	0.02	0.05	0.03	0.70	1.29	8.0	59
Perth Burgh		35,995	14.6	9.3	13.9	13.0	0.78	0.67	0.44	—	0.03	—	0.03	0.39	1.39	7.2	80
Remainder of County		83,734	13.1	5.0	15.8	12.7	0.47	0.38	0.98	0.01	0.01	0.07	0.02	0.84	1.24	8.4	49
RENFREW COUNTY																	
Greenock Burgh		314,244	18.4	6.3	13.2	14.1	0.90	0.69	0.87	0.06	0.02	0.18	0.12	0.40	1.50	4.0	84
Paisley Burgh		80,957	21.6	6.8	15.6	16.8	1.32	1.01	1.19	0.14	0.01	0.38	0.02	0.57	2.15	4.6	97
Port Glasgow Burgh		90,774	18.9	7.4	12.9	13.9	0.90	0.67	0.82	0.01	0.01	0.13	0.29	0.24	1.52	4.1	93
Remainder of County		19,638	24.2	6.7	12.4	13.9	0.31	0.25	0.71	0.20	0.05	—	—	0.41	1.73	4.6	82
		122,875	15.0	5.1	11.8	12.4	0.72	0.56	0.72	0.02	0.03	0.11	0.09	0.40	1.01	3.2	64
ROSS AND CROMARTY COUNTY		62,704	14.0	4.3	16.3	11.5	1.20	0.96	1.02	—	0.05	—	0.03	0.78	1.12	10.9	50
ROXBURGH COUNTY		45,908	13.9	6.8	14.9	13.3	0.48	0.28	0.89	—	0.04	0.11	0.07	0.63	1.11	6.4	83
SELKIRK COUNTY		21,967	11.8	6.6	15.5	13.6	0.32	0.23	0.82	—	—	0.06	—	0.64	0.91	4.6	46
STIRLING COUNTY		172,659	18.4	7.2	12.5	13.4	0.52	0.35	0.90	0.03	0.01	0.11	0.14	0.53	1.34	5.0	70
Falkirk Burgh		88,004	16.6	8.7	11.7	12.9	0.53	0.50	0.55	—	—	0.05	0.03	0.42	1.42	3.0	70
Stirling Burgh		23,667	21.8	9.2	13.8	13.8	0.55	0.34	0.76	—	0.04	0.04	0.17	0.34	0.89	5.4	74
Remainder of County		110,988	18.2	6.2	12.6	13.6	0.49	0.30	1.05	0.05	0.01	0.14	0.17	0.61	1.41	5.5	69
SUTHERLAND COUNTY		15,442	13.8	3.7	16.2	10.4	0.78	0.53	0.97	0.06	—	—	—	0.91	0.84	9.9	33
WEST LOTHIAN COUNTY		83,484	19.4	6.4	11.4	13.0	0.56	0.37	0.62	—	0.01	0.07	0.10	0.40	1.43	4.8	74
WIGTOWN COUNTY		29,783	19.3	6.7	15.2	13.5	0.54	0.24	1.04	—	—	0.13	—	0.81	1.11	14.5	63
ZETLAND COUNTY		20,704	13.3	4.9	18.0	11.7	1.11	0.53	1.11	—	—	—	—	1.11	1.45	5.8	36

* Includes the following in addition to those indicated:—International Long List Nos. 1, 2, 3-6, 12-17, 18.
† Including for this purpose the entire Burgh of Aberdeen, part of which is in Kincardine County.
‡ Excluding for this purpose the portion of Aberdeen Burgh in Kincardine County.

TABLE 5.—Birth-, Death-, and Marriage-rates in the Small Burghs of Scotland in 1937.

SMALL BURGHS.	Estimated Population 1937.	RATES PER 1000 OF POPULATION.							Illegitimate Births per cent. of Total Births.	Rate per 1000 Births.	
		Birth-rate.	Marriage-rate.	Death-rate.							
				Crude (Corrected for Transfers).	Corrected and Adjusted for Age and Sex.	All Tuberculosis.	Tuberculosis of Respiratory System.	*Principal Epidemic Diseases.			
ABERDEEN COUNTY—											
Ballater	1,251	10·4	9·6	12·8	9·6	1·60	0·80	0·80	15·4	—	
Ellon	1,383	18·8	16·6	9·4	6·8	—	—	—	11·5	77	
Fraserburgh	10,383	19·6	7·5	12·1	13·2	0·87	0·58	0·77	4·9	69	
Huntly	3,979	14·6	9·3	17·6	13·1	0·25	—	1·76	13·8	69	
Inverurie	4,693	17·0	10·4	14·9	12·9	0·21	0·21	0·64	12·5	75	
Kintore	792	16·4	7·6	10·1	7·4	—	—	—	15·4	—	
Old Meldrum	1,017	22·6	12·8	14·7	9·7	—	—	—	13·0	43	
Peterhead	13,051	19·8	6·7	10·3	10·4	0·31	0·15	0·38	7·4	89	
Rosehearty	1,147	14·8	6·1	17·4	13·0	1·74	0·87	0·87	—	176	
Turriff	2,486	18·5	9·3	18·5	13·9	—	—	0·40	13·0	65	
ANGUS COUNTY—											
Brechin	6,670	12·1	9·1	20·2	14·8	1·35	1·20	1·05	8·6	111	
Carnoustie	4,748	8·0	7·0	16·2	11·5	1·05	1·05	0·84	5·3	26	
Forfar	9,865	13·2	8·5	12·5	10·5	0·20	0·20	0·20	5·4	31	
Kirriemuir	3,407	13·2	10·0	17·0	11·1	—	—	0·59	6·7	—	
Monifieth	3,154	10·5	6·0	16·5	14·4	0·32	0·32	1·59	—	182	
Montrose	10,778	15·2	6·2	17·3	13·3	0·28	0·28	1·11	7·3	67	
ARGYLL COUNTY—											
Campbeltown	6,442	21·9	7·8	17·9	15·8	0·93	0·93	0·93	13·5	113	
Dunoon	8,091	11·4	7·8	22·0	15·1	0·49	0·49	1·73	6·5	65	
Inveraray	463	8·6	2·2	19·4	14·9	2·16	2·16	—	—	—	
Lochgilphead	1,089	11·9	5·5	13·8	9·8	—	—	0·92	7·7	—	
Oban	5,774	16·1	9·4	12·0	10·8	0·87	0·52	0·87	3·2	43	
Tobermory	752	13·3	1·3	12·0	8·2	—	—	—	—	—	
AYR COUNTY—											
Ardrossan	7,441	19·6	5·9	14·9	16·3	0·54	0·40	1·08	2·1	110	
Cumnock and Holmhead	4,008	19·2	10·7	14·7	14·0	1·25	0·75	0·75	6·5	52	
Darvel	3,324	11·7	6·3	15·3	14·8	0·60	0·60	0·30	2·6	103	
Galston	4,826	18·2	12·2	15·1	16·1	0·33	0·62	1·24	2·3	102	
Girvan	5,328	16·0	6·9	15·2	13·2	0·75	0·75	0·75	9·4	94	
Irvine	12,720	20·9	7·2	13·4	14·6	0·63	0·55	0·94	3·0	98	
Kilwinning	5,468	20·1	11·7	13·2	14·6	1·28	0·91	0·37	3·6	100	
Largs	5,984	9·4	6·7	18·4	12·9	0·50	0·50	0·84	1·8	54	
Maybole	4,406	18·8	8·6	17·0	16·7	0·23	0·23	0·68	10·8	96	
Newmilns and Greenholm	3,886	11·6	5·9	14·7	14·0	0·26	—	1·54	2·2	89	
Prestwick	9,484	13·3	4·9	17·4	14·4	0·21	0·21	1·69	5·6	48	
Saltcoats	10,309	17·7	9·4	12·3	12·5	0·78	0·68	0·78	3·3	38	
Stewarton	2,788	15·1	6·1	13·3	12·4	0·72	0·72	—	2·4	48	
Troon	8,658	11·7	6·8	13·1	12·9	0·46	0·46	1·27	4·0	79	
BANFF COUNTY—											
Aberchirder	889	20·2	9·0	20·2	13·9	—	—	—	27·8	111	
Banff	3,381	18·0	12·1	16·0	12·8	0·89	0·89	1·48	8·2	115	
Buckie	8,652	19·0	6·8	12·4	12·5	0·69	0·46	1·73	8·5	110	
Charlestown of Aberlour	1,187	15·2	4·2	12·6	12·9	1·68	0·84	—	5·6	56	
Cullen	1,763	13·6	0·6	12·5	10·3	—	—	0·57	4·2	42	
Dufftown	1,424	16·9	4·9	16·2	11·0	—	—	—	—	83	
Findochty	1,746	24·1	5·7	6·9	7·9	1·15	1·15	1·15	9·5	24	
Keith	4,440	17·1	10·4	16·4	13·9	1·80	1·35	0·45	11·8	132	
Macduff	3,313	16·6	4·2	13·6	11·1	0·30	0·30	0·60	10·9	109	
Portknochie	1,624	12·3	0·6	8·0	8·0	0·62	0·62	1·23	15·0	50	
Portsoy	1,747	16·0	10·3	10·3	7·8	—	—	0·57	14·3	36	

* See footnote Table 4.

Note:—Some of the rates in this Table are based on very few observations and are therefore of limited value. Numbers will be found on pages 106-131

TABLE 5—continued.

SMALL BURGHS.	Estimated Population 1937.	RATES PER 1000 OF POPULATION.							Illegitimate Births per cent. of Total Births.	Rate per 1000 Births.	
		Birth-rate.	Marriage-rate.	Death-rate.							
				Crude (Corrected for Transfers).	Corrected and Adjusted for Age and Sex.	All Tuberculosis.	Tuberculosis of Respiratory System.	Principal Epidemic Diseases.			
BERWICK COUNTY—											
Coldstream	1,222	8·2	6·5	12·3	9·3	0·82	0·82	0·82	20·0	100	
Duns	1,852	9·7	6·5	15·1	11·2	—	—	—	—	—	
Eyemouth	2,197	8·6	4·6	14·6	14·0	—	—	0·91	5·3	53	
Lauder	620	8·1	—	19·4	14·0	—	—	1·61	20·0	—	
BUTE COUNTY—											
Millport	1,541	9·7	3·9	18·8	14·1	—	—	0·65	13·3	133	
Rothsay	7,986	16·0	5·6	19·4	13·9	0·88	0·63	1·50	8·6	39	
CAITHNESS COUNTY—											
Thurso	3,102	16·8	9·3	15·8	12·8	0·97	0·97	1·29	3·8	96	
Wick	7,588	18·5	9·2	16·5	14·6	0·26	0·26	1·05	12·9	107	
CLACKMANNAN COUNTY—											
Alloa	13,436	15·3	6·5	11·7	12·3	0·37	0·37	0·52	4·9	73	
Alva	3,894	18·0	8·5	14·4	12·5	0·51	0·51	0·26	5·7	100	
Dollar	1,446	9·7	4·8	22·8	17·3	0·69	—	—	7·1	71	
Tillicoultry	3,107	14·5	10·0	11·3	9·9	—	—	0·64	—	44	
DUNBARTON COUNTY—											
Cove and Kilcreggan	858	8·2	2·3	14·0	9·4	—	—	1·17	—	—	
Helensburgh	8,736	11·6	5·0	18·8	16·3	0·46	0·34	0·46	2·0	109	
Kirkintilloch	12,687	21·0	7·6	12·5	13·7	0·79	0·63	0·39	3·0	71	
Milngavie	6,202	10·2	5·3	13·2	12·6	0·81	0·81	0·32	4·8	48	
DUMFRIES COUNTY—											
Annan	3,908	11·0	9·7	11·3	10·4	0·51	0·51	0·26	4·7	47	
Langholm	2,400	10·8	4·2	18·7	13·9	—	—	1·25	15·4	115	
Lochmaben	1,077	21·4	9·3	22·3	17·2	0·93	0·93	2·79	8·7	87	
Lockerbie	2,618	11·1	6·1	15·7	14·0	1·15	0·76	1·15	3·4	69	
Moffat	1,976	12·1	3·0	19·2	14·3	0·51	0·51	1·52	16·7	125	
Sanquhar	1,889	13·8	11·1	13·8	13·1	—	—	—	3·8	192	
EAST LOTHIAN COUNTY—											
Cockenzie and Port Seton	2,683	19·4	10·1	8·6	9·8	0·37	—	1·86	3·8	38	
Dunbar	3,789	13·2	5·8	14·3	12·1	—	—	0·53	2·0	60	
East Linton	899	10·0	2·2	18·9	12·3	—	—	1·11	—	—	
Haddington	4,680	16·5	7·9	14·3	12·6	0·21	0·21	0·64	6·5	65	
North Berwick	3,237	7·4	6·2	13·3	10·9	0·31	0·31	0·93	—	—	
Prestonpans	2,637	25·8	8·7	11·4	12·7	0·38	0·38	0·76	8·8	44	
Tranent	4,949	25·3	8·3	10·7	12·3	0·61	0·61	0·81	5·6	48	
FIFE COUNTY—											
Auchtermuchty	1,222	13·1	3·3	25·4	17·2	—	—	1·64	12·5	125	
Buckhaven and Methil	19,125	18·9	6·3	11·9	14·2	0·31	0·31	0·73	4·4	72	
Burntisland	5,596	14·5	5·2	14·5	13·5	0·54	0·36	0·18	2·5	37	
Cowdenbeath	12,392	17·3	6·3	11·2	13·4	0·89	0·73	0·89	2·8	60	
Crail	1,034	6·8	11·6	21·3	12·6	—	—	—	14·3	—	
Culross	539	13·0	37·1	14·8	12·3	—	—	—	14·3	286	
Cupar	4,864	17·5	9·9	15·2	11·9	0·21	0·21	0·41	2·4	35	
Elie and Earlsferry	965	5·2	5·2	22·8	14·5	—	—	1·04	20·0	—	
Falkland	915	18·6	10·9	16·4	11·9	3·28	1·09	—	5·9	—	
Inverkeithing	3,412	18·5	5·0	14·7	15·0	2·05	1·76	0·29	4·8	143	
Kilrenny and Anstruther	3,322	12·9	3·9	13·8	10·6	0·30	0·30	0·90	—	47	
Kinghorn	2,007	14·4	3·5	12·0	11·4	1·00	0·50	1·00	3·4	69	
Ladybank and Monkston	1,194	14·2	6·7	15·1	11·6	0·84	0·84	0·84	5·9	59	

TABLE 5—continued.

SMALL BURGHS.	Estimated Population 1937.	RATES PER 1000 OF POPULATION.							Illegitimate Births per cent. of Total Births.	Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.						
				Crude (Corrected for Transfers).	Corrected and Adjusted for Age and Sex.	All Tuberculosis.	Tuberculosis of Re-spiratory System.	Principal Epi-demic Diseases.		
FIFE COUNTY— <i>contd.</i> —										
Leslie	2,683	16·4	6·3	13·8	12·7	0·75	0·37	1·49	—	136
Leven	8,167	18·2	7·2	13·6	13·3	0·37	0·37	1·71	4·7	74
Lochgelly	9,243	17·0	7·7	11·0	13·0	0·11	—	0·54	2·5	64
Markinch	2,216	13·5	11·7	13·5	13·1	0·45	—	—	—	67
Newburgh	2,271	15·9	5·7	13·2	10·3	—	—	—	5·6	83
Newport	3,157	8·2	4·1	14·9	10·4	0·63	0·32	—	3·8	—
Pittenweem	1,694	17·7	5·3	10·0	8·0	—	—	1·18	6·7	—
St. Andrews	8,493	12·2	6·6	13·3	11·8	0·24	0·24	0·94	6·7	48
St. Monance	1,701	12·9	2·4	14·7	12·5	0·59	—	—	—	—
Tayport	3,273	14·4	9·2	15·3	12·8	0·31	0·31	0·31	—	21
INVERNESS COUNTY—										
Fort-William	2,858	13·6	6·3	11·5	11·6	0·70	0·70	1·40	—	26
Kingussie	1,000	19·0	3·0	17·0	13·6	—	—	1·00	—	—
KINCARDINE COUNTY—										
Banchory	1,766	14·7	9·6	11·3	8·1	0·57	—	0·57	15·4	77
Inverbervie	956	14·6	13·6	17·8	14·4	—	—	—	—	143
Laurencekirk	1,325	11·3	8·3	18·9	11·1	—	—	0·75	6·7	67
Stonehaven	4,160	15·1	9·6	21·4	14·6	0·72	0·48	1·20	3·2	63
KINROSS COUNTY—										
Kinross	2,419	12·8	7·0	17·4	15·2	—	—	0·83	6·5	32
KIRKCUDBRIGHT COUNTY—										
Castle-Douglas	3,134	13·1	8·6	16·6	14·4	0·64	0·32	0·64	2·4	—
Dalbeattie	3,211	20·6	3·7	16·2	13·3	—	—	0·93	19·7	121
Gatehouse	892	13·5	3·4	15·7	9·6	1·12	1·12	3·36	16·7	—
Kirkcudbright	2,291	13·1	6·1	19·6	15·4	0·87	0·87	2·18	—	100
New Galloway	321	6·2	6·2	9·3	6·6	—	—	—	—	—
LANARK COUNTY—										
Biggar	1,297	14·6	5·4	13·9	9·7	—	—	0·77	15·8	—
Lanark	6,082	15·8	10·4	13·8	12·7	0·66	0·49	0·16	4·2	83
MIDLOTHIAN COUNTY—										
Bonnyrigg and Lasswade	5,171	15·9	4·8	14·7	14·1	0·19	0·19	1·74	2·4	98
Dalkeith	7,698	15·6	8·2	15·7	15·7	0·26	0·13	1·17	6·7	100
Loanhead	4,066	17·0	10·1	11·8	13·4	0·49	0·49	0·49	2·9	72
Musselburgh	17,450	15·7	7·6	10·4	11·5	0·46	0·29	0·69	3·3	33
Penicuik	4,097	20·7	8·3	12·2	10·9	1·22	0·98	—	4·7	59
MORAY COUNTY—										
Burghead	1,314	20·5	4·6	10·7	8·8	0·76	0·76	—	14·8	74
Elgin	9,172	16·4	11·3	14·8	12·8	0·44	0·33	0·44	7·3	80
Forres	4,375	15·1	8·2	15·1	11·7	0·69	0·46	0·69	6·1	76
Grantown-on-Spey	1,444	18·0	6·2	11·8	9·4	—	—	0·69	7·7	—
Lossiemouth	3,979	20·9	7·8	15·8	14·8	—	—	0·50	8·4	133
Rothies	1,271	21·2	6·3	11·0	8·4	—	—	0·79	18·5	74
NAIRN COUNTY—										
Nairn	4,301	16·7	7·2	14·9	11·0	0·23	0·23	1·40	1·4	69
ORKNEY COUNTY—										
Kirkwall	3,617	14·1	14·4	16·6	11·7	0·28	0·28	0·55	3·9	39
Stromness	1,559	13·5	10·3	16·0	11·6	0·64	0·64	0·64	4·8	143
PEEBLES COUNTY—										
Innerleithen	2,265	11·5	9·7	15·5	12·8	0·44	0·44	1·32	—	—
Peebles	5,944	11·8	6·9	13·8	11·4	0·34	0·34	0·34	5·7	71

TABLE 5—continued.

SMALL BURGHS.	Estimated Population 1937.	RATES PER 1000 OF POPULATION.							Illegitimate Births per cent. of Total Births.	Rate per 1000 Births.	
		Birth-rate.	Marriage-rate.	Death-rate.							
				Crude (Corrected for Transfers).	Corrected and Adjusted for Age and Sex.	All Tuberculosis.	Tuberculosis of Respiratory System.	Principal Epidemic Diseases.			
PERTH COUNTY—											
Aberfeldy	1,467	8·2	7·5	21·1	15·4	0·68	0·68	1·36	—	—	
Abernethy	626	9·6	4·8	14·4	9·4	—	—	1·60	16·7	—	
Alyth	1,798	26·7	12·2	17·8	11·5	1·67	1·67	—	8·3	42	
Auchterarder	2,237	8·0	6·7	21·0	15·0	0·89	0·89	0·89	11·1	—	
Blairgowrie and Rattray	4,807	16·2	6·9	20·4	14·2	1·46	0·83	0·62	6·4	90	
Callander	1,487	8·7	8·1	14·1	11·5	0·67	0·67	0·67	15·4	77	
Coupar-Angus	1,996	14·0	7·0	15·5	11·3	—	—	—	10·7	36	
Crieff	5,263	14·3	5·3	18·6	14·5	0·38	0·19	1·33	6·7	40	
Doune	840	14·3	10·7	15·5	12·6	—	—	—	—	—	
Dunblane	2,727	13·2	7·3	17·6	12·6	0·73	0·73	—	—	139	
RENFREW COUNTY—											
Barrhead	12,523	17·4	7·3	13·9	15·5	1·28	0·88	1·36	5·0	78	
Gourock	8,995	13·8	5·2	13·5	13·2	1·11	0·89	0·67	2·4	65	
Johnstone	13,797	22·3	8·1	11·9	12·9	0·51	0·36	0·80	3·6	68	
Renfrew	16,355	16·1	5·3	11·7	13·8	0·79	0·79	0·67	3·8	80	
ROSS AND CROMARTY COUNTY—											
Cromarty	811	7·4	4·9	17·3	11·7	—	—	—	16·7	—	
Dingwall	2,785	17·6	11·8	10·8	8·6	0·72	0·36	1·44	6·1	82	
Fortrose	839	7·2	1·2	31·0	18·0	1·19	—	—	—	167	
Invergordon	1,479	11·5	3·4	12·8	11·2	0·68	0·68	1·35	11·8	—	
Stornoway	4,462	17·5	6·3	14·1	11·5	0·90	0·67	2·02	6·4	38	
Tain	1,459	12·3	12·3	8·9	6·1	—	—	—	11·1	—	
ROXBURGH COUNTY—											
Hawick	17,079	12·4	7·3	15·7	15·1	0·59	0·29	1·11	4·7	90	
Jedburgh	3,439	22·4	6·1	13·4	13·2	0·29	0·29	0·87	5·2	39	
Kelso	3,866	8·8	9·3	14·5	11·4	0·52	0·26	0·26	2·9	29	
Melrose	2,061	10·2	4·9	17·0	12·3	—	—	1·94	4·8	48	
SELKIRK COUNTY—											
Galashiels	12,909	11·1	7·2	15·5	13·8	0·31	0·23	1·08	3·5	35	
Selkirk	5,473	12·8	8·6	17·0	14·1	0·55	0·37	0·55	5·7	57	
STIRLING COUNTY—											
Bridge-of-Allan	2,878	10·8	6·9	12·2	9·5	—	—	1·04	3·2	—	
Denny and Dunipace	5,916	18·1	6·3	11·7	13·7	—	—	0·34	4·7	75	
Grangemouth	13,355	18·0	6·3	10·6	11·9	0·22	0·07	0·82	4·6	62	
Kilsyth	8,587	21·7	9·4	13·6	15·0	0·35	0·12	2·21	2·7	86	
SUTHERLAND COUNTY—											
Dornoch	679	14·7	7·4	17·7	14·4	1·47	—	—	—	100	
WEST LoTHIAN COUNTY—											
Armadale	5,345	19·6	8·4	10·5	12·9	0·56	0·56	1·12	8·6	67	
Bathgate	10,363	17·9	9·1	11·0	13·0	0·39	0·19	0·87	5·9	54	
Borrowstounness	10,426	17·9	9·2	9·5	11·2	0·67	0·19	0·58	5·9	43	
Linlithgow	3,501	19·4	7·1	12·9	12·9	1·43	1·14	0·29	4·4	29	
Queensferry	1,958	20·1	7·7	15·3	16·2	0·51	0·51	0·51	7·5	75	
Whitburn	3,981	32·2	3·0	7·8	9·0	0·50	0·25	0·25	3·9	55	
WIGTOWN COUNTY—											
Newton-Stewart	1,993	17·6	9·5	14·0	11·6	—	—	0·50	8·6	57	
Stranraer	7,153	19·6	8·7	15·7	14·4	0·84	0·28	1·68	10·0	57	
Whithorn	979	13·3	6·1	18·4	13·0	1·02	1·02	2·04	15·4	154	
Wigtown	1,265	18·2	11·1	22·1	16·7	1·58	1·58	0·79	8·7	43	
ZETLAND COUNTY—											
Lerwick	4,003	13·0	11·0	17·2	13·2	0·75	0·75	1·75	7·7	38	

TABLE 6.—Birth-, Death-, and Marriage-rates in the Landward Areas of Scotland in 1937.

COUNTY LANDWARD AREAS.	Estimated Population: 1937.	RATES PER 1000 OF POPULATION.							Illegitimate Births per cent. of Total Births.	Infantile Mortality. Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.						
				Crude (Corrected for Transfers).	Corrected and Adjusted for Age and Sex.	All Tuberculosis.	Tuberculosis of Re- spiratory System.	*Principal Epi- demic Diseases.		
Aberdeen	106,730	17·7	5·0	12·4	10·6	0·51	0·37	0·78	15·0	59
Angus	38,381	15·1	4·5	12·8	11·5	0·44	0·36	0·99	10·7	83
Argyll	39,189	12·3	3·4	16·5	11·8	0·56	0·38	0·87	9·5	37
Ayr	123,304	19·0	6·5	13·3	14·1	0·53	0·36	1·15	6·2	83
Banff	23,720	17·9	5·1	11·7	10·6	0·13	0·08	1·18	12·5	66
Berwick	20,511	13·7	4·8	13·9	12·0	0·24	0·20	0·63	8·2	57
Bute	6,704	10·6	4·2	16·7	11·6	1·04	0·75	0·45	4·2	42
Caithness	15,199	14·9	3·3	16·8	11·5	0·79	0·53	1·12	11·9	49
Clackmannan . . .	10,924	18·3	4·9	11·7	12·2	0·37	0·27	0·37	3·0	45
Dunbarton	58,026	15·8	5·6	12·9	13·0	0·50	0·33	0·71	4·9	64
Dumfries	44,409	15·9	7·3	14·3	12·8	0·45	0·36	1·01	10·1	55
East Lothian . . .	24,770	16·4	5·3	10·8	11·2	0·48	0·36	0·44	5·7	54
Fife	101,991	17·4	5·8	12·1	12·6	0·39	0·28	0·99	6·4	70
Inverness	54,320	14·0	2·6	14·5	10·5	0·61	0·53	0·98	9·7	72
Kincardine	18,248	18·4	4·9	12·3	10·8	0·44	0·33	0·38	10·7	54
Kinross	4,660	15·7	4·7	15·2	12·0	0·21	—	0·64	4·1	41
Kirkcudbright . .	20,509	18·2	5·9	14·6	12·4	0·34	0·29	1·17	14·4	53
Lanark	296,405	19·6	6·3	12·1	13·9	0·60	0·43	0·72	5·1	71
Midlothian	50,904	17·3	6·3	11·0	11·6	0·43	0·18	0·67	6·1	67
Moray	19,447	18·7	4·0	14·6	12·0	0·72	0·51	0·72	12·9	74
Nairn	3,991	14·3	2·5	12·8	10·0	0·25	0·25	0·75	7·0	35
Orkney	16,554	15·8	6·1	20·0	13·3	0·36	0·06	1·75	4·6	57
Peebles	6,292	12·6	5·6	13·7	11·8	0·48	0·32	0·64	5·1	13
Perth	60,486	12·7	4·2	14·8	12·4	0·35	0·30	1·09	9·1	46
Renfrew	71,205	13·1	4·1	11·3	11·4	0·59	0·45	0·62	2·6	56
Ross and Cromarty .	50,869	13·8	3·5	16·8	11·6	1·32	1·08	0·96	11·7	51
Roxburgh	19,463	15·1	6·3	14·3	12·4	0·46	0·31	0·72	8·5	55
Selkirk	3,585	12·8	1·7	13·1	12·1	—	—	0·28	6·5	65
Stirling	80,252	18·2	5·9	12·9	13·8	0·60	0·39	1·01	6·1	69
Sutherland	14,763	13·8	3·5	16·1	10·2	0·75	0·61	1·02	10·3	30
West Lothian . . .	47,910	18·8	5·2	12·0	13·6	0·52	0·38	0·58	3·9	91
Wigtown	18,393	19·7	5·4	14·5	13·1	0·38	0·11	0·82	17·1	63
Zetland	16,701	13·4	3·4	18·1	11·3	1·20	0·54	0·96	5·4	36

* See footnote Table 4.

TABLE 7.—Birth-rate among Married and among Unmarried Women in Scotland, 1937.

	Estimated Number of Women aged 15-44.			Births.			Birth-rates.		
	Total.	Married Women aged 16-44.	Un- married Women and Widows aged 15-44.	Total.	Legiti- mate.	Illegiti- mate.	Total per 1000 Women aged 15-44.	Legiti- mate Births per 1000 Married Women aged 16-44.	Illegiti- mate Births per 1000 Un- married Women aged 15-44.
SCOTLAND .	1,191,400	540,800	650,600	87,810	82,406	5,404	73·7	152·4	8·3
LARGE BURGHS .	685,200	311,400	373,800	50,491	47,674	2,817	73·7	153·1	7·5
SMALL BURGHS .	181,200	80,500	100,600	12,125	11,448	677	66·9	142·1	6·7
LANDWARD .	325,000	148,900	176,100	25,194	23,284	1,910	77·5	156·3	10·8
ABERDEEN Co.* .	77,300	34,900	42,400	5,655	5,114	541	73·2	146·6	12·8
Aberdeen Burgh .	45,800	20,400	25,400	3,026	2,832	194	66·1	139·0	7·6
Remainder of Co.	31,500	14,500	17,000	2,629	2,282	347	83·5	157·4	20·4
ANGUS Co. .	67,100	28,800	38,300	4,480	4,191	289	66·8	145·4	7·6
Arbroath B. .	4,200	1,800	2,400	283	272	11	67·0	152·1	4·5
Dundee B. .	45,400	19,700	25,600	3,125	2,940	185	68·9	148·9	7·2
Remainder of Co.	17,500	7,300	10,200	1,072	979	93	61·3	134·4	9·1
ARGYLL Co. .	13,300	4,900	8,300	835	760	75	62·9	154·4	9·0
AYR Co. .	70,600	32,500	38,100	5,211	4,945	266	73·8	152·0	7·0
Ayr B. .	10,300	4,600	5,700	687	657	30	66·6	143·4	5·2
Kilmarnock B. .	10,300	4,800	5,500	739	708	31	72·0	148·1	5·7
Remainder of Co.	50,000	23,200	26,900	3,785	3,580	205	75·7	154·5	7·6
BANFF Co. .	11,400	5,300	6,100	955	850	105	83·8	160·3	17·2
BERWICK Co. .	5,900	2,700	3,200	332	305	27	55·9	112·1	8·4
BUTE Co. .	3,700	1,400	2,300	214	198	16	58·4	144·8	7·0
CAITHNESS Co. .	5,400	2,300	3,100	418	371	47	77·8	164·5	15·1
CLACKMANNAN Co.	8,000	3,700	4,300	534	513	21	67·2	140·0	4·9
DUNBARTON Co. .	37,100	16,900	20,300	2,596	2,476	120	69·9	146·8	5·9
Clydebank B. .	11,300	5,800	5,600	854	813	41	75·3	141·1	7·3
Dumbarton B. .	4,900	2,300	2,500	390	369	21	80·0	157·3	8·3
Remainder of Co.	20,900	8,800	12,200	1,352	1,294	58	64·6	147·7	4·8
DUMFRIES Co. .	19,000	8,600	10,400	1,288	1,160	128	67·9	135·6	12·3
Dumfries B. .	6,200	2,700	3,500	412	369	43	66·7	135·6	12·4
Remainder of Co.	12,800	5,800	7,000	876	791	85	68·5	135·6	12·2
EAST LOTHIAN Co.	10,900	5,100	5,800	810	766	44	74·3	150·1	7·6
FIFE Co. .	65,400	32,800	32,600	4,656	4,435	223	71·1	135·1	6·8
Dunfermline B. .	9,200	4,500	4,700	573	554	19	62·1	122·4	4·0
Kirkcaldy B. .	11,000	5,200	5,800	715	684	31	64·9	130·9	5·3
Remainder of Co.	45,200	23,100	22,100	3,368	3,195	173	74·5	138·6	7·8
INVERNESS Co. .	17,100	6,600	10,500	1,169	1,075	94	68·3	162·6	8·9
Inverness B. .	5,800	2,400	3,400	349	329	20	60·0	139·2	5·8
Remainder of Co.	11,300	4,200	7,100	820	746	74	72·5	175·7	10·5

* See footnote Table 4.

TABLE 7—continued.

	Estimated Number of Women aged 15-44.			Births.			Birth-rates.		
	Total.	Married Women aged 16-44.	Un- married Women and Widows aged 15-44.	Total.	Legiti- mate.	Illegiti- mate.	Total per 1000 Women aged 15-44.	Legiti- mate Births per 1000 Married Women aged 16-44.	Illegiti- mate Births per 1000 Un- married Women aged 15-44.
KINCARDINE Co.*	5,600	2,500	3,100	453	410	43	80·7	164·7	13·8
KINROSS Co. .	1,600	700	900	104	99	5	65·4	144·9	5·5
KIRKCUDBRIGHT Co.	6,800	3,000	3,800	525	455	70	77·5	152·7	18·4
LANARK Co. .	396,100	187,800	208,400	32,284	30,507	1,777	81·5	162·5	8·5
Airdrie B. .	6,500	3,300	3,200	602	564	38	93·1	172·2	11·9
Coatbridge B. .	9,600	5,100	4,500	974	947	27	101·4	185·8	6·0
Glasgow B. .	281,400	130,400	151,000	22,180	20,909	1,271	78·8	160·3	8·4
Hamilton B. .	8,900	4,600	4,300	894	845	49	100·6	184·9	11·4
Motherwell and Wishaw B.	15,100	7,900	7,200	1,350	1,284	66	89·1	162·5	9·1
Rutherglen B. .	6,300	2,700	3,600	348	327	21	55·2	119·5	5·9
Remainder of Co.	68,300	33,800	34,500	5,936	5,631	305	86·9	166·7	8·8
MIDLOTHIAN Co. .	142,700	60,500	82,200	8,884	8,343	541	62·3	138·0	6·6
Edinburgh B. .	122,800	50,400	72,300	7,375	6,913	462	60·1	137·0	6·4
Remainder of Co.	19,900	10,000	9,900	1,509	1,430	79	75·8	142·9	8·0
MORAY Co. .	9,000	4,000	5,100	742	662	80	82·0	167·0	15·7
NAIRN Co. .	1,800	700	1,100	129	124	5	70·6	175·1	4·5
ORKNEY Co. .	4,500	1,900	2,600	333	318	15	74·5	168·8	5·8
Peebles Co. .	3,500	1,500	2,100	175	167	8	49·6	114·2	3·9
PERTH Co. .	28,100	11,600	16,600	1,620	1,490	130	57·6	128·9	7·9
Perth B. .	9,200	3,900	5,300	526	488	38	57·0	124·9	7·1
Remainder of Co.	18,900	7,600	11,200	1,094	1,002	92	58·0	131·0	8·2
RENFREW Co. .	77,200	34,400	42,700	5,788	5,557	231	75·0	161·4	5·4
Greenock B. .	18,400	9,200	9,300	1,749	1,669	80	94·8	181·7	8·6
Paisley B. .	23,300	10,200	13,100	1,716	1,646	70	73·6	160·8	5·3
Port Glasgow B.	4,400	2,200	2,200	475	453	22	108·7	206·6	10·1
Remainder of Co.	31,000	12,800	18,200	1,848	1,789	59	59·6	139·6	3·2
ROSS & CROMARTY Co.	13,100	4,600	8,500	875	780	95	66·9	170·7	11·2
ROXBURGH Co. .	11,300	4,600	6,700	636	595	41	56·5	130·7	6·1
SELKIRK Co. .	5,400	2,300	3,200	259	247	12	47·9	109·4	3·8
STIRLING Co. .	39,900	19,400	20,500	3,172	3,014	158	79·5	155·5	7·7
Falkirk B. .	9,100	4,500	4,500	632	613	19	69·8	134·8	4·2
Stirling B. .	5,800	2,700	3,100	517	489	28	89·4	183·4	9·0
Remainder of Co.	25,100	12,200	12,900	2,023	1,912	111	80·6	157·1	8·6
SUTHERLAND Co. .	3,100	1,100	2,000	213	192	21	68·2	168·0	10·6
WEST LoTHIAN Co.	18,100	9,500	8,500	1,616	1,539	77	89·4	161·3	9·0
WIGTOWN Co. .	6,800	3,000	3,800	574	491	83	84·4	162·9	21·9
ZETLAND Co. .	4,700	1,600	3,100	275	259	16	58·7	161·3	5·2

* See footnote Table 4.

TABLE 8.—Method of Celebration, etc. of Marriages in Scotland, 1855-1936.

YEAR.	Total MARRIAGES.		REGULAR MARRIAGES according to Forms of the							IRREGULAR MARRIAGES.	SIGNED BY MARK.	
	Number.	Proportion per 1000 of Population.	Church of Scotland.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Scottish Episcopal Church.	Other Forms.	Form not stated.		Men.	Women.
DECENNIAL AVERAGES.												
1855-1860	20645	6·840	9586	4747	2872	1846	383	1058	135	19	2335	4804
1861-1870	22422	7·004	9929	5278	3214	2071	464	1324	101	41	2387	4736
1871-1880	25355	7·172	11549	5649	3305	2286	646	1633	25	263	2150	4321
1881-1890	25939	6·700	11971	5277	3011	2558	732	1728	12	650	1381	2572
1891-1900	29866	7·054	13497	5638	3292	2934	899	2179	0	1428	740	1162
				Un. Free Ch.*								
1901-1910	31825	6·907	14414	8477		3331	936	2634	0	2034	471	642
1911-1920	35647	7·451	14231	8340		3964	1131	2669	0	5312	221	300
1921-1930	33663	6·923	14993	6910		3911	971	2591	0	4287	75	95
ANNUAL NUMBERS.												
1926	31244	6·423	13203	7403		3580	964	2382	0	3712	76	64
1927	32553	6·707	13858	7534		3804	945	2474	0	3938	83	88
1928	32948	6·796	13942	7607		3937	941	2587	0	3934	63	94
1929	32967	6·822	15503	5849		3925	930	2609	0	4151	62	64
1930	33315	6·900	21,328			4162	897	2863	0	4065	61	66
1931	32652	6·742	20,765			4115	870	2805	0	4097	70	55
1932	33157	6·790	21,034			4346	917	2837	0	4023	39	57
1933	34201	6·962	21,687			4577	925	3001	0	4011	34	42
1934	36934	7·485	23,476			4888	1040	3229	0	4301	52	48
1935	37988	7·670	24,069			5069	1018	3470	0	4362	43	49
1936	37896	7·631	23,791			4925	1026	3651	0	4503	58	36
RATE PER HUNDRED MARRIAGES—DECENNIAL.												
1855-1860	100·00	...	46·42	23·01	13·92	8·94	1·85	5·12	0·65	0·09	11·31	23·27
1861-1870	100·00	...	44·30	23·54	14·33	9·22	2·07	5·89	0·47	0·18	10·65	21·12
1871-1880	100·00	...	45·56	22·28	13·02	9·02	2·55	6·42	0·11	1·04	8·48	17·02
1881-1890	100·00	...	46·17	20·34	11·61	9·85	2·82	6·66	0·05	2·51	5·32	9·79
1891-1900	100·00	...	45·20	18·91	11·04	9·81	3·00	7·29	0·00	4·78	2·51	3·95
				Un. Free Ch.*								
1901-1910	100·00	...	45·29	26·63		10·46	2·94	8·28	0·00	6·39	1·48	2·01
1911-1920	100·00	...	39·92	23·40		11·12	3·17	7·49	0·00	14·90	0·62	0·84
1921-1930	100·00	...	44·54	20·53		11·62	2·88	7·70	0·00	12·74	0·22	0·28
RATE PER HUNDRED MARRIAGES—ANNUAL.												
1926	100·00	...	42·26	23·69		11·46	3·09	7·62	0·00	11·88	0·24	0·20
1927	100·00	...	42·57	23·14		11·69	2·90	7·60	0·00	12·10	0·25	0·27
1928	100·00	...	42·31	23·09		11·95	2·86	7·85	0·00	11·94	0·19	0·29
1929	100·00	...	47·03	17·74		11·91	2·82	7·91	0·00	12·59	0·19	0·19
1930	100·00	...	64·02			12·49	2·69	8·60	0·00	12·20	0·18	0·20
1931	100·00	...	63·60			12·60	2·66	8·59	0·00	12·55	0·21	0·17
1932	100·00	...	63·44			13·11	2·77	8·56	0·00	12·13	0·12	0·17
1933	100·00	...	63·41			13·38	2·70	8·77	0·00	11·73	0·10	0·12
1934	100·00	...	63·56			13·23	2·82	8·74	0·00	11·66	0·14	0·13
1935	100·00	...	63·36			13·34	2·68	9·13	0·00	11·48	0·11	0·13
1936	100·00	...	62·78			13·00	2·71	9·63	0·00	11·88	0·15	0·09

* The Free Church and the United Presbyterian Church were united on 31st October 1900 under the name of the United Free Church. The Church of Scotland and the United Free Church were united on 2nd October 1929 under the designation of "The Church of Scotland."

TABLE 9.—Regular and Irregular Marriages in Scotland, 1936.

	Total Marriages.	NUMBERS.					PERCENTAGE OF TOTAL MARRIAGES.				
		REGULAR MARRIAGES.			IRREGULAR MARRIAGES		REGULAR MARRIAGES.			IRREGULAR MARRIAGES.	
		Banns.	Publication of Notice.	Banns and Publication.	Registered by Sheriff's Warrant.	Otherwise Registered.	Banns.	Publication of Notice.	Banns and Publication.	Registered by Sheriff's Warrant.	Otherwise Registered.
SCOTLAND	37,896	24,778	7,855	760	4,497	6	65·4	20·7	2·0	11·9	0·0
LARGE BURGHS	24,578	13,452	6,427	430	4,265	4	54·7	26·1	1·7	17·4	0·0
REMAINDER	13,318	11,326	1,428	330	232	2	85·0	10·7	2·5	1·7	0·0
Counties.											
Aberdeen *	2,546	1,786	453	40	267	—	70·1	17·8	1·6	10·5	—
Angus	2,073	1,344	433	30	266	—	64·8	20·9	1·4	12·8	—
Argyll	285	254	19	6	6	—	89·1	6·7	2·1	2·1	—
Ayr	2,180	1,914	151	57	58	—	87·8	6·9	2·6	2·7	—
Banff	329	316	4	2	7	—	96·0	1·2	0·6	2·1	—
Berwick	146	141	1	—	4	—	96·6	0·7	—	2·7	—
Bute	84	76	2	4	2	—	90·5	2·4	4·8	2·4	—
Caithness	158	151	—	1	6	—	95·6	—	0·6	3·8	—
Clackinnannan	187	161	19	3	4	—	86·1	10·2	1·6	2·1	—
Dunbarton	1,004	708	266	25	4	1	70·5	26·5	2·5	0·4	0·1
Dumfries	617	464	29	4	120	—	75·2	4·7	0·6	19·4	—
East Lothian	273	255	9	8	1	—	93·4	3·3	2·9	0·4	—
Fife	1,832	1,391	274	48	119	—	75·9	15·0	2·6	6·5	—
Inverness	521	416	34	7	64	—	79·8	6·5	1·3	12·3	—
Kincardine *	135	129	1	2	3	—	95·6	0·7	1·5	2·2	—
Kinross	42	42	—	—	—	—	100·0	—	—	—	—
Kirkcudbright	199	194	4	—	1	—	97·5	2·0	—	0·5	—
Lanark	13,972	7,075	4,386	284	2,224	3	50·6	31·4	2·0	15·9	0·0
Midlothian	5,069	2,893	932	106	1,136	2	57·1	18·4	2·1	22·4	0·0
Moray	278	230	10	4	34	—	82·7	3·6	1·4	12·2	—
Nairn	52	49	—	1	2	—	94·2	—	1·9	3·8	—
Orkney	145	131	6	—	8	—	90·3	4·1	—	5·5	—
Peebles	83	78	1	4	—	—	94·0	1·2	4·8	—	—
Perth	741	638	23	13	67	—	86·1	3·1	1·8	9·0	—
Renfrew	2,027	1,420	547	39	21	—	70·1	27·0	1·9	1·0	—
Ross and Cromarty	293	202	81	6	4	—	68·9	27·6	2·0	1·4	—
Roxburgh	258	246	8	3	1	—	95·3	3·1	1·2	0·4	—
Selkirk	128	120	3	5	—	—	93·8	2·3	3·9	—	—
Stirling	1,253	1,055	117	30	51	—	84·2	9·3	2·4	4·1	—
Sutherland	63	60	1	—	2	—	95·2	1·6	—	3·2	—
West Lothian	565	495	41	27	2	—	87·6	7·3	4·8	0·4	—
Wigtown	225	216	—	1	8	—	96·0	—	0·4	3·6	—
Zetland	133	128	—	—	5	—	96·2	—	—	3·8	—
Large Burghs.											
Glasgow	10,408	4,696	3,348	172	2,190	2	45·1	32·2	1·7	21·0	0·0
Edinburgh	4,476	2,382	868	89	1,136	1	53·2	19·4	2·0	25·4	0·0
Dundee	1,461	776	417	21	247	—	53·1	28·5	1·4	16·9	—
Aberdeen.	1,723	1,015	432	27	249	—	58·9	25·1	1·6	14·5	—
Paisley	753	537	194	5	17	—	71·3	25·8	0·7	2·3	—
Greenock	593	400	181	9	3	—	67·5	30·5	1·5	0·5	—
Motherwell & Wishaw	481	306	148	15	12	—	63·6	30·8	3·1	2·5	—
Clydebank	356	244	105	6	—	1	68·5	29·5	1·7	—	0·3
Kirkcaldy	330	260	28	1	41	—	78·8	8·5	0·3	12·4	—
Coatbridge	315	168	139	6	2	—	53·3	44·1	1·9	0·6	—
Kilmarnock	340	268	52	6	14	—	78·8	15·3	1·8	4·1	—
Hamilton	379	274	77	15	13	—	72·3	20·3	4·0	3·4	—
Ayr	355	291	12	8	44	—	82·0	3·4	2·3	12·4	—
Falkirk	302	253	14	4	31	—	83·8	4·6	1·3	10·3	—
Dunfermline	329	164	93	5	67	—	49·8	28·3	1·5	20·4	—
Perth	349	256	18	8	67	—	73·4	5·2	2·3	19·2	—
Airdrie	186	101	78	3	4	—	54·3	41·9	1·6	2·2	—
Rutherglen	250	167	73	10	—	—	66·8	29·2	4·0	—	—
Dumfries	200	137	27	2	34	—	68·5	13·5	1·0	17·0	—
Stirling	210	155	28	7	20	—	73·8	13·3	3·3	9·5	—
Inverness	344	278	2	3	61	—	80·8	0·6	0·9	17·7	—
Dumbarton	154	98	49	4	3	—	63·6	31·8	2·6	1·9	—
Port-Glasgow	142	98	41	2	1	—	69·0	28·9	1·4	0·7	—
Arbroath	142	128	3	2	9	—	90·1	2·1	1·4	6·3	—

* See footnote Table 4.

TABLE 10.—Marriages in Scotland according to Church of Celebration, 1936.

	Total Marriages.	ACCORDING TO FORMS OF						Irregular.	PERCENTAGE OF TOTAL MARRIAGES.						Irregular.
		Church of Scotland.	United Free Church.	Free Church.	Roman Catholic Church.	Scottish Episcopal Church.	Other Forms.		Church of Scotland.	United Free Church.	Free Church.	Roman Catholic Church.	Scottish Episcopal Church.	Other Forms.	
SCOTLAND	37,896	23,791	348	385	4,925	1,026	2,918	4,503	62·8	0·9	1·0	13·0	2·7	7·7	11·9
LARGE BURGHS	24,578	13,341	184	208	3,627	776	2,173	4,269	54·3	0·7	0·8	14·8	3·2	8·8	17·4
REMAINDER	13,318	10,450	164	177	1,298	250	745	234	78·5	1·2	1·3	9·7	1·9	5·6	1·8
Counties.															
Aberdeen *	2,546	1,915	26	3	87	107	141	267	75·2	1·0	0·1	3·4	4·2	5·5	10·5
Angus	2,073	1,218	17	4	261	126	181	266	58·8	0·8	0·2	12·6	6·1	8·7	12·8
Argyll	285	220	6	16	23	7	7	6	77·2	2·1	5·6	8·1	2·5	2·5	2·1
Ayr	2,180	1,701	32	4	175	45	165	58	78·0	1·5	0·2	8·0	2·1	7·6	2·7
Banff	329	274	2	—	18	3	25	7	83·3	0·6	—	5·5	0·9	7·6	2·1
Berwick	146	135	—	—	1	5	1	4	92·5	—	—	0·7	3·4	0·7	2·7
Bute	84	59	—	4	14	1	4	2	70·2	—	4·8	16·7	1·2	4·8	2·4
Caithness	158	136	—	5	1	—	10	6	86·1	—	3·2	0·6	—	6·3	3·8
Clackmannan	187	136	22	—	12	4	9	4	72·7	11·8	—	6·4	2·1	4·8	2·1
Dunbarton	1,004	572	8	11	243	40	125	5	57·0	0·8	1·1	24·2	4·0	12·5	0·5
Dumfries	617	428	5	—	30	22	12	120	69·4	0·8	—	4·9	3·6	1·9	19·4
East Lothian	273	231	—	—	26	10	5	1	84·6	—	—	9·5	3·7	1·8	0·4
Fife	1,832	1,434	19	2	127	31	100	119	78·3	1·0	0·1	6·9	1·7	5·5	6·5
Inverness	521	297	2	55	43	14	46	64	57·0	0·4	10·6	8·3	2·7	8·8	12·3
Kincardine *	135	125	—	—	1	5	1	3	92·6	—	—	0·7	3·7	0·7	2·2
Kinross	42	35	3	3	—	1	—	—	83·3	7·1	7·1	—	2·4	—	—
Kirkcudbright	199	177	—	—	11	6	4	1	88·9	—	—	5·5	3·0	2·0	0·5
Lanark	13,972	7,259	96	137	2,663	209	1,381	2,227	52·0	0·7	1·0	19·1	1·5	9·9	15·9
Midlothian	5,069	2,969	38	12	438	234	240	1,138	58·6	0·7	0·2	8·6	4·6	4·7	22·5
Moray	278	214	3	2	7	4	14	34	77·0	1·1	0·7	2·5	1·4	5·0	12·2
Nairn	52	44	1	3	1	—	1	2	84·6	1·9	5·8	1·9	—	1·9	3·8
Orkney	145	111	4	—	—	—	22	8	76·6	2·8	—	—	—	15·2	5·5
Peebles	83	72	1	—	2	3	5	—	86·7	1·2	—	2·4	3·6	6·0	—
Perth	741	574	10	2	35	24	29	67	77·5	1·3	0·3	4·7	3·2	3·9	9·0
Renfrew	2,027	1,227	19	5	463	81	211	21	60·5	0·9	0·2	22·8	4·0	10·4	1·0
Ross & Cromarty	293	166	1	104	—	5	13	4	56·7	0·3	35·5	—	1·7	4·4	1·4
Roxburgh	258	220	—	—	9	12	16	1	85·3	—	—	3·5	4·7	6·2	0·4
Selkirk	128	107	—	—	8	3	10	—	83·6	—	—	6·3	2·3	7·8	—
Stirling	1,253	963	5	—	145	14	75	51	76·9	0·4	—	11·6	1·1	6·0	4·1
Sutherland	63	47	—	12	—	—	2	2	74·6	—	19·0	—	—	3·2	3·2
West Lothian	565	452	14	—	74	7	16	2	80·0	2·5	—	13·1	1·2	2·8	0·4
Wigtown	225	198	1	1	7	3	7	8	88·0	0·4	0·4	3·1	1·3	3·1	3·6
Zetland	133	75	13	—	—	—	40	5	56·4	9·8	—	—	—	30·1	3·8
Large Burghs.															
Glasgow	10,408	4,991	69	126	1,840	176	1,014	2,192	48·0	0·7	1·2	17·7	1·7	9·7	21·1
Edinburgh	4,476	2,500	29	12	370	212	216	1,137	55·9	0·6	0·3	8·3	4·7	4·8	25·4
Dundee	1,461	691	6	2	251	106	158	247	47·3	0·4	0·1	17·2	7·3	10·8	16·9
Aberdeen	1,723	1,191	23	3	71	73	113	249	69·1	1·3	0·2	4·1	4·2	6·6	14·5
Paisley	753	466	—	—	151	22	97	17	61·9	—	—	20·1	2·9	12·9	2·3
Greenock	593	331	15	5	163	18	58	3	55·8	2·5	0·8	27·5	3·0	9·8	0·5
Motherwell and Wishaw	481	274	7	—	108	14	66	12	57·0	1·5	—	22·5	2·9	13·7	2·5
Clydebank	356	178	3	—	84	8	82	1	50·0	0·8	—	23·6	2·2	23·0	0·3
Kirkcaldy	330	246	3	1	17	6	16	41	74·5	0·9	0·3	5·2	1·8	4·8	12·4
Coatbridge	315	164	5	7	104	2	31	2	52·1	1·6	2·2	33·0	0·6	9·8	0·6
Kilmarnock	340	276	2	—	24	4	20	14	81·2	0·6	—	7·1	1·2	5·9	4·1
Hamilton	379	240	—	—	95	5	26	13	63·3	—	—	25·1	1·3	6·9	3·4
Ayr	355	228	6	2	21	26	28	44	64·2	1·7	0·6	5·9	7·3	7·9	12·4
Falkirk	302	216	1	—	35	5	14	31	71·5	0·3	—	11·6	1·7	4·6	10·3
Dunfermline	329	192	1	—	17	8	44	67	58·4	0·3	—	5·2	2·4	13·4	20·4
Perth	349	219	6	1	18	16	22	67	62·8	1·7	0·3	5·2	4·6	6·3	19·2
Airdrie	186	98	1	—	57	2	24	4	52·7	0·5	—	30·6	1·1	12·9	2·2
Rutherglen	250	175	—	—	40	2	33	—	70·0	—	—	16·0	0·8	13·2	—
Dumfries	200	121	2	—	24	14	5	34	60·5	1·0	—	12·0	7·0	2·5	17·0
Stirling	210	141	3	—	31	7	8	20	67·1	1·4	—	14·8	3·3	3·8	9·5
Inverness	344	178	—	38	17	13	37	61	51·7	—	11·0	4·9	3·8	10·8	17·7
Dunbarton	154	61	—	11	41	16	22	3	39·6	—	7·1	26·6	10·4	14·3	1·9
Port-Glasgow	142	57	—	—	44	13	27	1	40·1	—	—	31·0	9·2	19·0	0·7
Arbroath	142	107	2	—	4	8	12	9	75·4	1·4	—	2·8	5·6	8·5	6·3

* See footnote Table 4.

TABLE 11—Civil Condition, etc. of Persons Marrying in Scotland, 1936.

	Total Marriages.	CIVIL CONDITION.					PERCENTAGE OF TOTAL MARRIAGES					NUMBER WHO SIGNED BY MARK	
		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	+Divorced (Either Party).	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Divorced.	Men.	Women.
SCOTLAND	37,896	34,679	534	1,603	544	536	91·5	1·4	4·2	1·4	1·4	58	36
LARGE BURGHS	24,578	22,141	411	1,131	421	474	90·1	1·7	4·6	1·7	1·9	45	25
REMAINDER	13,318	12,538	123	472	123	62	94·1	0·9	3·5	0·9	0·5	13	11
Counties.													
Aberdeen *	2,546	2,356	23	107	29	31	92·5	0·9	4·2	1·1	1·2	2	-
Angus	2,073	1,884	24	87	34	44	90·9	1·2	4·2	1·6	2·1	4	3
Argyll	285	268	2	11	4	-	94·0	0·7	3·9	1·4	-	-	1
Ayr	2,180	2,034	22	89	23	12	93·3	1·0	4·1	1·1	0·6	1	-
Banff	329	310	6	7	5	1	94·2	1·8	2·1	1·5	0·3	-	-
Berwick	146	136	2	7	-	1	93·2	1·4	4·8	-	0·7	-	-
Bute	84	77	1	4	2	-	91·7	1·2	4·8	2·4	-	-	-
Caithness	158	150	2	3	3	-	94·9	1·3	1·9	1·9	-	-	1
Clackmannan	187	175	1	7	2	2	93·6	0·5	3·7	1·1	1·1	-	-
Dunbarton	1,004	943	15	34	8	4	93·9	1·5	3·4	0·8	0·4	-	-
Dumfries	617	567	9	28	9	4	91·9	1·5	4·5	1·5	0·6	1	-
East Lothian	273	255	2	14	2	-	93·4	0·7	5·1	0·7	-	1	-
Fife	1,832	1,717	22	61	16	16	93·7	1·2	3·3	0·9	0·9	2	-
Inverness	521	480	7	28	4	2	92·1	1·3	5·4	0·8	0·4	3	1
Kincardine *	135	128	2	3	1	1	94·8	1·5	2·2	0·7	0·7	1	1
Kinross	42	39	-	2	1	-	92·9	-	4·8	2·4	-	-	-
Kirkcudbright	199	178	2	17	2	-	89·4	1·0	8·5	1·0	-	-	-
Lanark	13,972	12,616	243	626	253	234	90·3	1·7	4·5	1·8	1·7	27	19
Midlothian	5,069	4,519	88	240	86	136	89·1	1·7	4·7	1·7	2·7	11	7
Moray	278	259	5	7	5	2	93·2	1·8	2·5	1·8	0·7	-	-
Nairn	52	49	-	2	1	-	94·2	-	3·8	1·9	-	-	-
Orkney	145	139	1	4	1	-	95·9	0·7	2·8	0·7	-	-	-
Peebles	83	77	2	4	-	-	92·8	2·4	4·8	-	-	-	-
Perth	741	675	5	45	4	12	91·1	0·7	6·1	0·5	1·6	-	1
Renfrew	2,027	1,903	27	62	25	10	93·9	1·3	3·1	1·2	0·5	2	-
Ross and Cromarty	293	270	2	17	2	2	92·2	0·7	5·8	0·7	0·7	1	-
Roxburgh	258	250	1	6	-	1	96·9	0·4	2·3	-	0·4	-	-
Selkirk	128	125	-	2	1	-	97·7	-	1·6	0·8	-	-	-
Stirling	1,253	1,174	9	41	13	16	93·7	0·7	3·3	1·0	1·3	-	-
Sutherland	63	59	2	2	-	-	93·7	3·2	3·2	-	-	-	-
West Lothian	565	538	4	14	6	3	95·2	0·7	2·5	1·1	0·5	-	1
Wigtown	225	212	-	11	-	2	94·2	-	4·9	-	0·9	2	-
Zetland	133	117	3	11	2	-	88·0	2·3	8·3	1·5	-	-	-
Large Burghs.													
Glasgow	10,408	9,269	205	506	212	216	89·1	2·0	4·9	2·0	2·1	24	15
Edinburgh	4,476	3,953	83	226	80	134	88·3	1·9	5·0	1·8	3·0	11	6
Dundee	1,461	1,309	20	66	29	37	89·6	1·4	4·5	2·0	2·5	2	1
Aberdeen	1,723	1,582	18	77	19	27	91·8	1·0	4·5	1·1	1·6	2	-
Paisley	753	704	11	28	5	5	93·5	1·5	3·7	0·7	0·7	1	-
Greenock	593	550	10	18	12	3	92·7	1·7	3·0	2·0	0·5	1	-
Motherwell & Wishaw	481	446	6	21	6	2	92·7	1·2	4·4	1·2	0·4	-	-
Clydebank	356	336	6	12	2	-	94·4	1·7	3·4	0·6	-	-	-
Kirkcaldy	330	299	2	17	2	10	90·6	0·6	5·2	0·6	3·0	-	-
Coatbridge	315	291	3	12	8	1	92·4	1·0	3·8	2·5	0·3	1	1
Kilmarnock	340	315	2	15	5	3	92·6	0·6	4·4	1·5	0·9	-	-
Hamilton	379	355	5	12	3	4	93·7	1·3	3·2	0·8	1·1	-	-
Ayr	355	318	6	25	4	2	89·6	1·7	7·0	1·1	0·6	-	-
Falkirk	302	282	3	8	6	3	93·4	1·0	2·6	2·0	1·0	-	-
Dunfermline	329	314	2	11	1	1	95·4	0·6	3·3	0·3	0·3	-	-
Perth	349	316	2	18	3	10	90·5	0·6	5·2	0·9	2·9	-	-
Airdrie	186	166	8	5	4	3	89·2	4·3	2·7	2·2	1·6	-	-
Rutherglen	250	233	4	6	4	3	93·2	1·6	2·4	1·6	1·2	-	1
Dumfries	200	181	4	9	4	2	90·5	2·0	4·5	2·0	1·0	-	-
Stirling	210	191	1	10	4	4	91·0	0·5	4·8	1·9	1·9	-	-
Inverness	344	313	6	21	2	2	91·0	1·7	6·1	0·6	0·6	3	1
Dumbarton	154	144	1	6	3	-	93·5	0·6	3·9	1·9	-	-	-
Port-Glasgow	142	138	1	1	2	-	97·2	0·7	0·7	1·4	-	-	-
Arbroath	142	136	2	1	1	2	95·8	1·4	0·7	0·7	1·4	-	-

* See footnote Table 4.

† 219 divorced men married spinsters and 29 married widows. 196 divorced women married bachelors and 66 married widowers. In 26 cases each party had been divorced.

TABLE 12.—AGES OF MEN AT MARRIAGE IN SCOTLAND,
1936.

TABLE 12.—AGES of MEN at Marriage in Scotland, 1936.

TABLE 12.—AGES of MEN at Marriage in Scotland, 1936.

	All Ages.	Average Age.	16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.
SCOTLAND	37,896	29·5	2	42	159	504	959	9,354	14,088	6,998	2,619	1,133	682	510	361	259	131	65	23	6	1
LARGE BURGHS .	24,578	29·7	2	33	111	347	642	5,992	9,034	4,500	1,682	758	482	355	263	205	100	48	17	6	1
OTHER DISTRICTS	13,318	29·1	—	9	48	157	317	3,362	5,054	2,498	937	375	200	155	98	54	31	17	6	—	—
<i>Counties.</i>																					
Aberdeen *	2,546	29·4	1	4	14	33	71	646	953	439	160	78	50	30	22	27	14	3	1	—	—
Angus .	2,073	29·6	—	4	9	27	63	519	742	401	126	59	37	31	16	14	12	11	2	—	—
Argyll .	285	31·9	—	1	—	—	6	54	93	59	34	15	8	4	3	3	4	1	—	—	—
Ayr .	2,180	28·9	—	2	10	32	68	569	824	374	147	62	33	27	14	11	5	2	—	—	—
Banff .	329	28·9	—	—	—	3	11	80	141	53	21	6	3	3	5	1	2	—	—	—	—
Berwick .	146	29·3	—	—	—	1	4	22	70	34	7	3	2	2	—	1	—	—	—	—	—
Bute .	84	31·8	—	—	—	1	4	11	30	20	7	3	1	4	—	—	—	—	—	—	—
Caithness .	158	29·7	—	—	—	—	7	32	53	39	15	3	3	1	—	—	—	—	—	—	—
Clackmannan	187	28·6	—	—	—	1	5	53	72	33	5	9	3	2	—	—	—	—	—	—	—
Dunbarton	1,004	29·1	—	—	—	14	28	237	389	191	75	28	14	11	9	1	1	—	—	—	—
Dumfries .	617	28·9	—	—	—	15	18	172	209	105	53	13	9	7	2	6	1	—	—	—	—
East Lothian	273	28·5	—	—	—	6	3	71	110	54	13	6	4	1	3	2	1	—	—	—	—
Fife .	1,832	28·5	—	—	—	22	38	517	739	300	97	40	25	19	13	6	4	—	—	—	—
Inverness .	521	31·8	—	—	—	3	8	83	171	128	59	23	18	11	9	2	—	—	—	—	—
Kincardine *	135	29·5	—	—	—	2	1	36	45	27	13	3	2	3	1	—	—	—	—	—	—
Kinross .	42	30·0	—	—	—	—	1	14	14	6	3	—	2	1	—	—	—	—	—	—	—
Kirkcudbright	199	30·7	—	—	—	—	1	51	63	34	23	6	4	6	—	—	—	—	—	—	—
Lanark .	13,972	29·5	1	20	64	230	398	3,498	5,053	2,545	952	416	287	177	146	97	55	22	8	2	1
Midlothian	5,069	30·0	—	4	11	47	100	1,189	1,961	919	359	156	85	88	60	55	16	11	3	—	—
Moray .	278	29·9	—	—	—	—	6	66	106	54	23	7	4	3	4	—	—	—	—	—	—
Nairn .	52	30·6	—	—	—	—	—	11	18	13	5	2	—	1	—	—	—	—	—	—	—
Orkney .	145	29·6	—	—	—	—	4	39	45	24	11	12	2	1	—	—	—	—	—	—	—
Peebles .	83	29·7	—	—	—	—	2	18	33	15	6	2	2	3	—	—	—	—	—	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

AGES of MEN at Marriage in Scotland, 1936.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
Perth	741	30.8	-	1	-	2	13	158	266	154	64	29	18	13	13	7	1	-	1	-	-
Renfrew	2,027	28.8	-	1	14	38	54	524	766	369	134	50	28	23	12	8	4	2	-	1	-
Ross & Cromarty	293	32.1	-	-	1	1	3	41	93	73	43	15	6	10	3	3	-	-	-	-	-
Roxburgh	258	29.2	-	-	-	1	6	58	99	62	15	12	-	4	1	-	1	-	-	-	-
Selkirk	128	29.7	-	-	-	-	2	19	60	31	6	5	4	-	-	-	-	-	-	-	-
Stirling	1,253	29.0	-	1	5	9	20	319	494	244	80	40	14	10	9	7	-	-	1	-	-
Sutherland	63	31.9	-	-	-	-	-	10	21	14	9	6	-	1	2	-	-	-	-	-	-
West Lothian	565	28.4	-	-	4	6	10	146	237	104	28	13	4	7	5	1	-	-	-	-	-
Wigtown	225	28.3	-	-	1	4	2	66	87	39	15	3	3	3	1	-	1	-	-	-	-
Zetland	133	32.7	-	-	-	-	2	25	31	41	11	8	7	3	-	3	1	1	-	-	-
<i>Large Burghs.</i>																					
Glasgow	10,408	29.9	1	16	50	178	295	2,470	3,687	1,954	742	334	243	151	126	82	48	20	8	2	1
Edinburgh	4,476	30.2	-	3	11	38	86	1,015	1,722	828	319	146	77	83	59	54	16	11	5	3	-
Dundee	1,461	29.5	-	3	8	20	51	393	507	266	77	38	30	25	11	13	10	7	2	-	-
Aberdeen	1,723	29.6	1	3	10	27	45	416	647	304	106	54	37	22	16	21	12	1	1	-	-
Paisley	753	28.9	-	-	6	14	13	182	309	138	46	15	12	7	6	4	1	-	-	-	-
Greenock	593	28.6	-	1	4	10	18	173	207	104	35	17	7	11	2	3	-	1	-	-	-
Motherwell and Wishaw	481	28.5	-	-	3	6	11	137	185	76	32	16	6	5	1	2	-	1	-	-	-
Clydebank	356	28.7	-	-	2	6	12	85	137	67	28	11	2	2	3	-	-	1	-	-	-
Kirkcaldy	330	29.2	-	-	2	2	10	78	132	62	17	10	6	5	3	1	-	1	-	-	-
Coatbridge	315	28.4	-	-	2	5	12	85	120	54	16	8	5	1	5	2	-	2	-	-	-
Kilmarnock	340	28.8	-	-	1	6	11	86	142	42	24	14	5	5	4	-	-	-	-	-	-
Hamilton	379	27.7	-	2	1	5	10	134	134	60	18	4	5	1	1	3	1	-	-	-	-
Ayr	355	30.0	-	-	1	1	8	98	125	62	22	9	10	9	3	3	4	-	-	-	-
Falkirk	302	29.1	-	1	1	3	8	74	113	64	16	13	1	3	1	3	-	-	1	-	-
Dunfermline	329	28.2	-	-	1	3	5	96	144	44	23	1	6	2	2	1	-	-	-	-	-
Perth	349	30.7	-	1	1	-	10	83	118	72	30	19	6	3	6	5	-	-	-	-	-
Airdrie	186	27.8	-	1	-	1	5	59	67	30	6	5	3	2	1	1	-	-	-	-	-
Rutherglen	250	29.1	-	1	2	6	2	64	100	47	16	3	1	1	1	2	4	-	-	-	-
Dumfries	200	28.8	-	1	1	4	6	60	69	24	20	5	2	4	1	1	1	1	-	-	-
Stirling	210	29.4	-	-	2	3	5	48	82	36	16	9	3	2	2	2	3	-	-	-	-
Inverness	344	31.7	-	-	2	2	6	54	116	79	42	13	10	9	6	2	3	-	-	-	-
Dumbarton	154	30.0	-	-	1	1	3	32	57	35	12	7	3	1	1	-	-	1	-	-	-
Port-Glasgow	142	27.7	-	-	-	3	7	43	54	18	11	3	1	-	2	-	-	-	-	-	-
Arbroath	142	29.1	-	-	-	3	3	27	60	34	8	4	1	-	-	-	-	-	-	-	-

* See footnote Table 4.

TABLE 13.—Ages of WOMEN at Marriage in Scotland, 1936.

TABLE 13.—Ages of WOMEN at Marriage in Scotland, 1936.

	All Ages.	Average age.	16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.
SCOTLAND	37,896	26·6	247	616	1323	1866	2,429	12,140	11,130	4,541	1,802	775	506	229	144	80	54	13	1	-	-
LARGE BURGHS	24,578	26·8	168	413	855	1176	1,558	7,635	7,227	3,005	1,219	540	370	181	119	61	41	10	-	-	-
OTHER DISTRICTS	13,318	26·1	79	203	468	690	871	4,505	3,903	1,536	583	235	136	48	25	19	13	3	1	-	-
<i>Counties.</i>																					
Aberdeen *	2,546	26·4	25	45	95	140	174	813	724	280	127	51	35	19	11	4	3	-	-	-	-
Angus	2,073	26·8	20	43	75	93	132	627	629	241	95	50	25	20	12	3	4	-	-	-	-
Argyll	285	28·1	1	1	8	17	13	72	94	45	16	5	6	1	2	2	2	-	-	-	-
Ayr	2,180	26·0	15	49	69	123	131	746	647	238	81	35	26	7	8	4	1	-	-	-	-
Banff	329	26·2	1	5	13	21	22	109	92	34	15	10	5	1	1	-	-	-	-	-	-
Berwick	146	26·3	-	2	2	8	9	50	48	13	9	3	1	-	-	1	-	-	-	-	-
Bute	84	28·2	-	-	3	4	6	26	19	10	9	3	3	-	-	1	-	-	-	-	-
Caithness	158	26·2	3	2	6	5	9	54	46	23	5	2	1	1	-	1	-	-	-	-	-
Clackmannan	187	26·1	1	1	5	6	11	68	64	17	8	2	2	1	2	-	-	-	-	-	-
Dunbarton	1,004	26·0	2	17	31	46	70	350	307	109	45	15	6	1	2	1	2	-	-	-	-
Dumfries	617	25·9	8	10	28	39	44	203	166	66	33	7	7	3	-	2	1	-	-	-	-
East Lothian	273	25·7	1	3	8	21	18	97	82	24	10	5	1	1	-	1	1	-	-	-	-
Fife.	1,832	25·8	11	33	64	91	125	652	546	196	52	29	16	7	5	2	2	1	-	-	-
Inverness	521	28·3	-	7	11	15	21	124	182	92	32	19	11	3	-	1	3	-	-	-	-
Kincardine *	135	27·2	1	1	4	5	9	45	38	16	10	3	1	1	-	-	-	1	-	-	-
Kinross	42	26·1	-	1	3	1	2	15	13	3	1	2	1	-	-	-	-	-	-	-	-
Kirkcudbright	199	27·1	-	4	5	8	16	62	56	22	16	7	2	-	-	1	-	-	-	-	-
Lanark	13,972	26·6	104	225	558	712	915	4,416	3,958	1,697	700	285	195	93	54	36	18	6	-	-	-
Midlothian	5,069	27·1	17	62	122	218	292	1,653	1,534	621	232	127	91	42	33	15	8	2	-	-	-
Moray	278	27·2	1	2	7	22	8	90	76	37	20	5	4	4	-	-	2	-	-	-	-
Nairn	52	26·6	1	-	2	1	5	13	20	5	2	2	-	1	-	-	-	-	-	-	-
Orkney	145	26·6	2	2	3	8	13	42	40	18	11	3	-	-	1	-	-	-	-	-	-
Peebles	83	26·5	-	1	4	2	5	32	22	11	2	1	1	2	-	-	-	-	-	-	-
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

AGES of WOMEN at Marriage in Scotland, 1936.

(w)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
Perth . . .	741	27.4	6	24	34	37	211	231	113	45	20	11	3	3	3	3	3	3	3	3	3
Renfrew . . .	2,027	26.1	19	42	79	109	632	580	261	80	29	23	9	9	6	3	2	2	2	2	2
Ross & Cromarty . . .	293	28.4	1	5	9	9	73	105	53	21	9	6	2	2	1	1	1	1	1	1	1
Roxburgh . . .	258	26.6	1	4	5	14	82	97	37	8	5	4	3	3	3	3	3	3	3	3	3
Selkirk . . .	128	27.7	1	3	2	5	32	54	20	5	3	3	6	6	2	2	2	2	2	2	2
Stirling . . .	1,253	25.9	7	31	42	86	434	378	124	62	19	8	1	1	1	1	1	1	1	1	1
Sutherland . . .	63	27.7	1	42	2	1	17	26	10	5	2	4	1	1	1	1	1	1	1	1	1
West Lothian . . .	565	25.5	3	24	22	54	192	159	59	26	7	4	1	1	1	1	1	1	1	1	1
Wigtown . . .	225	25.0	2	16	20	18	69	57	21	11	4	1	1	1	1	1	1	1	1	1	1
Zetland . . .	133	29.1	1	1	4	2	39	40	25	8	6	5	1	1	1	1	1	1	1	1	1
<i>Large Burghs.</i>																					
Glasgow . . .	10,408	26.9	78	163	380	513	3,162	2,980	1,320	572	239	169	83	48	30	16	4	4	4	4	4
Edinburgh . . .	4,476	27.4	13	52	100	185	1,419	1,371	562	213	119	88	41	32	15	8	2	2	2	2	2
Dundee . . .	1,461	26.7	15	34	61	74	433	423	169	65	34	17	17	12	2	3	3	3	3	3	3
Aberdeen . . .	1,723	26.7	17	27	57	79	540	521	192	89	33	28	14	10	2	3	3	3	3	3	3
Paisley . . .	753	26.3	5	16	22	36	238	245	85	30	11	13	3	1	1	1	1	1	1	1	1
Greenock . . .	593	25.8	8	17	26	31	198	151	72	17	12	4	4	2	2	1	1	1	1	1	1
Motherwell and Wishaw . . .	481	25.6	4	9	30	31	147	140	54	19	7	3	1	2	1	1	1	1	1	1	1
Clydebank . . .	356	25.9	1	7	9	19	127	104	40	16	4	1	2	2	1	1	1	1	1	1	1
Kirkcaldy . . .	330	26.5	3	5	11	11	102	109	47	6	7	5	2	1	1	1	1	1	1	1	1
Coatbridge . . .	315	25.6	4	17	17	17	112	86	38	12	3	1	2	1	1	1	1	1	1	1	1
Kilmarnock . . .	340	26.3	2	15	7	17	94	121	33	17	5	5	1	2	1	1	1	1	1	1	1
Hamilton . . .	373	25.0	4	9	29	23	134	83	40	18	1	2	2	1	1	1	1	1	1	1	1
Ayr . . .	355	26.8	1	5	8	18	124	109	38	9	8	8	2	2	2	1	1	1	1	1	1
Falkirk . . .	302	25.9	2	12	9	6	97	98	30	15	5	1	2	2	1	1	1	1	1	1	1
Dunfermline . . .	329	25.8	2	8	12	22	107	104	31	11	9	2	1	2	1	3	3	3	3	3	3
Perth . . .	349	27.4	1	3	13	17	102	106	46	25	9	6	1	1	1	2	2	2	2	2	2
Airdrie . . .	186	25.6	1	3	9	12	58	51	18	5	6	3	2	2	1	1	1	1	1	1	1
Rutherglen . . .	250	26.5	1	4	6	14	92	74	26	11	5	3	1	2	2	1	1	1	1	1	1
Dumfries . . .	200	26.0	4	3	9	16	62	45	25	13	3	1	2	2	1	1	1	1	1	1	1
Stirling . . .	210	26.1	2	6	13	6	74	54	22	11	6	1	3	3	1	1	1	1	1	1	1
Inverness . . .	344	28.2	1	3	9	11	87	118	60	20	11	8	1	1	1	2	2	2	2	2	2
Dumbarton . . .	154	26.5	1	3	4	6	40	58	16	12	1	1	1	1	1	1	1	1	1	1	1
Port-Glasgow . . .	142	25.2	3	2	12	9	44	31	23	3	1	1	1	1	1	1	1	1	1	1	1
Arbroath . . .	142	26.9	2	3	2	6	42	45	18	10	2	2	1	1	1	1	1	1	1	1	1

* See footnote Table 4.

TABLE 14.—AGES in Combination of MEN and WOMEN at Marriage in Scotland, 1936.

AGES OF WIVES.															Total Hus- bands.	AGES OF HUSBANDS.										
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-		70-	75-	80-	85 and over.	Not stated	Total Hus- bands.					
16-	4	9	30	40	127	34	2	-	-	-	-	-	-	-	-	-	-	-	-	2 42 159						
17-	5	28	82	86	298	98	15	4	-	-	-	-	-	-	-	-	-	-	-	504						
18-	12	31	97	148	723	263	36	9	-	-	-	-	-	-	-	-	-	-	-	959						
19-	2	28	98	166	1,022	446	85	14	-	-	-	-	-	-	-	-	-	-	-	9,354						
20-	5	27	71	173	1,258	736	120	27	1	1	1	1	1	1	1	1	1	1	1	14,088						
21-	13	32	107	289	4,518	5,480	1,360	236	21	14	33	4	1	-	-	-	-	-	-	6,998						
25-	1	4	18	49	1,245	5,768	3,024	737	157	14	33	4	1	-	-	-	-	-	-	2,619						
30-	-	-	-	-	-	1,083	1,886	894	320	74	112	16	3	-	-	-	-	-	-	1,133						
35-	-	-	-	-	-	296	133	59	166	112	116	21	6	1	1	1	1	1	1	682						
40-	-	-	-	-	-	177	63	19	97	116	60	60	18	3	3	3	3	3	3	510						
45-	-	-	-	-	-	66	27	5	320	70	55	55	46	16	46	46	46	46	46	361						
50-	-	-	-	-	-	27	14	1	25	51	38	40	40	26	15	2	2	2	2	259						
55-	-	-	-	-	-	21	4	-	12	20	24	15	15	17	19	4	4	4	4	131						
60-	-	-	-	-	-	4	-	-	5	11	7	10	10	12	8	6	1	1	1	65						
65-	-	-	-	-	-	-	-	-	1	3	2	1	2	4	6	1	-	-	-	23						
70-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	6						
75-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1						
80-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Total Wives	247	616	1,323	1,866	2,429	12,140	11,130	4,541	1,802	775	506	229	144	80	54	13	1	-	-	37,896						

Average age—Husbands, 29.5; Wives, 26.6.

The Table read *vertically* shows the number of *Wives* at each age, with the ages of their *Husbands* at Marriage:—Thus, of 247 *Wives* aged 17, 9 married *Husbands* aged 18, etc.

Read *horizontally* the Table shows the number of *Husbands* at each age, with the ages of their *Wives* at Marriage:—Thus, of 42 *Husbands* aged 17, 4 married *Wives* aged 16, 5 married *Wives* aged 17, etc.

TABLE 15.—AGES in Combination of BACHELORS and SPINSTERS at Marriage in Scotland, 1936.

AGES OF SPINSTERS.														Total Bachelors.	AGES OF BACHELORS.													
															85 and over.	Not stated												
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	and over				Not stated	Total Bachelors and Spinsters.				
16-	4	9	30	40	126	33	2	—	—	—	—	—	—	—	—	—	—	2	—				—	34,679				
17-	5	28	82	86	297	94	12	—	—	—	—	—	—	—	—	—	—	41	—				—					
18-	28	31	98	148	719	254	33	8	—	—	—	—	—	—	—	—	—	159	—				—					
19-	82	97	166	173	1,018	442	74	12	—	—	—	—	—	—	—	—	—	503	—				—					
20-	86	148	166	173	1,250	725	112	25	—	—	—	—	—	—	—	—	—	955	—				—					
21-	297	719	1,018	1,250	4,485	5,660	1,214	111	18	3	—	—	—	—	—	—	—	9,242	—				—					
25-	33	94	442	725	5,404	5,660	1,020	128	10	—	—	—	—	—	—	—	—	13,770	—				—					
30-	2	12	74	112	1,284	2,879	1,763	338	34	8	1	—	—	—	—	—	—	6,540	—				—					
35-	—	1	12	25	183	616	761	424	75	17	1	—	—	—	—	—	—	2,123	—				—					
40-	—	—	—	4	44	121	217	212	92	33	6	1	—	—	—	—	—	730	—				—					
45-	1	—	—	—	13	34	71	87	63	38	5	1	—	—	—	—	—	314	—				—					
50-	—	—	—	2	2	8	21	44	51	33	16	3	1	—	—	—	—	182	—				—					
55-	—	—	—	—	1	3	5	20	12	9	9	7	2	—	—	—	—	68	—				—					
60-	—	—	—	—	1	1	4	4	4	6	3	4	3	—	—	—	—	30	—				—					
65-	—	—	—	—	—	—	—	—	3	2	1	2	4	1	—	—	—	13	—				—					
70-	—	—	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—	4	—				—					
75-	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—				—					
80-	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—				—					
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				—					
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				—					
Total Spinsters	245	605	1,304	1,841	2,394	11,856	10,607	3,979	1,276	348	146	43	19	13	3	—	—	34,679	—				—					

Average age—Husbands, 28.1; Wives, 25.5.

TABLE 16.—Ages in Combination of BACHELORS and WIDOWS at Marriage in Scotland, 1936.

AGES OF WIDOWS.															Total Bachelors.	AGES OF BACHELORS.												Total Bachelors and Widows.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-		70-	75-	80-	85 and over.	Not Stated																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Average age—Husbands, 37.7; Wives, 38.8.

TABLE 17.—AGES in Combination of WIDOWERS and SPINSTERS at Marriage in Scotland, 1936.

AGES OF SPINSTERS.														Total Widow- ers.	AGES OF WIDOWERS.									
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85 and over.	Not stated				
16-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
17-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
18-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
19-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
20-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
21-	1	-	4	4	6	2	16	-	-	-	-	-	-	-	-	-	-	-	-	-				
25-	1	4	9	4	9	34	50	4	2	-	-	-	-	-	-	-	-	-	-	-				
30-	-	2	2	10	8	79	60	14	2	3	-	-	-	-	-	-	-	-	-	-				
35-	-	3	1	1	2	76	42	40	11	4	-	-	-	-	-	-	-	-	-	-				
40-	-	-	1	2	1	41	19	55	38	11	2	-	-	-	-	-	-	-	-	-				
45-	-	-	-	1	2	27	12	47	34	25	3	-	-	-	-	-	-	-	-	-				
50-	-	-	-	-	2	10	3	36	38	42	16	3	-	-	-	-	-	-	-	-				
55-	-	-	-	-	-	17	1	26	25	32	17	10	2	-	-	-	-	-	-	-				
60-	-	-	-	1	-	2	3	19	22	19	11	12	6	3	1	-	-	-	-	-				
65-	-	-	1	-	-	-	1	6	10	15	15	6	6	5	-	-	-	-	-	-				
70-	-	-	-	-	-	-	3	5	1	11	4	4	4	1	1	-	-	-	-	-				
75-	-	-	-	-	-	-	-	1	3	2	2	-	1	1	-	-	-	-	-	-				
80-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-				
85- and over	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-				
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Total Spinsters	2	9	18	23	30	288	208	253	186	165	70	38	20	10	2	-	-	-	-	-				
														1,603	Total Widowers and Spinsters.									

Average age—Husbands 45·1; Wives, 35·2.

TABLE 18.—AGES in Combination of WIDOWERS and WIDOWS at Marriage in Scotland, 1936.

AGES OF WIDOWS.														Total Widow- ers.	AGES OF WIDOWERS.											TotalWidowers and Widows.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85 and over	Not stated																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 18A.—AGES in Combination of DIVORCED MEN and of WOMEN (all conjugal conditions) at Marriage in Scotland, 1936.

AGES OF WIVES.															Total Hus- bands.	AGES OF HUSBANDS.											
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-		70-	75-	80-	85 and over.	Not stated	Total Hus- bands and Wives.						
16-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
17-	-	-	-	-	-	10	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
18-	-	-	-	-	-	30	19	3	-	-	-	-	-	-	-	-	-	-	-	-	-						
19-	-	-	-	-	-	23	21	12	-	3	-	-	-	-	-	-	-	-	-	-	-						
20-	-	-	-	-	1	6	12	11	4	2	-	-	-	-	-	-	-	-	-	-	-						
21-	-	-	-	-	2	11	6	1	7	5	1	-	-	-	-	-	-	-	-	-	-						
25-	-	-	-	-	-	1	4	1	4	4	-	-	-	-	-	-	-	-	-	-	-						
30-	-	-	-	-	-	1	2	-	2	2	1	-	-	-	-	-	-	-	-	-	-						
35-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-						
40-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
50-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
60-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
65-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
70-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
75-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
80-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
85- and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Total Wives	-	1	1	2	3	49	74	64	34	24	17	2	1	2	-	-	-	-	-	-	-						
															274	Total Husbands and Wives.											

Average Age—Husbands, 38·3; Wives, 32·0.

TABLE 18B.—AGES in Combination of MEN (all conjugal conditions) and of DIVORCED WOMEN at Marriage in Scotland, 1936.

AGES OF WIVES.																			Total Hus- bands.	AGES OF HUSBANDS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.			Not stated																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Average age—Husbands, 38·4; Wives, 35·9.

Note.—The summation of the totals in Tables 15 to 18B exceeds by 26 the total shown in Table 14. This difference represents the number of Divorced men marrying Divorced women, who are included both in Table 18A and in 18B.

TABLE 19.—Ages at Death in 1937, with Death-rate in each Age-group.

Age Groups.	Number of Deaths.				Rate per 1000 of Population.			
	Scot-land.	Large Burghs.	Small Burghs.	Land-ward.	Scot-land.	Large Burghs.	Small Burghs.	Land-ward.
Under 1 — —	7,050	4,555	838	1,657	85·0	97·3	73·1	67·1
1— — —	2,195	1,442	256	497	6·9	8·2	5·7	5·1
5— — —	851	502	95	254	2·1	2·3	1·6	2·0
10— — —	603	344	72	187	1·4	1·5	1·1	1·3
15— — —	2,362	1,420	299	643	2·8	3·0	2·4	2·6
25— — —	2,862	1,710	398	754	3·6	3·7	3·4	3·3
35— — —	3,656	2,235	523	898	5·6	6·0	5·2	4·8
45— — —	5,951	3,683	840	1,428	10·8	12·1	9·9	8·9
55— — —	10,514	6,116	1,530	2,868	22·5	24·3	20·4	20·4
65— — —	15,861	8,637	2,633	4,591	56·0	61·4	51·9	49·9
75— — —	13,353	6,473	2,511	4,369	132·7	144·7	126·4	121·4
85— — —	3,682	1,483	728	1,471	307·3	322·7	295·1	299·2
Not stated —	2	—	—	2	—	—	—	—
ALL AGES —	68,942	38,600	10,723	19,619	13·9	14·1	14·2	13·2

TABLE 20.—Deaths, Male and Female, at each year of Age,

M A L E S .													
AGES.	TOTAL.	Single.	Married.	Widowed.	Divorced.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Divorced.	Not Stated.
0 ...	4034	4034	-	-	-	-	50 ...	358	80	246	28	2	2
1 ...	621	621	-	-	-	-	51 ...	353	73	250	29	-	1
2 ...	260	260	-	-	-	-	52 ...	363	75	254	32	1	1
3 ...	151	151	-	-	-	-	53 ...	358	75	250	32	1	-
4 ...	127	127	-	-	-	-	54 ...	382	76	254	49	2	1
5 ...	127	127	-	-	-	-	55 ...	414	75	305	30	3	1
6 ...	113	113	-	-	-	-	56 ...	454	87	327	40	-	-
7 ...	80	80	-	-	-	-	57 ...	524	95	364	61	3	1
8 ...	75	75	-	-	-	-	58 ...	504	93	347	63	1	-
9 ...	66	66	-	-	-	-	59 ...	533	104	353	76	-	-
10 ...	73	73	-	-	-	-	60 ...	576	116	386	72	1	1
11 ...	59	59	-	-	-	-	61 ...	617	124	412	80	1	-
12 ...	64	64	-	-	-	-	62 ...	646	138	411	96	1	-
13 ...	75	75	-	-	-	-	63 ...	671	110	442	116	3	-
14 ...	65	65	-	-	-	-	64 ...	755	149	469	135	2	-
15 ...	116	116	-	-	-	-	65 ...	747	141	459	147	-	-
16 ...	105	105	-	-	-	-	66 ...	800	154	489	154	3	-
17 ...	134	134	-	-	-	-	67 ...	850	163	485	196	4	2
18 ...	109	109	-	-	-	-	68 ...	796	126	472	197	-	1
19 ...	100	100	-	-	-	-	69 ...	843	128	487	227	1	-
20 ...	123	115	8	-	-	-	70 ...	866	152	474	237	2	1
21 ...	132	125	6	-	-	1	71 ...	786	129	400	256	1	-
22 ...	129	114	14	1	-	-	72 ...	856	110	459	286	1	-
23 ...	144	121	22	1	-	-	73 ...	836	131	403	302	-	-
24 ...	134	105	28	-	1	-	74 ...	803	127	364	311	1	-
25 ...	147	107	39	1	-	-	75 ...	775	104	372	297	2	-
26 ...	149	113	35	-	1	-	76 ...	808	97	355	355	1	-
27 ...	165	114	50	1	-	-	77 ...	760	105	308	347	-	-
28 ...	143	91	50	2	-	-	78 ...	680	72	277	331	-	-
29 ...	117	67	49	-	1	-	79 ...	663	91	242	329	-	1
30 ...	119	76	42	1	-	-	80 ...	567	77	191	298	1	-
31 ...	134	55	75	3	1	-	81 ...	542	58	180	304	-	-
32 ...	165	82	80	3	-	-	82 ...	460	52	149	258	1	-
33 ...	163	74	87	1	-	1	83 ...	372	29	109	234	-	-
34 ...	166	67	92	5	1	1	84 ...	355	26	91	237	1	-
35 ...	159	61	95	2	-	1	85 ...	277	28	73	176	-	-
36 ...	173	65	103	5	-	-	86 ...	246	23	52	171	-	-
37 ...	163	60	96	7	-	-	87 ...	222	26	41	155	-	-
38 ...	213	58	147	6	2	-	88 ...	145	15	36	94	-	-
39 ...	177	46	127	4	-	-	89 ...	118	13	24	81	-	-
40 ...	177	59	110	6	1	1	90 ...	69	4	13	52	-	-
41 ...	181	42	134	5	-	-	91 ...	48	6	6	36	-	-
42 ...	214	47	156	10	-	1	92 ...	47	4	8	35	-	-
43 ...	226	59	158	9	-	-	93 ...	32	3	6	23	-	-
44 ...	242	52	180	10	-	-	94 ...	19	2	4	13	-	-
45 ...	250	59	176	15	-	-	95 ...	13	-	3	10	-	-
46 ...	253	40	192	20	1	-	96 ...	9	2	3	4	-	-
47 ...	287	66	202	18	1	-	97 ...	6	-	-	6	-	-
48 ...	296	66	215	14	-	1	98 ...	4	1	-	3	-	-
49 ...	334	62	251	21	-	-	99 ...	1	-	-	1	-	-
100 and over								4	2	1	1	-	-
Not Stated								2	-	-	-	-	2
All Males								34,964	12,493	15,125	7,274	50	22

and by Condition as to Marriage, in Scotland, 1937.

FEMALES.													
AGES.	TOTAL.	Single.	Married.	Widowed.	Divorced.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Divorced.	Not Stated.
0 ...	3016	3016	-	-	-	-	50 ...	280	59	178	42	1	-
1 ...	552	552	-	-	-	-	51 ...	307	64	199	42	2	-
2 ...	221	221	-	-	-	-	52 ...	324	58	217	49	-	-
3 ...	140	140	-	-	-	-	53 ...	311	63	203	43	2	-
4 ...	123	123	-	-	-	-	54 ...	340	70	208	60	2	-
5 ...	120	120	-	-	-	-	55 ...	336	72	202	62	-	-
6 ...	89	89	-	-	-	-	56 ...	367	81	210	74	2	-
7 ...	73	73	-	-	-	-	57 ...	380	69	237	74	-	-
8 ...	58	58	-	-	-	-	58 ...	428	68	277	83	-	-
9 ...	50	50	-	-	-	-	59 ...	441	86	246	109	-	-
10 ...	39	39	-	-	-	-	60 ...	482	104	251	126	1	-
11 ...	46	46	-	-	-	-	61 ...	527	100	290	136	1	-
12 ...	44	44	-	-	-	-	62 ...	578	120	310	147	1	-
13 ...	63	63	-	-	-	-	63 ...	608	133	305	170	-	-
14 ...	75	75	-	-	-	-	64 ...	673	122	329	222	-	-
15 ...	102	102	-	-	-	-	65 ...	619	120	288	210	1	-
16 ...	115	114	1	-	-	-	66 ...	649	122	274	249	4	-
17 ...	127	124	3	-	-	-	67 ...	665	125	278	262	-	-
18 ...	95	84	11	-	-	-	68 ...	730	152	294	283	1	-
19 ...	99	93	6	-	-	-	69 ...	753	148	282	322	1	-
20 ...	86	71	15	-	-	-	70 ...	814	170	282	362	-	-
21 ...	132	96	36	-	-	-	71 ...	785	149	255	379	2	-
22 ...	115	71	44	-	-	-	72 ...	874	179	240	453	2	-
23 ...	136	80	56	-	-	-	73 ...	929	187	250	491	1	-
24 ...	129	72	57	-	-	-	74 ...	860	175	205	479	1	-
25 ...	128	65	62	1	-	-	75 ...	874	187	180	505	2	-
26 ...	134	68	66	-	-	-	76 ...	871	197	151	522	1	-
27 ...	133	66	66	1	-	-	77 ...	790	164	146	480	-	-
28 ...	137	56	81	-	-	-	78 ...	803	162	144	497	-	-
29 ...	136	56	80	-	-	-	79 ...	759	170	100	489	-	-
30 ...	127	37	86	4	-	-	80 ...	779	181	108	490	-	-
31 ...	139	30	105	3	1	-	81 ...	737	168	86	483	-	-
32 ...	156	56	95	4	1	-	82 ...	627	138	64	425	-	-
33 ...	156	55	98	3	-	-	83 ...	577	125	29	423	-	-
34 ...	148	45	100	3	-	-	84 ...	554	115	39	399	1	-
35 ...	159	43	107	8	1	-	85 ...	468	107	24	337	-	-
36 ...	169	42	121	6	-	-	86 ...	425	99	14	312	-	-
37 ...	175	42	124	9	-	-	87 ...	348	83	13	252	-	-
38 ...	130	27	94	9	-	-	88 ...	237	50	9	178	-	-
39 ...	182	57	116	9	-	-	89 ...	223	54	6	163	-	-
40 ...	172	45	116	11	-	-	90 ...	175	37	5	133	-	-
41 ...	168	40	115	13	-	-	91 ...	134	30	3	101	-	-
42 ...	198	63	120	15	-	-	92 ...	131	29	2	100	-	-
43 ...	190	43	135	10	2	-	93 ...	91	17	3	71	-	-
44 ...	188	49	124	15	-	-	94 ...	58	14	2	42	-	-
45 ...	225	56	149	19	1	-	95 ...	40	3	-	37	-	-
46 ...	238	48	164	24	2	-	96 ...	39	14	-	25	-	-
47 ...	196	43	132	19	2	-	97 ...	20	4	-	16	-	-
48 ...	242	48	169	25	-	-	98 ...	8	1	-	7	-	-
49 ...	254	57	164	33	-	-	99 ...	13	1	-	12	-	-
100 and over								12	5	-	7	-	-
Not stated								-	-	-	-	-	-
All Females								33,978	11,804	10,456	11,679	39	-

TABLE 21.—Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1937.

INTERNATIONAL NOS.		CAUSES OF DEATH.	Sex.	NUMBERS AGED											DEATH-RATE PER 100,000 AT AGES															
Long List.	Short List.			All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
1, 2	1	Typhoid fever (incl. Paratyphoid)	M. F.	7 9	- -	- -	- -	3 1	1 5	1 2	2 2	2 2	2 2	2 2	- -	0 0	- -	- -	- -	- -	1 0	0 1	0 1	0 1	1 1	- -	- -	- -		
7	4	Measles	M. F.	62 57	19 14	39 39	1 1	3 2	- 1	- -	- -	- -	- -	- -	- -	3 2	45 34	24 25	0 0	1 1	- 0	- -	- -	- -	- -	- -	- -			
8	5	Scarlet Fever	M. F.	63 60	3 4	29 22	12 22	5 5	3 3	6 2	1 2	2 2	2 2	- -	- -	3 2	7 10	18 14	6 11	2 1	1 1	2 0	1 1	1 1	1 1	- -	- -			
9	6	Whooping-cough	M. F.	316 401	161 200	147 189	7 11	- -	- -	- 1	- -	- -	- -	1 -	- -	13 16	384 487	91 120	3 5	- -	- 0	- -	- -	- -	1 -	- -	- -			
10	7	Diphtheria	M. F.	203 223	7 2	87 91	77 95	20 24	6 5	2 2	2 2	2 1	2 1	- -	- -	8 9	17 5	54 58	37 47	9 11	1 1	1 0	1 0	1 0	- -	- -	- -			
11	8	Influenza	M. F.	1218 1475	52 38	33 19	9 9	13 14	54 55	57 83	109 121	168 152	254 236	243 329	180 303	46 116	51 57	124 93	21 12	4 4	6 6	13 13	15 20	36 34	67 51	115 96	187 214	452 498	1282 1382	
18	14 (1)	Cerebro-spinal fever	M. F.	95 49	29 22	21 14	9 4	7 1	12 4	4 3	7 1	3 -	3 -	- -	- -	4 2	69 54	13 9	4 2	3 0	3 1	2 1	2 0	1 1	1 -	- -	- -	- -		
3-6, 12-17	14 (2)	Other epidemic diseases (2, 3, 9)*	M. F.	124 106	8 8	8 1	2 -	4 2	9 4	12 13	9 12	12 16	16 14	27 23	16 10	1 3	5 4	19 19	5 1	1 -	2 2	3 3	3 3	5 5	7 6	21 15	40 16	28 36		
23	10	Tuberculosis of respiratory system	M. F.	1522 1269	9 3	22 6	8 9	14 34	275 423	378 372	291 172	264 117	184 86	66 39	10 8	1 -	63 49	21 7	14 4	4 4	6 16	64 99	97 90	96 49	105 39	83 35	51 25	13 13	28 -	
24-32	11	Other tuberculous diseases	M. F.	463 409	44 33	104 79	49 35	42 26	86 94	54 44	32 35	15 15	17 20	18 21	2 5	2 -	19 16	105 80	65 50	24 17	19 12	20 22	14 11	11 10	6 5	8 8	14 14	5 8	24 -	
19-22, 33-44	14 (3)	Other infectious and parasitic diseases (12, 13)	M. F.	156 90	23 25	10 13	2 2	6 2	9 6	13 5	19 6	16 10	34 11	19 10	3 -	2 -	7 3	55 61	6 8	1 1	3 1	2 1	3 2	6 3	15 4	15 7	8 -	56 -	56 -	
45-53	15	Cancer, malignant disease	M. F.	3609 4201	1 1	3 6	5 3	3 2	24 13	60 54	162 269	432 606	976 1036	1329 1321	559 775	55 115	151 163	2 2	2 4	2 1	1 1	1 3	6 13	15 76	172 203	442 420	1023 861	1404 1275	1533 1370	1533 1370
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
59	18	Diabetes mellitus - -	M. F.	280 587	-	2 -	2 -	3 1	6 3	16 12	8 18	25 46	67 104	41 94	6 13	12 23
54-53, 60-77	20	Other general dis., chronic poisonings (16, 17, 19) -	M. F.	613 933	36 23	22 16	29 29	29 20	58 63	56 54	70 97	74 173	102 159	94 194	41 96	2 14
82	22	Cerebral hæmorrhage, &c. -	M. F.	2310 3501	4 3	3 5	2 -	4 3	9 6	10 9	36 53	154 266	597 591	1074 1201	871 1113	146 251
78-81, 83-89	23	Oth. dis. of nervous system and sense organs (21) -	M. F.	855 733	160 96	57 39	21 21	22 19	55 45	52 65	87 69	113 80	183 107	104 113	47 67	4 12
90-95	24	Heart disease - -	M. F.	7116 7244	2 -	1 2	14 12	20 24	67 76	103 138	234 259	587 469	1350 1111	2502 2272	1883 2272	353 667
96-103	25	Other circulatory diseases -	M. F.	762 610	6 1	1 1	- -	- -	4 3	8 5	10 11	43 43	111 55	251 154	256 234	72 103
106	26	Bronchitis - -	M. F.	1739 1534	152 106	15 11	2 2	4 2	16 9	19 14	65 44	165 77	274 193	492 408	440 485	95 183
107-109	27	Pneumonia (all forms) -	M. F.	2843 2015	712 533	304 260	84 30	16 19	95 54	141 105	220 101	361 117	386 194	337 264	193 267	44 71
104, 105, 110-114	28	Other respiratory diseases -	M. F.	498 458	51 32	18 13	5 6	2 1	10 12	18 18	42 21	48 41	93 64	107 87	82 111	22 52
117	32 (1)	Gastric and duodenal ulcer -	M. F.	543 151	1 -	- -	1 -	- -	12 2	48 3	84 4	115 31	119 39	113 39	46 27	4 6
119, 120	29	Diarrhœa, &c. (all ages) -	M. F.	598 476	441 291	54 51	3 7	- 1	7 12	5 11	14 16	6 10	17 21	27 22	19 25	5 9
121	30	Appendicitis - -	M. F.	256 196	- -	10 12	27 17	17 21	50 31	30 16	25 15	37 27	24 31	32 20	4 6	- -
124	31 (1)	Cirrhosis of liver - -	M. F.	116 80	- -	- -	1 -	- -	- 2	2 2	10 6	22 14	32 26	37 20	10 8	2 2
125-127	31 (2)	Other diseases of liver, &c. -	M. F.	98 290	1 2	1 -	1 1	- -	2 5	2 7	3 17	8 41	27 82	19 22	19 44	3 9
115, 116, 118, 122, 123, 128, 129	32 (2)	Other digestive diseases -	M. F.	462 515	56 28	14 26	17 7	12 7	20 14	28 18	25 42	44 57	83 82	93 122	57 88	13 24

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis and lethargic encephalitis.

TABLE 21.—Deaths and Death-rates from Selected Causes in Scotland in each Age-Group, 1937—continued.

INTERNATIONAL NOS.		CAUSES OF DEATH.	Sex.	NUMBERS AGED											DEATH-RATE PER 100,000 AT AGES										
Long List.	Short List.			All Ages.	-1	1-5	10-15	25-35	45-55	65-75	85 and over	All Ages.	-1	1-5	10-15	25-35	45-55	65-75	85 and over						
130-132	33	Acute and chron. nephritis { M. F.	{	919 966	5 3	3 4	9 6	45 37	112 120	249 250	21 27	38 37	12 7	2 3	4 3	11 9	20 20	44 40	192 163	387 275	585 322				
133-139	34	Other dis. of genito-urinary { system - - - { M. F.	{	774 262	15 9	2 4	1 -	8 24	39 36	264 56	55 9	32 10	36 22	1 3	0 -	2 2	6 10	15 12	203 36	643 53	1533 107				
140, 145	35	Puerperal sepsis - - -	F.	144	-	-	-	29	45	3	-	6	-	-	-	7	16	13	1	-	-				
141-144, 146-150	36	Other puerperal causes - -	F.	280	-	-	-	48	128	104	-	11	-	-	-	11	31	29	-	-	-				
151-156	37	Diseases of skin and loco- motor system - - - { M. F.	{	272 188	43 33	14 11	12 9	22 11	15 10	51 26	15 5	11 7	103 80	9 7	6 4	5 3	5 3	10 7	39 17	88 43	84 60				
157-161	38	Congen. debil., prem. birth, { malformations, &c. - { M. F.	{	1944 1465	1915 1440	15 18	8 1	5 4	-	-	-	81 57	4568 3508	9 11	4 0	1 0	-	-	-	-	-				
162	39	Old age - - - - - { M. F.	{	915 1579	-	-	-	-	-	113 140	258 610	38 61	-	-	-	-	-	-	87 91	1359 1352	7191 7269				
163-171	40	Suicide - - - - - { M. F.	{	300 153	-	-	-	17 11	30 26	42 15	1 4	13 6	-	-	-	4 3	18 10	28 11	32 10	25 7	28				
172-198	42	Other violence (41) - - - { M. F.	{	+1723 844	66 54	118 75	97 49	233 47	184 32	171 138	35 93	72 33	157 132	73 48	47 24	29 13	62 7	76 16	132 90	286 304	975 1108				
199-200	43	Causes ill-defined or un- known - - - - - { M. F.	{	590 420	12 12	2 9	-	4 2	26 6	196 128	11 26	25 16	29 29	1 6	-	1 0	2 2	31 15	151 83	284 160	307 310				
		ALL CAUSES - - - - - { M. F.	{	+34,964 33,978	4034 3016	1159 1036	461 390	1226 1136	1925 1731	8183 7678	1260 2422	1459 1317	9623 7348	721 658	224 192	152 122	285 267	378 338	6297 5004	15027 12125	35117 28861				
		BOTH SEXES - - - - -	-	+68,942	7050	2195	851	2362	3656	15861	3682	1385	8497	690	209	137	276	358	1081	5597	13273				

† Including 2 age not stated.

TABLE 22.—Deaths and Death-rates from Selected Causes in Scotland, 1937.

INTERNATIONAL NOS.		CAUSES OF DEATH.				NUMBERS.				DEATH-RATE PER 100,000 OF POPULATION.			
Long List.	Short List.					Scotland.	Large Burghs.	Small Burghs.	Land-ward.	Scotland.	Large Burghs.	Small Burghs.	Land-ward.
1, 2	1	Typhoid fever (including Paratyphoid)				16	10	3	3	0	0	0	0
7	4	Measles				119	79	11	29	2	3	1	2
8	5	Scarlet fever				123	63	24	36	2	2	3	2
9	6	Whooping-cough				717	531	65	121	14	19	9	8
10	7	Diphtheria				426	258	57	111	9	9	8	7
11	8	Influenza				2,693	1,373	430	890	54	50	57	60
18	14 (1)	Cerebro-spinal fever				144	99	18	27	3	4	2	2
3-6, 12-17	14 (2)	Other epidemic diseases (2, 3, 9) *				230	138	35	57	5	5	5	4
23	10	Tuberculosis of respiratory system				2,791	1,895	317	579	56	69	42	39
24-32	11	Other tuberculous diseases				872	539	98	235	18	20	13	16
19-22, 33-44	14 (3)	Other infectious and parasitic diseases (12, 13)				246	144	32	70	5	5	4	5
45-53	15	Cancer, malignant disease				7,810	4,257	1,292	2,261	157	156	171	152
59	18	Diabetes mellitus				867	446	152	269	17	16	20	18
54-58, 60-77	20	Other general dis., chronic poisonings (16, 17, 19)				1,551	812	251	488	31	30	33	33
82	22	Cerebral hæmorrhage, &c.				6,411	3,290	1,135	1,986	129	120	150	133
78-81, 83-89	23	Oth. dis. of nerv. system and sense org. (21)				1,538	875	238	475	32	32	31	32
90-95	24	Heart disease				14,360	7,821	2,397	4,142	289	286	317	278
96-103	25	Other circulatory diseases				1,372	678	252	442	28	25	32	30
106	26	Bronchitis				3,273	2,071	441	761	66	76	58	51
107-109	27	Pneumonia (all forms)				4,858	3,320	518	1,020	98	122	68	69
104, 105, 110-114	28	Other respiratory diseases				956	525	166	265	19	19	22	18
117	32 (1)	Gastric and duodenal ulcer				694	374	114	206	14	14	15	14
119, 120	29	Diarrhoea, &c. (all ages)				1,074	756	114	204	22	28	15	14
121	30	Appendicitis				452	227	76	149	9	8	10	10
124	31 (1)	Cirrhosis of liver				196	118	36	42	4	4	5	3
125-127	31 (2)	Other diseases of liver, &c.				388	199	71	118	8	7	9	8
115, 116, 118, 122, 123, 128, 129	32 (2)	Other digestive diseases				977	557	135	285	20	20	18	19
130-132	33	Acute and chronic nephritis				1,885	976	319	590	38	36	42	40
133-139	34	Other dis. of genito-urinary system				1,036	543	183	310	21	20	24	21
140, 145	35	Puerperal sepsis				144	97	14	33	3	4	2	2
141-144, 146-150	36	Other puerperal causes				280	162	42	76	6	6	6	5
151-156	37	Diseases of skin and locomotor system				460	272	63	125	9	10	8	8
157-161	38	Congen. debil., prem. birth, malform., &c.				3,409	2,024	483	902	69	74	64	61
162	39	Old age				2,494	1,001	498	995	50	37	66	67
163-171	40	Suicide				453	279	78	96	9	10	10	6
172-198	42	Other violence (41)				2,567	1,299	399	869	52	48	53	58
199, 200	43	Causes ill-defined or unknown				1,010	492	166	352	20	18	22	24
		ALL CAUSES				68,942	38,600	10,723	19,619	1,385	1,413	1,418	1,318

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis and lethargic encephalitis.

TABLE 23.—Deaths from Selected Causes and in Age Groups in Scotland, 1927–1937.

International Nos. Short List.	CAUSES OF DEATH.	1937.	1936.	1935.	1934.	1933.	1932.	1931.	1930.	1929.	1928.	1927.
1	Typhoid fever (including Paratyphoid)	16	39	45	22	30	32	31	45	33	43	54
4	Measles	119	610	141	1,014	36	892	641	792	149	1,005	660
5	Scarlet Fever	123	172	199	345	310	250	161	127	109	140	200
6	Whooping-cough	717	411	567	383	762	459	957	628	901	1,072	850
7	Diphtheria	426	387	513	583	356	368	356	460	471	488	485
8	Influenza	2,693	659	1,459	602	2,027	1,724	1,270	696	3,435	961	2,026
14 (1)	Cerebro-spinal fever	144	124	114	153	219	229	290	229	282	156	145
14 (2)	Other epidemic dis. (2, 3, 9)*	230	317	281	314	332	281	304	353	332	322	280
10	Tuberculosis of respiratory system	2,791	2,753	2,812	2,794	2,930	2,991	3,004	3,024	3,288	3,318	3,466
11	Other tuberculous diseases	872	912	834	908	980	1,132	1,201	1,262	1,292	1,404	1,402
14 (3)	Other infectious and parasitic diseases (12, 13)	246	290	281	279	279	284	261	271	304	317	284
15	Cancer, malignant disease	7,810	7,909	7,793	7,561	7,520	7,458	7,158	7,120	7,108	6,901	6,919
18	Diabetes mellitus	867	808	740	762	711	666	660	604	616	523	519
20	Other general dis., chronic poisonings (16, 17, 19)	1,551	1,519	1,547	1,506	1,486	1,540	1,415	1,340	1,497	1,505	1,612
22	Cerebral hæmorrhage, &c.	6,411	6,364	6,480	6,620	7,225	7,210	6,804	6,542	6,693	6,350	6,126
23	Other dis. of nervous syst. and sense organs (21)† .	1,588	1,752	1,680	1,711	1,758	1,813	1,943	2,032	2,138	2,190	2,198
24	Heart disease	14,360	13,698	12,525	11,428	10,489	9,622	9,535	8,936	9,072	8,461	7,904
25	Other circulatory diseases	1,372	1,489	1,444	1,390	1,398	1,484	1,231	1,346	1,406	1,332	1,237
26	Bronchitis	3,273	3,330	3,079	2,735	3,291	3,419	3,673	3,777	4,731	3,491	3,914
27	Pneumonia (all forms)	4,858	4,793	4,602	4,533	4,600	5,430	4,958	5,682	7,143	5,731	5,896
28	Other respiratory diseases	956	966	910	855	872	967	873	1,021	1,074	1,001	946
32 (1)	Gastric and duodenal ulcer	694	627	626	607	573	608	579	662	647	604	597
29	Diarrhoea, &c. (all ages)	1,074	1,235	937	887	1,117	1,168	919	897	1,019	1,046	1,001
30	Appendicitis	452	433	480	451	437	509	482	476	499	423	478
31 (1)	Cirrhosis of liver	196	176	160	150	131	160	148	172	171	152	147
31 (2)	Other diseases of liver, &c	388	397	337	411	373	382	381	403	346	379	352
32 (2)	Other digestive diseases	977	1,054	1,070	1,027	1,140	992	1,027	1,048	1,131	1,129	1,148
33	Acute and chronic nephritis	1,885	1,776	1,759	1,922	1,749	1,804	1,797	1,954	2,023	1,914	1,870
34	Other diseases of genito-urinary system	1,036	1,023	1,054	926	880	882	873	857	849	935	805
35	Puerperal sepsis	144	195	227	238	212	243	208	221	221	234	184
36	Other puerperal causes†	280	299	327	313	300	333	337	436	417	442	438
37	Diseases of skin and locomotor system	460	459	401	422	411	413	465	461	392	378	357
38	Congenital debility, prem. birth, malformations, &c.	3,409	3,420	3,449	3,367	3,412	3,460	3,509	3,519	3,671	3,619	3,736
39	Old age	2,494	2,432	2,584	2,681	2,708	2,934	2,924	2,849	3,441	3,310	3,528
40	Suicide	453	496	467	532	523	500	493	495	474	474	503
42	Other violence (41)	2,567	2,330	2,238	2,291	2,313	2,311	2,237	2,565	2,520	2,440	2,454
43	Causes ill-defined or unknown	1,010	1,095	1,119	1,018	958	1,095	1,124	983	1,022	1,081	1,109
	ALL CAUSES	63,942	66,749	65,331	63,741	64,843	66,045	64,229	64,285	70,917	65,271	65,830
	AGES AT DEATH.											
	Under 1	7,050	7,315	6,754	6,901	7,019	7,840	7,544	7,852	8,061	8,299	8,576
	1-4	2,195	2,487	2,202	2,961	2,638	3,386	3,306	3,426	4,140	4,247	4,103
	5-9	851	877	918	1,137	995	1,108	1,107	1,195	1,160	1,240	1,212
	10-14	603	624	726	747	745	719	657	737	736	728	805
	15-24	2,362	2,292	2,256	2,295	2,439	2,501	2,534	2,489	2,783	2,675	2,582
	25-34	2,862	2,666	2,759	2,904	2,960	2,950	2,798	2,831	3,170	3,026	2,950
	35-44	3,656	3,533	3,555	3,439	3,599	3,715	3,499	3,765	4,201	3,739	3,950
	45-54	5,951	5,895	5,653	5,593	5,789	5,714	5,631	5,784	6,524	5,804	6,089
	55-64	10,514	10,023	9,922	9,714	9,794	9,600	9,417	9,408	10,209	9,135	9,250
	65-74	15,861	14,972	14,587	13,570	14,035	13,814	13,521	13,275	14,609	13,001	12,849
	75-84	13,355	12,709	12,572	11,427	11,676	11,539	11,048	10,464	11,839	10,313	10,264
	85 and over	3,682	3,406	3,425	3,053	3,158	3,159	3,167	3,054	3,485	3,063	3,199
	Not stated	2	..	2	..	1	5	..	1	1
	ALL AGES	63,942	66,749	65,331	63,741	64,843	66,045	64,229	64,285	70,917	65,271	65,830

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.
† Cerebral softening is included with cerebral hæmorrhage from 1931 onwards.
‡ Post abortive sepsis is included with puerperal sepsis from 1931 onwards.

TABLE 24.—Death-rates from Selected Causes and in Age Groups in Scotland, 1927-1937.

Inter- national Nos. Short List.		1937.	1936.	1935.	1934.	1933.	1932.	1931.	1930.	1929.	1928.	1927.
CAUSES OF DEATH.		DEATH-RATE PER 100,000 OF POPULATION.										
1	Typhoid fever (including paratyphoid)	0	1	1	0	1	1	1	1	1	1	1
4	Measles	2	12	3	21	1	18	13	16	3	21	14
5	Scarlet fever	2	3	4	7	6	5	3	3	2	3	4
6	Whooping-cough	14	8	11	8	16	9	20	13	19	22	18
7	Diphtheria	9	8	10	12	7	8	7	10	10	10	10
8	Influenza	54	13	29	12	41	35	26	14	71	20	42
14 (1)	Cerebro-spinal fever	3	2	2	3	4	5	6	5	6	3	3
14 (2)	Other epidemic dis. (2, 3, 9)*	5	6	6	6	7	6	6	7	7	7	6
10	Tuberculosis of respiratory system	56	55	57	57	60	61	62	63	68	68	71
11	Other tuberculous diseases	18	18	17	18	20	23	25	26	27	29	29
14 (3)	Other infectious and parasitic diseases (12, 13) . .	5	6	6	6	6	6	5	6	6	7	6
15	Cancer, malignant disease	157	159	157	153	153	153	148	147	147	142	143
18	Diabetes mellitus	17	16	15	15	14	14	14	13	13	11	11
20	Other general dis., chronic poisonings (16, 17, 19)	31	31	31	31	30	32	29	28	31	31	33
22	Cerebral hæmorrhage, &c.	129	128	131	134	147	148	141	135	139	131	126
23	Other dis. of nerv. syst. and sense organs (21)†.	32	35	34	35	36	37	40	42	44	45	45
24	Heart disease	289	276	253	232	214	197	197	185	188	175	163
25	Other circulatory diseases	28	30	29	28	28	30	25	28	29	27	25
26	Bronchitis	66	67	62	55	67	70	76	78	98	72	81
27	Pneumonia (all forms) . .	98	97	93	92	94	111	102	118	148	118	121
28	Other respiratory diseases	19	19	18	17	18	20	18	21	22	21	19
32 (1)	Gastric and duodenal ulcer	14	13	13	12	12	12	12	14	13	12	12
29	Diarrhoea, &c. (all ages) .	22	25	19	18	23	24	19	19	21	22	21
30	Appendicitis	9	9	10	9	9	10	10	10	10	9	10
31 (1)	Cirrhosis of liver	4	4	3	3	3	3	3	4	4	3	3
31 (2)	Other diseases of liver, &c.	8	8	8	8	8	8	8	8	7	8	7
32 (2)	Other digestive diseases .	20	21	22	21	23	20	21	22	23	23	24
33	Acute and chronic nephritis	38	36	36	39	36	37	37	40	42	39	39
34	Other diseases of genito-urinary system	21	21	21	19	18	18	18	18	18	19	17
35	Puerperal sepsis	3	4	5	5	4	5	4	5	5	5	4
36	Other puerperal causes†.	6	6	7	6	6	7	7	9	9	9	9
37	Diseases of skin and locomotor system	9	9	8	9	8	8	10	10	8	8	7
38	Congen. debil., prem. birth, malform., &c.	69	69	70	68	69	71	72	73	76	75	77
39	Old age	50	49	52	54	55	60	60	59	71	68	73
40	Suicide	9	10	9	11	11	10	10	10	10	10	10
42	Other violence (41) . . .	52	47	45	46	47	47	46	53	52	50	51
43	Causes ill-defined or unknown	20	22	23	21	20	22	23	20	21	22	23
ALL CAUSES		1,385	1,344	1,319	1,292	1,320	1,353	1,326	1,331	1,468	1,346	1,356
AGES AT DEATH.		DEATH-RATE PER 1000 OF AGE-GROUP POPULATION. §										
Under 1		85.0	87.2	81.1	83.4	84.0	90.3	87.6	91.7	93.0	93.7	90.9
1-4		6.9	7.6	6.8	9.0	8.0	10.2	9.8	10.0	11.8	11.5	10.9
5-9		2.1	2.1	2.2	2.7	2.3	2.5	2.4	2.6	2.4	2.6	2.7
10-14		1.4	1.4	1.6	1.6	1.6	1.6	1.5	1.8	1.9	1.7	1.8
15-24		2.8	2.7	2.7	2.8	2.9	2.9	2.9	2.9	3.2	3.0	2.9
25-34		3.6	3.4	3.5	3.7	3.8	3.9	3.8	3.9	4.4	4.2	4.1
35-44		5.6	5.4	5.6	5.5	5.8	6.0	5.8	6.2	7.0	6.2	6.6
45-54		10.8	10.7	10.3	10.1	10.5	10.4	10.3	10.5	11.9	10.5	11.0
55-64		22.5	21.6	21.7	21.5	22.0	21.9	21.9	22.4	24.6	22.4	23.3
65-74		56.0	53.9	53.6	50.6	53.2	53.2	53.0	52.7	59.5	54.1	54.7
75-84		132.7	128.5	130.0	120.8	126.5	128.6	127.4	125.8	141.7	123.8	126.3
85 and over		307.3	280.2	280.3	255.6	267.5	270.1	274.6	266.6	307.4	272.6	287.2
Not stated
ALL AGES		13.9	13.4	13.2	12.9	13.2	13.5	13.3	13.3	14.7	13.5	13.6

*, †, ‡. See footnotes, Table 23.

§ The rates shown in this Table have been based on a revised age distribution of the population from 1926 to 1936.

TABLE 25.—DEATHS in SCOTLAND from PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1937. Quinquennial averages.

YEAR.	NUMBER OF DEATHS FROM														
	Typhoid Fever.*	Typhus Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Tuberculosis.		Syphilis.	Cancer.	Bronchitis.†	Pneumonia. †	All Diarrhoeal Diseases. ‡	Violence.
								All Forms.	Respiratory.						
1855-60	2573		995	1223	2766	2035	1226	10,140	7194	87	953	3538	2104	2976	2034
1861-65	3633		992	1377	2423	2193	2549	11,171	7914	134	1207	5768	2071	2604	2216
1866-70	1346	1799	99	1206	3427	2064	1587	11,983	8472	180	1348	7095	2284	3212	2273
1871-75	1406	779	1268	1311	3591	2015	2090	12,262	8535	201	1569	8680	3072	3202	2756
1876-80	1341	276	20	1166	1873	2347	1733	12,213	8338	218	1792	8762	3135	3061	2686
1881-85	1029	162	17	1359	1340	2273	1680	11,099	7998	246	2058	7916	4075	2766	2725
1886-90	765	91	10	1628	882	2425	1623	10,192	7436	229	2441	7509	4270	2734	2628
1891-95	761	57	51	2110	811	2151	1513	9,935	7169	194	2831	7600	5229	3215	2842
1896-1900	716	39	14	1857	756	2206	921	10,149	7151	213	3351	6238	5656	3825	3128
1901-05	521	25	118	1470	403	2222	770	9,790	6618	206	3845	5570	6578	3166	3084
1906-10	322	14	2	1647	399	1841	839	9,464	6079	229	4663	5017	6717	2697	2941
1911-15	207	8	5	1583	649	1951	857	8,011	5214	208	5207	5046	6132	2502	3105
1916-20	109	10	31	1264	287	1330	734	7,073	4781	196	5574	4999	8545	1820	3014
1921	87	4	24	269	270	1478	611	5,737	3970	199	5962	4135	5393	1991	2702
1922	65	7	-	2695	247	1408	536	5,818	4061	162	6133	5730	8265	1244	2444
1923	67	1	-	1118	352	989	492	5,790	3996	168	6376	3635	4840	1159	2469
1924	34	-	-	1592	410	1625	442	5,653	3887	151	6498	4843	7691	1147	2599
1925	52	4	-	512	404	1737	505	5,390	3734	114	6675	4191	5821	1168	2817
1921-25	61	3	5	1237	337	1447	517	5,678	3930	159	6329	4507	6402	1342	2606
1926	39	3	-	928	343	506	490	4,861	3384	147	6640	3771	5844	1084	2657
1927	41	2	-	660	200	850	485	4,868	3466	104	6919	4231	6642	976	2957
1928	29	-	-	1005	140	1072	488	4,722	3318	126	6901	3585	6098	1016	2914
1929	18	-	-	149	109	901	471	4,580	3288	125	7108	5344	8778	959	2994
1930	24	1	2	792	127	628	460	4,286	3024	119	7120	3869	5958	854	3060
1926-30	30	1	0	707	184	791	479	4,663	3296	124	6938	4160	6664	978	2916
1931	31	1	-	641	161	957	356	4,205	3004	112	7158	3879	5417	885	2730
1932	32	-	-	892	250	459	368	4,123	2991	115	7458	3645	6163	1129	2811
1933	30	-	-	36	310	762	356	3,910	2930	79	7520	3629	5435	1067	2836
1934	22	1	-	1014	345	383	583	3,702	2794	103	7561	2804	4749	847	2823
1935	45	-	-	141	199	567	513	3,646	2812	102	7793	3239	5222	875	2705
1931-35	32	0	-	545	253	626	435	3,917	2906	102	7498	3439	5397	961	2781
1936	39	-	-	610	172	411	387	3,665	2753	82	7909	3411	5093	1209	2826
1937	16	-	-	119	123	717	426	3,663	2791	79	7810	3650	6131	1038	3020

* Including Paratyphoid fever from 1931.

† Deaths from Pneumonia and from Bronchitis when associated with Influenza are included in the numbers given.

‡ Including Dysentery.

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years.

TABLE 26.—DEATH-RATE per 100,000 of Population in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1937. Quinquennial averages.

YEAR.	Typhoid Fever.*		Typhus Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Tuber-culosis.		Syphilis.	Cancer.	Bronchitis.†	Pneumonia.†	All Diarrhoeal Diseases.‡	Violence.
	All Forms.	Respiratory.														
1855-60	92			36	44	98	72	43	360	255	3	34	125	75	106	72
1861-65	122			33	46	81	73	85	375	266	4	40	194	70	88	74
1866-70	43	57		3	38	109	66	51	382	270	6	43	226	73	102	72
1871-75	42	23		38	39	106	60	62	365	254	6	47	258	91	95	82
1876-80	38	8		0	33	52	66	49	343	234	6	50	246	88	86	76
1881-85	27	4		0	36	36	61	45	296	213	6	55	211	109	74	73
1886-90	20	2		0	41	23	62	41	261	190	6	62	192	109	70	67
1891-95	19	1		1	51	20	53	37	243	175	5	69	186	128	79	70
1896-1900 }	17	1		0	43	18	51	22	235	166	5	78	145	131	89	73
1901-05	11	0		3	32	9	49	17	218	148	5	86	124	146	71	69
1906-10	7	0		0	35	9	40	18	204	131	5	100	108	144	58	63
1911-15	5	0		0	33	13	41	18	169	110	5	110	106	129	53	65
1916-20	2	0		1	26	6	28	15	147	99	4	116	104	177	38	63
1921	2	0		0	6	6	30	13	118	81	4	122	85	110	41	55
1922	1	0		—	55	5	29	11	119	83	3	125	117	169	25	50
1923	1	0		—	23	7	20	10	118	82	3	130	74	99	24	51
1924	1	—		—	33	8	33	9	116	80	3	134	100	158	24	53
1925	1	0		—	11	8	36	10	111	77	2	137	86	120	24	58
1921-25	1	0		0	26	7	30	11	117	81	3	130	92	131	28	53
1926	1	0		—	19	7	10	10	100	70	3	137	78	120	22	55
1927	1	0		—	14	4	18	10	100	71	2	143	87	137	20	61
1928	1	—		—	21	3	22	10	97	68	3	142	74	126	21	60
1929	0	—		—	3	2	19	10	95	68	3	147	111	182	20	62
1930	0	0		0	16	3	13	10	89	63	2	147	30	123	18	63
1926-30	1	0		—	15	4	16	10	96	68	3	143	86	137	20	60
1931	1	0		—	13	3	20	7	87	62	2	148	80	112	18	56
1932	1	—		—	18	5	9	8	84	61	2	153	75	126	23	58
1933	1	—		—	1	6	16	7	80	60	2	153	74	111	22	58
1934	0	0		—	21	7	8	12	75	57	2	153	57	96	17	57
1935	1	—		—	3	4	11	10	74	57	2	157	65	105	18	55
1931-35	1	0		—	11	5	13	9	80	59	2	153	70	110	20	57
1936	1	—		—	12	3	8	8	74	55	2	159	69	103	24	57
1937	0	—		—	2	2	14	9	74	56	2	157	73	123	21	61

*, †, ‡. See footnotes, Table 25.

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years.

TABLE 27.—Deaths and Death-rates from Puerperal Conditions in Scotland in 1937.

	Births.	Deaths from all Puerperal Conditions.	Deaths from Puerperal Sepsis.	Deaths from other Puerperal Conditions.	Death-rate per 1000 Births.		
					All Puerperal Conditions.	Puerperal Sepsis.	Other Puerperal Conditions.
SCOTLAND . . .	87,810	424	144	280	4·8	1·6	3·2
LARGE BURGHS . . .	50,491	259	97	162	5·1	1·9	3·2
SMALL BURGHS . . .	12,125	56	14	42	4·6	1·2	3·5
LANDWARD . . .	25,194	109	33	76	4·3	1·3	3·0
ABERDEEN COUNTY * .	5,655	20	9	11	3·5	1·6	1·9
Aberdeen Burgh . . .	3,026	12	7	5	4·0	2·3	1·7
Remainder of County .	2,629	8	2	6	3·0	0·8	2·3
ANGUS COUNTY . . .	4,480	23	9	14	5·1	2·0	3·1
Arbroath Burgh . . .	283	—	—	—	—	—	—
Dundee Burgh . . .	3,125	16	6	10	5·1	1·9	3·2
Remainder of County .	1,072	7	3	4	6·5	2·8	3·7
ARGYLL COUNTY . . .	835	2	—	2	2·4	—	2·4
AYR COUNTY . . .	5,211	26	7	19	5·0	1·3	3·6
Ayr Burgh . . .	687	7	1	6	10·2	1·5	8·7
Kilmarnock Burgh . .	739	1	—	1	1·4	—	1·4
Remainder of County .	3,785	18	6	12	4·8	1·6	3·2
BANFF COUNTY . . .	955	4	1	3	4·2	1·0	3·1
BERWICK COUNTY . . .	332	2	—	2	6·0	—	6·0
BUTE COUNTY . . .	214	1	—	1	4·7	—	4·7
CAITHNESS COUNTY . .	418	4	—	4	9·6	—	9·6
CLACKMANNAN COUNTY .	534	6	1	5	11·2	1·9	9·4
DUNBARTON COUNTY . .	2,596	19	12	7	7·3	4·6	2·7
Clydebank Burgh . . .	854	10	7	3	11·7	8·2	3·5
Dumbarton Burgh . . .	390	3	1	2	7·7	2·6	5·1
Remainder of County .	1,352	6	4	2	4·4	3·0	1·5
DUMFRIES COUNTY . . .	1,288	11	1	10	8·5	0·8	7·8
Dumfries Burgh . . .	412	3	—	3	7·3	—	7·3
Remainder of County .	876	8	1	7	9·1	1·1	8·0
EAST LoTHIAN COUNTY .	810	2	—	2	2·5	—	2·5
FIFE COUNTY . . .	4,656	26	7	19	5·6	1·5	4·1
Dunfermline Burgh . .	573	3	2	1	5·2	3·5	1·7
Kirkcaldy Burgh . . .	715	8	2	6	11·2	2·8	8·4
Remainder of County .	3,368	15	3	12	4·5	0·9	3·6
INVERNESS COUNTY . .	1,169	3	—	3	2·6	—	2·6
Inverness Burgh . . .	349	—	—	—	—	—	—
Remainder of County .	820	3	—	3	3·7	—	3·7
KINCARDINE COUNTY * .	453	—	—	—	—	—	—

* See footnote Table 4.

Note.—Some of the rates in this Table are based on very few observations and are therefore of limited value.

TABLE 27—continued.

	Births.	Deaths from all Puerperal Conditions.	Deaths from Puerperal Sepsis.	Deaths from other Puerperal Conditions.	Death-rate per 1000 Births.		
					All Puerperal Conditions.	Puerperal Sepsis.	Other Puerperal Conditions.
KINROSS COUNTY . .	104	—	—	—	—	—	—
KIRKCUDBRIGHT COUNTY	525	2	—	2	3·8	—	3·8
LANARK COUNTY . .	32,284	150	61	89	4·6	1·9	2·8
Airdrie Burgh . .	602	3	1	2	5·0	1·7	3·3
Coatbridge Burgh . .	974	7	4	3	7·2	4·1	3·1
Glasgow Burgh . .	22,180	110	46	64	5·0	2·1	2·9
Hamilton Burgh . .	894	3	—	3	3·4	—	3·4
Motherwell and Wishaw Burgh	1,350	7	2	5	5·2	1·5	3·7
Rutherglen Burgh . .	348	4	3	1	11·5	8·6	2·9
Remainder of County .	5,936	16	5	11	2·7	0·8	1·9
MIDLOTHIAN COUNTY .	8,884	40	10	30	4·5	1·1	3·4
Edinburgh Burgh . .	7,375	35	9	26	4·7	1·2	3·5
Remainder of County .	1,509	5	1	4	3·3	0·7	2·7
MORAY COUNTY . .	742	3	—	3	4·0	—	4·0
NAIRN COUNTY . .	129	—	—	—	—	—	—
ORKNEY COUNTY . .	333	—	—	—	—	—	—
PEEBLES COUNTY . .	175	1	—	1	5·7	—	5·7
PERTH COUNTY . .	1,620	8	2	6	4·9	1·2	3·7
Perth Burgh . .	526	2	—	2	3·8	—	3·8
Remainder of County .	1,094	6	2	4	5·5	1·8	3·7
RENFREW COUNTY . .	5,788	27	8	19	4·7	1·4	3·3
Greenock Burgh . .	1,749	9	1	8	5·1	0·6	4·6
Paisley Burgh . .	1,716	6	3	3	3·5	1·7	1·7
Port-Glasgow Burgh .	475	5	1	4	10·5	2·1	8·4
Remainder of County .	1,848	7	3	4	3·8	1·6	2·2
ROSS & CROMARTY COUNTY	875	3	1	2	3·4	1·1	2·3
ROXBURGH COUNTY .	636	6	2	4	9·4	3·1	6·3
SELKIRK COUNTY . .	259	1	1	—	3·9	3·9	—
STIRLING COUNTY . .	3,172	18	8	10	5·7	2·5	3·2
Falkirk Burgh . .	632	2	—	2	3·2	—	3·2
Stirling Burgh . .	517	3	1	2	5·8	1·9	3·9
Remainder of County .	2,023	13	7	6	6·4	3·5	3·0
SUTHERLAND COUNTY .	213	1	—	1	4·7	—	4·7
WEST LOTHIAN COUNTY .	1,616	5	3	2	3·1	1·9	1·2
WIGTOWN COUNTY . .	574	5	1	4	8·7	1·7	7·0
ZETLAND COUNTY . .	275	—	—	5	18·2	—	18·2

TABLE 28.—Deaths from Malignant Disease in Scotland in 1937.

International List No.	LOCATION.	All Ages.	0-	5-	15-	25-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over
			MALES.														
45	All Sites	3609	4	8	24	60	65	97	166	266	431	545	727	602	374	185	55
	Lip	40	-	-	-	-	-	-	-	-	4	3	8	9	10	4	2
	Mouth	63	-	1	1	-	1	-	2	2	7	12	14	10	9	2	2
	Tongue	96	-	-	-	-	-	-	1	6	7	19	23	21	13	5	1
	Jaw	48	-	1	-	-	1	-	-	2	6	6	11	8	7	2	4
	Salivary Glands, Parotid	5	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-
	Tonsils	16	-	-	-	1	1	1	-	-	4	3	2	3	-	-	1
46	Pharynx	44	-	-	1	-	-	-	-	3	2	9	16	5	6	2	-
	Buccal Cavity, &c.—TOTAL	312	-	2	2	1	3	1	3	13	30	53	75	57	47	15	10
	(Esophagus, Gullet	150	-	-	-	1	2	1	6	7	20	32	33	31	10	5	2
	Stomach, Pylorus	848	-	-	1	11	9	23	44	71	107	126	178	152	80	41	5
	Intestine	574	-	-	1	7	5	10	17	28	56	97	127	116	72	28	10
	Rectum	320	-	-	3	9	7	7	9	22	30	55	70	56	25	23	4
	Anus	5	-	-	-	-	-	-	1	1	-	-	-	-	-	3	-
47	Liver, Gall Bladder	178	1	1	1	1	4	5	12	14	23	24	39	23	22	8	-
	Pancreas	121	-	-	-	1	-	4	5	14	22	11	30	11	14	7	2
	Peritoneum, Omentum, Mesentery	17	1	2	-	1	1	-	4	1	-	-	2	4	-	1	-
	Digestive Organs, &c.— TOTAL	2213	2	3	6	31	28	50	98	158	258	345	479	393	223	116	23
	Larynx	51	-	-	-	2	1	1	1	2	9	7	11	10	5	2	-
	Lung	282	-	-	3	6	13	19	33	41	57	40	28	26	7	8	1
	Pleura	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
50	Mediastinum	51	-	2	2	2	1	1	4	5	6	12	8	5	2	1	-
	Respiratory Organs—TOTAL	385	-	2	5	10	15	21	38	48	72	59	47	42	14	11	1
	Breast	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	Kidney	49	-	-	-	-	1	2	1	10	6	7	12	5	2	3	-
	Bladder, Urethra	93	-	-	-	-	-	3	4	7	8	16	21	16	10	6	2
	Prostate	205	-	-	-	-	-	1	-	5	15	25	43	44	45	18	9
	Testis	20	-	-	1	4	2	5	1	1	4	1	-	-	-	1	-
51	Penis	17	-	-	-	1	-	-	2	1	3	1	2	2	1	1	3
	Scrotum	9	-	-	-	-	-	-	-	2	2	2	-	1	2	-	-
	Male Genito-Urinary Organs—TOTAL	393	-	-	1	5	3	11	8	26	38	52	78	68	60	29	14
	Ear	10	-	-	-	-	-	-	-	2	1	1	-	3	-	3	-
	Nose	15	-	-	1	-	1	1	1	3	1	-	4	2	1	-	-
	Scalp and Face	37	-	-	-	-	-	1	1	2	1	4	8	8	5	4	3
	Skin	7	-	-	1	-	2	-	-	1	2	-	-	-	1	-	-
52	Skin—TOTAL	69	-	-	2	-	3	2	2	8	5	5	12	13	7	7	3
	Pelvis, Sacrum	10	-	-	1	-	-	1	3	-	1	1	1	2	-	-	-
	Rib and Sternum	5	-	-	-	-	-	1	1	-	-	1	1	-	1	-	-
	Skull and Spinal Column	15	-	-	-	1	-	-	1	-	6	2	4	1	-	-	-
	Arm and Leg	52	-	-	5	5	6	1	3	2	3	4	5	10	4	4	-
	Thyroid	9	-	-	-	-	-	-	2	1	2	-	-	1	3	-	-
	Throat	20	-	-	-	-	-	-	2	2	2	2	7	3	-	1	1
53	Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Thorax	7	-	-	-	-	-	-	-	-	2	-	2	-	3	-	-
	Suprarenals	4	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	Spleen	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Abdomen	11	-	-	-	1	-	-	-	1	-	2	2	-	5	-	-
	Brain	9	-	-	-	2	1	2	-	1	1	2	-	-	-	-	-
	Eye and Orbit	10	1	-	-	-	-	-	-	1	1	3	1	2	-	-	1
54	Spinal Cord	5	-	-	-	-	-	-	1	-	3	-	-	1	-	-	-
	Lymphatic Glands	65	-	1	2	4	6	5	3	3	5	10	12	7	5	2	-
	Others	8	-	-	-	-	-	1	-	-	-	3	1	1	-	-	2
	Not stated	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-
	Other or Unspecified Organs—TOTAL	234	2	1	8	13	13	12	16	12	28	30	36	29	23	7	4

TABLE 28—continued.

International List No.	LOCATION.	All Ages.	0-	5-	15-	25-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over
			FEMALES.														
	All Sites	4201	7	5	13	54	104	165	251	355	462	574	659	662	478	297	115
45	Lip	5	-	-	-	-	-	-	1	-	-	1	-	1	1	-	1
	Mouth	13	-	-	-	-	-	-	-	2	2	-	2	5	1	1	-
	Tongue	18	-	-	-	-	-	-	2	-	2	6	1	1	4	2	-
	Jaw	17	1	-	-	1	-	2	-	2	-	2	2	2	-	4	1
	Salivary Glands, Parotid	8	-	-	-	-	-	-	1	1	1	2	2	-	-	1	-
	Tonsils	8	-	-	-	-	1	-	-	1	2	1	-	1	1	1	-
	Pharynx	12	-	-	-	-	-	-	-	4	1	1	2	-	1	3	-
	Buccal Cavity, &c.—TOTAL	81	1	-	-	1	1	2	4	10	8	13	9	10	8	12	2
46	(Esophagus, Gullet	100	-	-	-	1	1	1	7	9	15	19	19	17	5	2	4
	Stomach, Pylorus	835	-	-	-	7	10	18	31	52	73	120	156	164	123	58	23
	Intestine	756	-	-	1	4	18	15	28	42	56	91	126	144	118	79	34
	Rectum	169	-	-	1	6	3	9	6	10	15	17	21	29	32	16	4
	Anus	4	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-
	Liver, Gall Bladder	262	-	-	1	2	1	3	9	14	23	49	51	43	36	24	6
	Pancreas	139	-	-	-	1	3	5	5	17	13	29	20	19	14	9	4
	Peritoneum, Omentum, Mesentery	22	-	1	-	1	-	1	1	2	4	3	2	3	3	1	-
	Digestive Organs, &c.— TOTAL	2287	-	1	3	22	36	52	87	146	199	328	395	421	332	190	75
47	(Larynx	18	-	-	-	-	2	-	2	1	2	6	2	2	1	-	-
	Lung	112	-	-	-	4	3	3	11	18	14	14	22	12	7	2	2
	Pleura	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-
	Mediastinum	30	-	1	1	1	1	1	-	3	2	3	3	7	3	2	2
	Respiratory Organs—TOTAL	163	-	1	1	5	6	4	13	22	18	23	23	21	12	5	4
48	{ Cervix	155	-	-	1	5	13	21	27	15	18	26	11	12	3	3	-
	{ Uterus	322	-	-	2	2	13	22	24	51	50	43	38	47	21	8	1
	Uterus—TOTAL	477	-	-	3	7	26	43	51	66	68	69	49	59	24	11	1
49	{ Ovary, Fallopian Tube	137	-	-	1	4	3	13	18	18	22	17	18	14	6	3	-
	{ Vagina, Vulva	57	1	-	-	1	1	1	4	7	7	8	10	6	3	6	2
	Other Female Genital Organs—TOTAL	194	1	-	1	5	4	14	22	25	29	25	28	20	9	9	2
50	Breast	671	-	-	-	8	27	37	53	62	109	84	102	75	56	41	17
52	(Ear	4	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-
	Nose	6	-	-	-	1	-	-	-	-	-	-	2	-	2	1	-
	Scalp and Face	40	-	-	-	-	-	-	-	1	1	2	2	8	10	10	6
	Skin	8	1	-	-	1	-	-	-	-	-	-	1	2	1	1	1
	Skin—TOTAL	58	1	-	-	2	-	-	-	1	1	2	6	11	15	12	7
53	(Pelvis, Sacrum	9	-	-	-	-	-	-	-	1	2	1	1	1	2	1	-
	Rib and Sternum	4	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-
	Skull and Spinal Column	20	2	-	-	-	1	1	2	2	4	2	3	2	-	1	-
	Arm and Leg	45	-	3	3	1	1	3	5	1	2	5	3	6	6	4	2
	Thyroid	34	-	-	1	-	-	2	5	3	4	4	4	5	3	2	1
	Throat	5	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-
	Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Thorax	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-
	Kidneys	27	1	-	-	-	-	1	2	1	4	1	6	6	2	3	-
	Suprarenals	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Bladder	45	-	-	1	-	-	1	1	4	7	4	15	8	1	1	2
	Spleen	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Abdomen	26	1	-	-	-	-	2	1	3	1	-	4	7	3	2	2
	Brain	10	-	-	-	1	-	1	2	4	-	1	-	1	-	-	-
	Eye and Orbit	5	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-
	Spinal Cord	3	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
	Lymphatic Glands	26	-	-	-	-	1	2	2	3	5	7	-	3	1	2	-
	Others	4	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-
	Not Stated	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	Other or Unspecified Organs—TOTAL	270	4	3	5	4	4	13	21	23	30	30	42	45	22	17	7

TABLE 29.—Deaths from Suicide in Scotland in 1937.

		Scotland.	Large Burghs.	Rest of Scotland.
TOTAL	{ M. F.	300 153	182 97	118 56
Cut; Stab	{ M. F.	36 8	25 2	11 6
Drowning	{ M. F.	46 25	29 11	17 14
Gunshot Wounds	{ M. F.	31 —	8 —	23 —
Hanging	{ M. F.	43 10	19 2	24 8
Poison	{ M. F.	133 100	94 72	39 28
Precipitation	{ M. F.	5 9	5 9	— —
Railways	{ M. F.	6 —	2 —	4 —
Otherwise or not stated	{ M. F.	— 1	— 1	— —

TABLE 30.—Deaths from Poison in Scotland in 1937.

ACCIDENTAL POISONING.

Name of Poison.	Males.	Females.	TOTAL.	Name of Poison.	Males.	Females.	TOTAL.
Lysol, - - -	2	-	2	Brought forward,	7	1	8
Carbolic Acid, - -	1	1	2	Poisonous Vapours:—			
Chloral Hydrate, -	1	-	1	Coal Gas, - - -	15	24	39
Aspirin, - - -	1	-	1	Carbon Monoxide,	2	-	2
Barbiturate, - -	1	-	1	Carbon Dioxide, -	1	-	1
Soneryl, - - -	1	-	1	Benzol Fumes, -	1	-	1
				Alcohol Fumes, -	2	-	2
Carried forward,	7	1	8	Total, - - -	28	25	53

SUICIDAL POISONING.

Coal Gas, - - -	94	64	158	Brought forward,	123	96	219
Motor Fumes, - -	1	-	1	Nembutal, - - -	-	1	1
Lysol, - - -	21	24	45	Potassium Cyanide, -	2	-	2
Cresol, - - -	2	-	2	Hydrocyanic Acid, -	1	-	1
Carbolic Acid, - -	1	-	1	Aspirin, - - -	2	-	2
Izal, - - -	-	1	1	Ammonia, - - -	1	1	2
Luminal, - - -	1	2	3	Sloan's Liniment, -	1	-	1
Medinal, - - -	1	1	2	Iodine, - - -	1	-	1
Soneryl, - - -	1	1	2	Hydrochloric Acid, -	1	-	1
Barbituric Acid, -	1	1	2	Arsenic, - - -	1	-	1
Luminal and Aspirin,	-	1	1	Bromidia, - - -	-	1	1
Allonal, - - -	-	1	1	Mercuric Chloride, -	-	1	1
Carried forward,	123	96	219	Total, - - -	133	100	233

DEATHS UNDER ANÆSTHETICS (Secondary Cause).

Ether, - - -	12	16	28	Brought forward,	68	59	127
Chloroform, - - -	16	9	25	Cyclopropane, - -	1	-	1
Chloroform and Ether,	14	7	21	Neocaine and Nitrous			
Nitrous Oxide and Ether,	6	15	21	Oxide, - - -	1	-	1
Nitrous Oxide, - -	7	9	16	Percaïne and Nitrous			
Ethyl Chloride and				Oxide, - - -	-	1	1
Ether, - - -	7	3	10	Chloroform and			
Ethyl Chloride, -	2	-	2	Nitrous Oxide, -	-	1	1
Evipan, - - -	1	-	1	Percaïne, - - -	2	5	7
Ethyl Chloride and				Novocaine, - - -	1	1	2
Chloroform, - -	1	-	1	Neocaine, - - -	-	2	2
Avertin, - - -	1	-	1	Durocaine, - - -	1	1	2
Nitrous Oxide and				Planocaine, - - -	-	1	1
Novocaine, - -	1	-	1	Tropacocaine, - -	1	-	1
Carried forward,	68	59	127	Not stated, - -	1	2	3
				Total - - -	76	73	149

TABLE 31.—Deaths in Scotland from Selected Causes of Children aged under One Year, 1937.

CAUSES OF DEATH.	Total (all ages).	<i>Illegitimate only.</i>	DEATHS—AGE.								
			Under 1 day.	1 to 6 days.	1 week.	2 weeks.	3 and 4 weeks.	1 to 2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
Measles - - - - { M. F.	19 14	1 1	- -	- -	- -	- -	- -	- 2	2 1	7 5	10 6
Whooping-cough - - { M. F.	161 200	12 16	- -	- -	- -	- 1	2 3	36 33	40 42	39 59	44 62
Diphtheria - - - - { M. F.	7 2	- -	- -	- -	- -	- -	- -	1 1	- -	3 1	3 -
Erysipelas - - - - { M. F.	5 8	- 2	- -	- -	- 2	1 2	- -	4 2	- 2	- -	- -
Cerebro-spinal fever - - { M. F.	29 22	3 1	- -	- -	- -	- -	- -	2 5	7 3	10 4	10 10
Tubercular meningitis - { M. F.	30 21	1 2	- -	- -	- -	- 1	- -	2 -	10 7	6 7	12 6
Abdominal tuberculosis - { M. F.	2 4	- -	- -	- -	- -	- -	- -	- -	- 2	- 1	2 1
Other tuberculous diseases { M. F.	21 11	- -	- -	- -	- -	- -	- -	2 1	5 2	7 1	7 7
Syphilis - - - - { M. F.	9 6	2 5	1 -	1 -	- 1	1 1	- -	4 1	- 3	1 -	1 -
Convulsions - - - - { M. F.	91 55	5 4	4 1	16 10	1 2	3 -	6 2	23 10	23 19	11 3	4 8
Bronchitis - - - - { M. F.	152 106	11 11	- -	2 1	6 6	7 6	15 8	50 34	44 29	21 12	7 10
Pneumonia (all forms) - { M. F.	712 533	76 38	- -	10 13	29 18	19 11	20 16	164 101	225 156	136 120	109 98
Other respiratory diseases - { M. F.	51 32	4 2	2 -	2 2	2 3	3 3	1 2	17 8	13 6	5 6	6 2
Diarrhoea - - - - { M. F.	441 291	48 28	- -	3 2	14 19	25 10	31 20	106 83	153 78	72 54	37 25
Other digestive diseases - { M. F.	58 30	4 1	- -	4 -	- -	2 1	4 -	10 5	23 10	11 9	4 5
Congenital malformations - { M. F.	310 251	34 14	40 41	83 58	29 28	19 25	11 21	71 38	38 31	16 6	3 3
Congenital debility - - { M. F.	375 318	49 42	70 65	97 78	31 30	37 25	19 31	66 49	46 35	6 2	3 3
Premature birth - - - { M. F.	887 645	78 67	378 264	281 209	98 71	55 40	37 25	32 27	5 8	1 1	- -
Injury at birth - - - { M. F.	164 99	17 13	49 30	84 50	12 9	8 4	4 1	6 4	1 -	- -	- 1
Other infantile diseases - { M. F.	179 127	14 7	58 41	66 57	23 14	12 3	5 2	9 4	5 6	1 -	- -
Accidental mechanical suffocation { M. F.	45 39	2 3	- 1	2 5	- 1	2 3	1 3	20 16	17 8	2 -	1 2
All other causes - - - { M. F.	286 202	35 20	7 5	10 6	13 13	12 18	19 8	51 40	73 43	58 38	43 31
Total—Both Sexes - - -	7050	-	1057	1152	475	360	317	1140	1221	742	586
Males - - - -	4034	-	609	661	258	206	175	676	730	413	306
Females - - - -	3016	-	448	491	217	154	142	464	491	329	280
<i>Illegitimate only—</i>											
Both Sexes - - - -	-	657	93	99	51	39	35	137	107	51	45
Males - - - -	-	396	49	59	27	27	22	90	69	31	22
Females - - - -	-	261	44	40	24	12	13	47	38	20	23

TABLE 32.—Month of Registration of Children aged under One Year dying from Selected Causes in Scotland in 1937.

CAUSES OF DEATH.	Total.	MONTH OF REGISTRATION OF DEATH.											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Measles - - - - -	33	1	2	1	5	2	4	3	-	1	3	4	7
Whooping-cough - - - -	361	48	44	64	62	46	32	20	15	10	6	5	9
Diphtheria - - - - -	9	-	1	2	1	2	-	-	-	2	-	-	1
Erysipelas - - - - -	13	1	1	4	1	-	3	-	-	2	-	1	-
Cerebro-spinal fever - - -	51	3	7	10	5	7	5	6	2	2	1	1	2
Tubercular meningitis - - -	51	2	2	10	8	8	3	6	3	3	2	2	2
Abdominal tuberculosis - - -	6	1	1	-	1	-	2	-	-	-	1	-	-
Other tuberculous diseases - -	32	6	2	4	4	3	2	1	2	-	-	2	6
Syphilis - - - - -	15	2	-	4	1	1	-	1	3	-	2	-	1
Convulsions - - - - -	146	13	13	21	13	17	8	9	10	6	8	11	17
Bronchitis - - - - -	258	35	38	24	21	14	7	5	3	5	10	33	63
Pneumonia (all forms) - - -	1,245	157	115	113	92	75	47	39	43	38	78	204	244
Other respiratory diseases - -	83	3	4	13	12	3	3	3	7	7	5	10	13
Diarrhoea - - - - -	732	46	39	50	57	52	64	50	69	90	84	71	60
Other digestive diseases - - -	88	7	5	7	12	8	4	9	9	6	7	4	10
Congenital malformations - - -	561	60	44	45	60	42	47	42	45	46	39	45	46
Congenital debility - - - -	693	84	57	92	51	60	68	43	41	48	43	50	56
Premature birth - - - - -	1,532	150	141	144	148	131	128	108	118	92	115	113	144
Injury at birth - - - - -	263	8	21	25	28	22	32	19	25	21	25	20	17
Other infantile diseases - - -	306	14	26	34	40	23	26	32	18	19	21	28	25
Accidental mechanical suffocation -	84	7	8	20	7	3	3	6	3	1	5	11	10
All other causes - - - - -	488	80	70	49	36	38	24	25	22	33	26	40	45
Total - - - - -	7,050	728	641	736	665	557	512	427	438	432	481	655	778
<i>Illegitimate only</i> - - -	657	61	49	63	59	47	59	48	43	45	45	58	80

TABLE 33.—Births, Deaths under one year by age-periods, and Death-rates per 1000 Births in Scotland—1937.

DEATHS DURING VARIOUS AGE-PERIODS UNDER ONE YEAR, WITH SUB-DIVISIONS OF ANNUAL DEATH-RATES.																						
Number of Births.	Under 1 Year (Total).		Under 1 year (Illegitimate).		Under 1 Day.		1-6 Days.		1 Week.		2 Weeks.		3 and 4 Weeks.		1-2 Months.		3-5 Months.		6-8 Months.		9-11 Months.	
	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.
Scotland	87,810	7,050	80.3	..	1,057	12.0	1,152	13.1	475	5.4	360	4.1	317	3.6	1,140	13.0	1,221	13.9	742	8.5	586	6.7
Large Burghs	50,491	4,555	90.2	..	618	12.2	654	13.0	314	6.2	250	5.0	195	3.9	759	15.0	843	16.7	530	10.5	392	7.8
Other Districts	37,319	2,495	66.9	..	439	11.8	498	13.3	161	4.3	110	2.9	122	3.3	381	10.2	378	10.1	212	5.7	194	5.2
ILLEGITIMATE ONLY																						
Scotland	5,404	657	93	17.2	99	18.3	51	9.4	39	7.2	35	6.5	137	25.4	107	19.8	51	9.4	45	8.3
Large Burghs	2,817	409	59	20.9	52	18.5	31	11.0	33	11.7	23	8.2	77	27.3	66	23.4	38	13.5	30	10.6
Other Districts	2,587	248	34	13.1	47	18.2	20	7.7	6	2.3	12	4.6	60	23.2	41	15.8	13	5.0	15	5.8
ABERDEEN COUNTY *																						
Aberdeen Burgh (Total)	5,655	386	68.3	54	75	13.3	59	10.4	26	4.6	14	2.5	15	2.7	73	12.9	58	10.3	47	8.3	19	3.4
Remainder of County	3,026	219	72.4	18	45	14.9	32	10.6	16	5.3	6	2.0	6	2.0	43	14.2	33	10.9	26	8.6	12	4.0
Angus County	2,629	167	63.5	36	30	11.4	27	10.3	10	3.8	8	3.0	9	3.4	30	11.4	25	9.5	21	8.0	7	2.7
Arbroath Burgh	4,480	371	82.8	47	59	13.2	69	15.4	21	4.7	13	2.9	9	2.0	56	12.5	57	12.7	53	11.8	34	7.6
Dundee Burgh	283	20	70.7	..	3	10.6	7	24.7	2	7.1	1	3.5	2	7.1	3	10.6	2	7.1
Remainder of County	3,125	272	87.0	34	34	10.9	42	13.4	12	3.8	9	2.9	4	1.3	44	14.1	49	15.7	46	14.7	32	10.2
Argyll County	1,072	79	73.7	13	22	20.5	20	18.7	7	6.5	3	2.8	5	4.7	10	9.3	5	4.7	5	4.7	2	1.9
Argyll County	835	44	52.7	9	15	18.0	7	8.4	1	1.2	3	3.6	9	10.8	5	6.0	2	2.4	2	2.4
Ayr County	5,211	463	88.9	35	67	12.9	76	14.6	37	7.1	28	5.4	29	5.6	70	13.4	71	13.6	41	7.9	44	8.4
Ayr Burgh	687	69	100.4	6	8	11.6	15	21.8	4	5.8	3	4.4	4	5.8	8	11.6	15	21.8	5	7.3	7	10.2
Kilmarnock Burgh	739	84	113.7	9	4	5.4	8	10.8	9	12.2	10	13.5	8	10.8	14	18.9	15	20.3	10	13.5	6	8.1
Remainder of County	3,785	310	81.9	20	55	14.5	53	14.0	24	6.3	15	4.0	17	4.5	48	12.7	41	10.8	26	6.9	31	8.2
Banff County	955	78	81.7	16	17	17.8	20	20.9	2	2.1	6	6.3	6	6.3	8	8.4	8	8.4	7	7.3	4	4.2
Berwick County	332	18	54.2	5	2	6.0	5	15.1	3	9.0	2	6.0	4	12.0	2	6.0
Bute County	214	10	46.7	..	3	14.0	2	9.3	1	4.7	1	4.7	2	9.3	1	4.7
Caithness County	418	31	74.2	5	4	9.6	6	14.4	2	4.8	1	2.4	5	12.0	6	14.4	4	9.6	3	7.2
Clackmannan County	534	34	63.7	1	4	7.5	11	20.6	2	3.7	2	3.7	1	1.9	4	7.5	3	5.6	5	9.4	2	3.7
Dunbarton County	2,596	189	72.8	19	21	8.1	33	12.7	10	3.9	19	7.3	11	4.2	29	11.2	32	12.3	20	7.7	14	5.4
Clydebank Burgh	854	70	82.0	9	10	11.7	11	12.9	3	3.5	9	10.5	3	3.5	10	11.7	14	16.4	5	5.9	5	5.9
Dumbarton Burgh	390	27	69.2	5	3	7.7	3	7.7	2	5.1	1	2.6	1	2.6	6	15.4	5	12.8	4	10.3	2	5.1
Remainder of County	1,352	92	68.0	5	8	5.9	19	14.1	5	3.7	9	6.7	7	5.2	13	9.6	13	9.6	11	8.1	7	5.2
Dumfries County	1,288	93	72.2	15	10	7.8	26	20.2	7	5.4	3	2.3	5	3.9	11	8.5	12	9.3	7	5.4	12	9.3
Dumfries Burgh	412	37	89.8	9	4	9.7	14	34.0	3	7.3	1	2.4	1	2.4	9	21.8	2	4.9	3	7.3
Remainder of County	876	56	63.9	6	6	6.8	12	13.7	4	4.6	2	2.3	5	5.7	10	11.4	3	3.4	5	5.7	9	10.3
East Lothian County	810	41	50.6	4	8	9.9	10	12.3	1	1.2	2	2.5	1	1.2	8	9.9	5	6.2	4	4.9	2	2.5
Fife County	4,656	307	65.9	19	62	13.3	78	16.8	22	4.7	12	2.6	10	2.1	43	9.2	39	8.4	24	5.2	17	3.7
Dunfermline Burgh	573	34	59.3	2	6	10.5	6	10.5	3	5.2	10	17.5	5	8.7	3	5.2	1	1.7
Kirkcaldy Burgh	716	45	67.1	1	12	16.8	13	18.2	2	2.8	2	2.8	2	2.8	4	5.6	9	12.6	2	2.8	2	2.8
Remainder of County	3,368	225	66.8	16	44	13.1	59	17.5	17	5.0	10	3.0	8	2.4	29	8.6	25	7.4	19	5.6	14	4.2

	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)
INVERNESS COUNTY .	1,169	81	69.3	14	148.9	19	16.3	18	15.4	6	5.1	5	4.3	10	8.6	9	7.7	5	4.3	9	7.7
Inverness Burgh .	349	25	71.6	5	250.0	7	20.1	4	11.5	2	5.7	5	14.3	3	8.6	3	8.6	1	2.9
Remainder of County	820	56	68.3	9	121.6	12	14.6	14	17.1	6	7.3	3	3.7	5	6.1	6	7.3	2	2.4	8	9.8
KINCARDINE COUNTY *	453	27	59.6	1	23.3	6	13.2	7	15.5	7	15.5	3	6.6	3	6.6	1	2.2
KINROSS COUNTY .	104	4	38.5	1	9.6	3	28.8	
KIRKCUDBRIGHT COUNTY	525	31	59.0	4	57.1	5	9.5	6	11.4	1	1.9	3	5.7	2	3.8	5	9.5	2	3.8	2	3.8	5	9.5
LANARK COUNTY .	32,284	3063	94.9	251	111.2	378	11.7	402	12.5	211	6.5	178	5.5	143	4.4	511	15.8	599	18.6	359	11.1	262	8.7
Airdrie Burgh .	602	45	74.8	5	131.6	5	8.3	11	18.3	1	1.7	2	3.3	3	5.0	9	15.0	7	11.6	2	3.3	5	8.3
Coatbridge Burgh .	974	96	98.6	7	259.3	23	23.6	14	14.4	3	3.1	2	2.1	3	3.1	13	13.3	13	13.3	14	14.4	11	11.3
Glasgow Burgh .	22,180	2314	104.3	201	158.1	259	11.7	271	12.2	178	3.0	147	6.6	107	4.8	391	17.6	460	20.7	291	13.1	210	9.5
Hamilton Burgh .	894	65	72.7	4	81.6	11	12.3	9	10.1	3	3.4	4	4.5	2	2.2	9	10.1	7	7.8	14	15.7	6	6.7
Motherwell & Wishaw Burgh	1,350	97	71.9	7	106.1	12	8.9	21	15.6	4	3.0	3	2.2	3	2.2	16	11.9	20	14.8	6	4.4	12	8.9
Rutherglen Burgh .	348	25	71.8	3	142.9	2	5.7	5	14.4	2	5.7	3	8.6	4	11.5	1	2.9	5	14.4	1	2.9	2	5.7
Remainder of County	5,936	421	70.9	24	78.7	66	11.1	71	12.0	20	3.4	17	2.9	21	3.5	72	12.1	87	14.7	31	5.2	36	6.1
MIDLOTHIAN COUNTY	8,884	614	69.1	55	101.7	99	11.1	117	13.2	56	6.3	39	4.4	22	2.5	95	10.7	97	10.9	53	6.0	36	4.1
Edinburgh Burgh .	7,375	516	70.0	50	108.2	90	12.2	100	13.6	46	6.2	31	4.2	19	2.6	82	11.1	71	9.6	47	6.4	30	4.1
Remainder of County	1,509	98	64.9	5	63.3	9	6.0	17	11.3	10	6.6	8	5.3	3	2.0	13	8.6	26	17.2	6	4.0	6	4.0
MORAY COUNTY .	742	59	79.5	10	125.0	10	13.5	12	16.2	4	5.4	1	1.3	6	8.1	9	12.1	10	13.5	7	9.4
NAIRN COUNTY .	129	7	54.3	2	400.0	1	7.8	1	7.8	1	7.8	1	7.8	1	7.8	1	7.8	1	7.8
ORKNEY COUNTY .	333	20	60.1	3	9.0	3	9.0	2	6.0	1	3.0	7	21.0	4	12.0
PEEBLES COUNTY .	175	6	34.3	1	125.0	1	5.7	1	5.7	1	5.7	2	11.4	1	5.7
PERTH COUNTY .	1,620	96	59.3	17	130.8	14	8.6	17	10.5	6	3.7	1	0.6	9	5.6	16	9.9	19	11.7	8	4.9	6	3.7
Perth Burgh .	526	42	79.8	4	105.3	5	9.5	5	9.5	3	5.7	1	1.9	6	11.4	10	19.0	9	17.1	1	1.9	2	3.8
Remainder of County	1,094	54	49.4	13	141.3	9	8.2	12	11.0	3	2.7	3	2.7	6	5.5	10	9.1	7	6.4	4	3.7
RENFREW COUNTY .	5,788	487	84.1	34	147.2	71	12.3	64	11.1	21	3.6	19	3.3	15	2.6	87	15.0	100	17.3	60	10.4	50	8.6
Greenock Burgh .	1,749	169	96.6	13	162.5	15	8.6	14	8.0	4	2.3	6	3.4	6	3.4	42	24.0	39	22.3	25	14.3	18	10.3
Paisley Burgh .	1,716	160	93.2	12	171.4	37	21.6	24	14.0	9	5.2	5	2.9	5	2.9	23	13.4	29	16.9	11	6.4	17	9.9
Port-Glasgow Burgh	475	39	82.1	2	90.9	2	4.2	6	12.6	1	2.1	1	2.1	6	12.6	12	25.3	6	12.6	5	10.5
Remainder of County	1,848	119	64.4	7	118.6	17	9.2	20	10.8	8	4.3	7	3.8	3	1.6	16	8.7	20	10.8	18	9.7	10	5.4
ROSS AND CROMARTY COUNTY	875	44	50.3	5	52.6	6	6.9	12	13.7	5	5.7	2	2.3	2	2.3	6	6.9	6	6.9	2	2.3	3	3.4
ROXBURGH COUNTY .	686	40	62.9	3	73.2	8	12.6	15	23.6	4	6.3	1	1.6	5	7.9	6	9.4	1	1.6
SELKIRK COUNTY .	259	12	46.3	2	166.7	2	7.7	2	7.7	2	7.7	3	11.6	1	3.9	1	3.9	1	3.9
STIRLING COUNTY .	3,172	222	70.0	14	88.6	42	13.2	47	14.8	14	4.4	10	3.2	8	2.5	31	9.8	36	11.3	17	5.4	17	5.4
Falkirk Burgh .	632	44	69.6	7	11.1	12	19.0	2	3.2	1	1.6	4	6.3	7	11.1	7	11.1	3	4.7	1	1.6
Stirling Burgh .	517	38	73.5	3	107.1	14	27.1	7	13.5	3	5.8	2	3.9	2	3.9	3	5.8	4	7.7	1	1.9	2	3.9
Remainder of County	2,023	140	69.2	11	59.1	21	10.4	28	13.8	9	4.4	7	3.5	2	1.0	21	10.4	25	12.4	13	6.4	14	6.9
SUTHERLAND COUNTY	213	7	32.9	1	4.7	1	4.7	1	4.7	1	4.7	3	14.1
WEST LOTHIAN COUNTY	1,616	119	73.6	8	103.9	31	19.2	14	8.7	8	5.0	1	0.6	6	3.7	19	11.8	21	13.0	12	7.4	7	4.3
WILTOWN COUNTY .	574	56	62.7	7	84.3	7	12.2	7	12.2	2	3.5	2	3.5	6	10.5	4	7.0	1	1.7	7	12.2
ZETLAND COUNTY .	275	10	36.4	5	18.2	2	7.3	1	8.6	1	3.6	1	3.6

Note.—Some of the above rates are based on very few observations and are therefore of limited value.

* See footnote Table 4.

TABLE 34.—Meteorology of Scotland for 1937 ; also the Number of Births, Deaths, Deaths under 1, and Marriages registered during each Month of the Year 1937.

	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Mean Barometer(inch)	29·618	29·462	29·707	29·834	29·987	29·983	29·910	30·038	29·820	29·972	30·046	29·908	29·857
Mean of Max. Temp.	45°·1	43°·5	42°·4	52°·3	59°·3	62°·9	65°·3	66°·2	60°·6	54°·3	47°·5	40°·7	53°·3
„ „ Min. „ .	36°·1	34°·5	31°·5	41°·2	44°·9	48°·6	51°·7	52°·0	47°·5	42°·7	36°·4	31°·0	41°·5
Mean Temperature.	40°·6	39°·0	36°·9	46°·7	52°·1	55°·7	58°·5	59°·1	54°·0	48°·5	41°·9	35°·8	47°·4
Absolute Maximum .	59°	55°	55°	71°	75°	78°	80°	84°	72°	67°	61°	57°	84°
Absolute Minimum .	19°	11°	0°	21°	24°	28°	34°	34°	27°	19°	15°	−7°	−7°
Rainfall(Normal100)	162	136	77	71	78	103	126	91	85	81	30	76	92
Births	7250	6755	7584	8131	8032	7701	7585	7344	6816	6869	6580	7163	87810
Deaths	8692	6595	6837	5741	5186	4854	4677	4461	4478	4708	5706	7007	68942
Deaths under 1 . . .	728	641	736	665	557	512	427	438	432	481	655	778	7050
Marriages	3597	1945	2551	3079	1796	4488	4977	3018	3521	2678	2706	3995	38351
Rates per 1000 of Estimated Population { Births	17·2	17·7	17·9	19·9	19·0	18·8	17·9	17·4	16·7	16·3	16·1	16·9	17·6
Deaths	20·6	17·3	16·2	14·0	12·3	11·9	11·1	10·6	10·9	11·1	13·9	16·6	13·9
*Infantile Mortality	100	95	97	82	69	66	56	60	63	70	100	109	80
Marriages	8·5	5·1	6·0	7·5	4·2	11·0	11·8	7·1	8·6	6·3	6·6	9·5	7·7

* Rate per 1000 births.

TABLE 35.—Deaths, Temperature, and Rainfall in Sixteen Large Burghs of Scotland during each Week of 1937.

No. of Week.	Week ending	Deaths (Corrected for Transfers).	Death-rate (Corrected) per 1000 of Population.	TEMPERATURE.			RAIN, in inches	No. of Week.	Week ending	Deaths (Corrected for Transfers).	Death-rate (Corrected) per 1000 of Population.	TEMPERATURE.			RAIN, in inches
				Maxi-mum.	Mini-mum.	Mean.						Maxi-mum.	Mini-mum.	Mean.	
1	January 9	986	20·2	55·0	26·0	43·5	1·23	27	July 10	584	11·9	70·0	40·8	55·7	1·90
2	16	1161	23·7	53·0	25·0	42·1	0·79	28	17	534	10·9	74·0	42·8	59·9	0·43
3	23	1306	26·7	56·0	26·4	40·5	0·82	29	24	561	11·5	74·8	47·0	59·2	0·94
4	30	1117	22·8	53·0	28·0	37·5	0·82	30	31	557	11·4	78·0	42·8	58·6	0·02
5	February 6	1045	21·4	52·0	30·0	41·5	1·08	31	August 7	533	10·9	81·0	48·0	62·0	0·29
6	13	845	17·3	51·0	25·0	37·1	1·32	32	14	536	11·0	74·0	42·0	60·2	1·06
7	20	780	15·9	53·1	30·0	41·4	1·03	33	21	504	10·3	74·8	39·0	56·8	0·74
8	27	737	15·1	49·3	25·0	36·7	0·63	34	28	486	9·9	73·0	38·0	59·1	0·28
9	March 6	833	17·0	48·7	28·0	37·2	0·30	35	September 4	520	10·6	68·0	47·0	57·8	1·50
10	13	759	15·5	46·3	17·0	32·7	0·28	36	11	515	10·5	65·0	33·4	55·1	0·58
11	20	785	16·0	55·0	21·0	38·6	1·21	37	18	591	12·1	64·9	33·0	56·7	0·44
12	27	715	14·6	51·5	22·0	37·8	0·17	38	25	585	12·0	67·0	33·0	53·3	0·28
13	April 3	769	15·7	54·0	24·0	40·5	0·13	39	October 2	543	11·1	70·0	31·0	53·4	1·25
14	10	673	13·8	59·0	38·0	47·5	0·52	40	9	568	11·6	64·0	31·0	50·5	0·07
15	17	657	13·4	59·0	30·2	45·2	0·61	41	16	612	12·5	63·0	33·0	50·0	0·10
16	24	667	13·6	61·0	33·0	47·1	0·39	42	23	572	11·7	64·0	31·8	49·9	1·03
17	May 1	620	12·7	70·0	28·8	50·3	0·05	43	30	570	11·7	53·0	26·0	43·5	1·15
18	8	612	12·5	68·0	32·0	50·6	0·27	44	November 6	656	13·4	59·0	33·4	48·0	0·18
19	15	571	11·7	66·2	33·0	48·4	0·02	45	13	660	13·5	54·0	19·6	41·8	0·13
20	22	599	12·2	69·0	37·8	52·4	1·21	46	20	693	14·2	49·7	21·0	38·9	0·21
21	29	627	12·8	72·0	39·0	56·4	0·33	47	27	723	14·8	53·0	20·0	39·2	0·13
22	June 5	591	12·1	67·0	36·2	53·6	1·09	48	December 4	787	16·1	55·0	23·0	40·1	0·39
23	12	613	12·5	71·0	40·0	56·4	0·35	49	11	799	16·3	41·0	17·0	32·5	1·29
24	19	549	11·2	72·0	36·2	55·6	0·27	50	18	818	16·7	43·0	7·0	31·6	0·62
25	26	585	12·0	77·0	41·0	57·2	0·09	51	25	841	17·2	54·0	15·0	38·2	1·01
26	July 3	561	11·5	74·0	40·0	57·3	1·49	52	Jan. 1, 1938	818	16·7	50·8	22·0	39·5	0·02

This Table is compiled from Weekly Returns for 1937. Deaths and Death-rates have been provisionally corrected by allocation to place of usual residence.

TABLE 36.—VACCINATIONS in SCOTLAND.

Year.	Total Births Registered.	Number Surviving at Six Months.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declaration of Conscientious Objection.	Vaccination Postponed.	Removed from District before Vaccination, or otherwise unaccounted for.
				From previous Vaccination.	From Constitutional Insusceptibility.	From having had Small-pox				
NUMBERS.										
1926	102,457	95,512	57,741	332	1,063	0	6,945	30,804	2,338	3,234
1927	96,653	89,860	54,290	264	1,030	0	5,793	28,523	2,534	3,219
1928	96,869	90,221	52,209	239	1,295	0	6,648	30,596	2,370	3,512
1929	92,860	86,677	47,201	276	2,173	0	6,183	31,309	2,169	3,549
1930	94,571	88,329	47,571	225	1,325	0	6,242	34,079	1,918	3,211
1931	92,188	86,328	44,333	254	1,677	0	5,860	35,415	1,746	2,903
1932	91,019	85,092	41,399	317	2,142	0	5,927	36,717	1,639	2,878
1933	86,539	81,056	37,741	166	1,971	0	5,483	36,654	1,611	2,913
1934	88,788	83,389	38,184	170	1,601	0	5,399	38,993	1,640	2,801
1935	87,935	82,356	37,049	214	1,378	0	5,579	39,522	1,502	2,691
1936	88,932	83,310	36,809	213	1,105	0	5,622	40,796	1,489	2,898
RATE PER CENT. OF TOTAL BIRTHS.										
1926	100·00	—	56·86	0·32	1·04	0·00	6·78	30·06	2·28	3·16
1927	100·00	—	56·17	0·27	1·07	0·00	7·03	29·51	2·62	3·33
1928	100·00	—	53·90	0·25	1·34	0·00	6·86	31·58	2·45	3·62
1929	100·00	—	50·83	0·30	2·34	0·00	6·66	33·72	2·33	3·82
1930	100·00	—	50·30	0·24	1·40	0·00	6·60	36·03	2·03	3·40
1931	100·00	—	48·09	0·27	1·82	0·00	6·36	38·42	1·89	3·15
1932	100·00	—	45·48	0·35	2·35	0·00	6·51	40·34	1·80	3·16
1933	100·00	—	43·61	0·19	2·28	0·00	6·34	42·86	1·86	3·37
1934	100·00	—	43·01	0·19	1·80	0·00	6·08	43·92	1·85	3·15
1935	100·00	—	42·13	0·24	1·57	0·00	6·34	44·95	1·71	3·06
1936	100·00	—	41·39	0·24	1·24	0·00	6·32	45·87	1·67	3·26
RATE PER CENT. OF CHILDREN SURVIVING AT SIX MONTHS.										
1864-1873	—	100·00	96·19	0·22	0·28	0·05	—	—	0·77	2·49
1874-1883	—	100·00	96·12	0·29	0·16	0·01	—	—	1·21	2·21
1884-1893	—	100·00	94·72	0·25	0·24	0·00	—	—	2·13	2·66
1894-1903	—	100·00	93·84	0·32	0·47	0·00	—	—	2·36	3·01
1904-1913	—	100·00	76·24	0·57	0·58	0·00	—	14·88	2·69	5·04
1914-1923	—	100·00	59·94	0·33	0·67	0·00	—	32·44	2·46	4·16
1924-1933	—	100·00	55·99	0·30	1·60	0·00	—	36·15	2·38	3·59
1926	—	100·00	60·45	0·35	1·11	0·00	—	32·25	2·45	3·39
1927	—	100·00	60·42	0·29	1·15	0·00	—	31·74	2·82	3·58
1928	—	100·00	57·87	0·26	1·44	0·00	—	33·91	2·63	3·89
1929	—	100·00	54·46	0·32	2·51	0·00	—	36·12	2·50	4·09
1930	—	100·00	53·86	0·25	1·50	0·00	—	38·58	2·17	3·64
1931	—	100·00	51·36	0·30	1·94	0·00	—	41·02	2·02	3·36
1932	—	100·00	48·65	0·37	2·52	0·00	—	43·15	1·93	3·38
1933	—	100·00	46·56	0·20	2·43	0·00	—	45·22	1·99	3·59
1934	—	100·00	45·79	0·20	1·92	0·00	—	46·76	1·97	3·36
1935	—	100·00	44·99	0·26	1·67	0·00	—	47·99	1·82	3·27
1936	—	100·00	44·18	0·26	1·33	0·00	—	48·37	1·79	3·48

TABLE 37.—Deaths from Small-pox in Scotland, 1855-1936, with Vaccination Particulars, 1864-1936.

State of Vaccination of Children whose Births were Registered during the Years 1864 to 1936; Percentages (excluding those who Died before Vaccination).						Deaths from Small-pox, 1855 to 1936.					Deaths from Cow-pox and Effects of Vaccination, 1883-1936.
Year.	Successfully Vaccinated.*	Vaccination Postponed.†	Insusceptible of Vaccination.	Statutory Declarations of Conscientious Objection.	Unaccounted for.	Total (including Age Not Stated).	0-4 Years.	5-24 Years.	25-64 Years.	65 Years and upwards.	
Average 1855-1863	979	690	183	102	3	
1864-1873	96·4	0·8	0·3	..	2·5	763	259	282	216	6	
1874-1883	96·4	1·2	0·2	..	2·2	145	33	64	47	1	
1884-1893	95·0	2·1	0·2	..	2·7	18	2	5	11	0	3
1894-1903	94·2	2·4	0·5	..	3·0	64	9	10	44	1	1
1904-1913	76·8	2·7	0·6	14·9	5·0	22	4	2	15	1	1
1914-1923	60·3	2·5	0·7	32·4	4·2	18	3	4	10	1	1
1924-1933	56·3	2·4	1·6	36·1	3·6	1
1926	60·8	2·4	1·1	32·3	3·4
1927	60·7	2·8	1·2	31·7	3·6	2
1928	58·1	2·6	1·4	33·9	3·9	1
1929	54·8	2·5	2·5	36·1	4·1
1930	54·1	2·2	1·5	38·6	3·6	2	..	1	1	..	1
1931	51·7	2·0	1·9	41·0	3·4	1
1932	49·0	1·9	2·5	43·1	3·4
1933	46·8	2·0	2·4	45·2	3·6
1934	46·0	2·0	1·9	46·8	3·4
1935	45·2	1·8	1·7	48·0	3·3
1936	44·4	1·8	1·3	49·0	3·5

* Including such as were certified as Insusceptible of Vaccination "on the ground of previous successful vaccination," the children having been vaccinated by persons unauthorised to grant certificates.

† At the end of the year following that of registration of birth.

GENERAL REGISTRATION SUMMARY.

GENERAL REGISTRATION SUMMARY.

1. EVENTS REGISTERED IN 1937. 2. VACCINATIONS OF CHILDREN WHOSE BIRTHS WERE REGISTERED IN 1936.
(Figures in this Table show actual numbers as Registered, and are not "Corrected for Transfers.")

No.	COUNTIES AND LARGE BURGHs.	POPULATION (Enumerated at Census of)		REGISTERED BIRTHS, DEATHS AND MARRIAGES, 1937.				VACCINATIONS, 1936.							Total Births, 1936. (Not corrected for Transfers.)	
		1931	1921	Births.		Deaths.		Died before Vaccination.	Statutory Declara- tions of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccin- ation, or otherwise.					
				Total.	Illeg- itimate.	Total.	From Uncer- tified Causes.									
												Marr- iages.				
	SCOTLAND . . .	4,842,980	4,882,497	87,810	5404	68,942	199	38,351	36,809	213	1105	5622	40,796	1489	2898	88,932
	COUNTIES.															
1	Zetland . . .	21,421	25,520	274	14	358	13	101	17	8	251	...	2	278
2	Orkney . . .	22,077	24,111	331	15	402	2	169	51	1	...	10	220	2	5	289
3	Caithness . . .	25,656	28,285	428	45	411	...	149	85	2	...	16	303	17	33	456
4	Sutherland . . .	16,101	17,802	202	14	242	4	57	50	8	107	1	26	192
5	Ross and Cromarty . . .	62,799	70,818	834	82	924	80	268	367	13	...	29	295	22	126	857
6	Inverness . . .	82,108	82,455	1,145	89	1,248	82	538	502	1	...	54	517	33	152	1,264
7	Nairn . . .	8,294	8,790	145	5	109	...	41	122	5	26	5	3	161
8	Moray . . .	40,806	41,558	744	79	571	...	271	506	8	...	37	154	13	20	738
9	Banff . . .	54,907	57,298	917	92	642	...	330	335	4	...	43	500	19	50	951
10	Aberdeen . . .	313,521	313,018	5,704	540	4,266	...	2,592	4,141	49	...	321	1147	114	146	5,952
11	Kincardine . . .	26,780	29,777	408	35	313	1	171	322	7	...	18	46	6	20	419
12	Angus . . .	270,190	271,052	4,574	328	4,229	1	2,141	1,641	36	...	254	2,714	29	32	4,706
13	Perth . . .	120,793	125,503	1,590	116	1,757	1	755	1,100	39	...	84	412	14	25	1,674
14	Fife . . .	276,368	292,925	4,496	180	3,289	2	1,991	1,491	48	...	234	2,760	64	50	4,658
15	Kinross . . .	7,454	7,963	91	2	121	...	39	48	4	35	...	2	89
16	Clackmannan . . .	31,948	32,542	486	15	327	...	212	204	3	...	34	231	4	1	480
17	Stirling . . .	166,447	161,721	3,192	142	2,236	1	1,240	1,058	30	...	207	1,774	71	82	3,231
18	Dunbarton . . .	147,744	150,570	2,206	75	1,643	...	963	562	27	...	107	1,482	26	58	2,263
19	Argyll . . .	63,050	76,862	759	66	995	7	309	391	8	...	41	293	26	53	817
20	Bute . . .	18,823	33,711	204	16	295	...	79	108	4	...	8	66	7	2	195

21	Renfrew	288,601	286,709	5,567	212	3,977	1	1,989	1,574	10	46	...	356	3,191	165	114	5,456
22	Ayr	285,217	299,273	5,160	248	3,970	2	2,181	1,816	9	50	...	349	2,888	111	167	5,390
23	Lanark	1,536,032	1,551,928	33,101	1902	23,429	...	14,115	12,190	98	559	...	2575	15,790	538	1306	38,056
24	West Lothian	81,431	83,960	1,415	55	726	...	534	417	...	11	...	82	921	9	14	1,455
25	Midlothian	526,296	506,377	9,505	677	8,462	...	5,069	5,138	18	114	...	522	3,250	126	284	9,452
26	East Lothian	47,338	47,487	690	28	490	...	303	402	...	2	...	22	271	8	7	712
27	Berwick	26,612	28,246	288	19	288	...	128	186	...	6	...	10	68	2	2	274
28	Peebles	15,051	15,332	160	6	165	...	98	120	...	7	...	5	18	...	1	151
29	Selkirk	22,608	22,607	263	9	296	...	146	143	...	1	...	18	106	268
30	Roxburgh	45,788	44,989	584	31	653	...	313	340	...	3	...	21	202	23	7	596
31	Dumfries	81,047	81,464	1,314	127	1,270	1	681	702	3	7	...	86	536	13	30	1,377
32	Kirkcudbright	30,341	31,061	473	62	422	...	178	397	...	3	...	26	90	6	9	581
33	Wigtown	29,331	30,783	560	78	416	...	200	283	2	12	...	31	132	15	69	544
LARGE BURGHS.																	
	Glasgow	1,088,524	1,051,589	23,268	1479	18,008	...	10,597	9,546	77	459	...	1970	9,790	294	1099	23,235
	Edinburgh	439,010	420,264	8,342	628	7,655	...	4,451	4,653	17	105	...	469	2,657	103	245	8,249
	Dundee	175,681	168,395	3,363	257	2,819	1	1,521	838	...	19	...	190	2,320	16	17	3,400
	Aberdeen	169,803	161,193	3,212	242	2,692	...	1,721	2,422	31	26	...	192	454	67	36	3,230
	Paisley	86,445	84,837	1,705	66	1,167	...	676	442	...	16	...	129	975	112	19	1,693
	Greenock	79,012	81,207	1,734	70	1,298	...	552	309	8	15	...	112	1,145	8	21	1,618
	Motherwell and Wishaw	65,611	69,956	1,340	54	660	...	506	304	...	12	...	83	789	70	20	1,278
	Clydebank	46,952	46,601	690	24	339	...	334	167	...	12	...	31	479	5	32	726
	Kirkcaldy	43,874	44,298	955	42	543	...	420	239	...	4	...	62	536	32	5	878
	Coatbridge	43,312	44,223	743	23	570	...	312	252	6	5	...	50	451	16	18	798
	Kilmarnock	38,681	36,658	858	41	617	...	313	297	3	58	567	45	2	972
	Hamilton	37,990	39,613	964	44	429	...	324	193	...	9	...	56	639	10	19	926
	Ayr	38,905	37,504	963	45	859	...	393	407	2	17	...	101	370	8	49	954
	Falkirk	36,566	34,419	855	29	557	...	330	192	...	3	...	53	560	30	5	843
	Dunfermline	35,058	39,899	729	32	569	...	313	252	8	21	414	10	12	717
	Perth	35,051	33,339	718	69	696	...	336	402	...	18	...	48	241	8	12	729
	Airdrie	26,734	26,215	830	38	293	...	197	263	6	3	...	54	464	16	18	824
	Rutherglen	25,157	24,744	241	11	204	...	256	79	...	12	...	16	143	11	1	262
	Dumfries	22,795	21,822	514	56	455	...	254	195	2	41	236	2	6	482
	Stirling	22,593	21,345	745	52	458	1	218	295	2	7	...	51	247	14	52	668
	Inverness	22,583	20,944	447	35	439	...	375	204	4	25	221	5	45	504
	Dumbarton	21,546	22,933	366	18	308	...	131	66	...	4	...	16	280	1	3	370
	Port-Glasgow	19,588	21,038	357	15	184	...	132	98	1	1	...	24	212	1	46	383
	Arbroath	17,653	19,521	274	10	304	...	148	83	...	2	...	11	140	5	2	243
TOTAL (Large Burghs)		2,639,124	2,572,557	54,213	3380	42,123	3	24,810	22,198	167	749	...	3863	24,330	889	1786	53,982

The portion of Aberdeen Burgh in Kincardine County is included in Aberdeen County.

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1937.

International Nos. (Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																100 and over							
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-		75-	80-	85-	90-	95-		
	All Causes—Both Sexes	-	*68942	7050	2195	851	603	1102	1260	1389	1473	1700	1956	2575	3376	4381	6133	7452	8409	7783	5570	2709	804	153	16	
	Total Males	-	*34964	4034	1159	461	336	564	662	721	747	885	1040	1420	1814	2429	3265	4036	4147	3686	2296	1008	215	33	4	
	Total Females	-	33978	3016	1036	390	267	538	598	668	726	815	916	1155	1562	1952	2868	3416	4262	4097	3274	1701	589	120	12	
	I. INFECTIOUS AND PARASITIC DISEASES.																									
	TOTAL	-	{ M. F.																							
1	Typhoid fever	-	{ M. F.	6	-	-	-	-	3	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
2	Paratyphoid fevers	-	{ M. F.	1	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Typhus fever	-	{ M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6.1	Smallpox, vaccinated	-	{ M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	" not vaccinated	-	{ M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	" vaccination doubtful	-	{ M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	Measles	-	{ M. F.	62	19	39	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Scarlet fever	-	{ M. F.	57	14	39	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9	Whooping-cough	-	{ M. F.	63	3	29	12	5	3	3	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	
10	Diphtheria	-	{ M. F.	60	4	22	22	2	5	1	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	
				316	161	147	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
				401	200	189	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
				203	7	87	77	20	5	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
				223	2	91	95	24	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
(a)		(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
	Influenza—	(M. F.) Total	1218 1475	52 38	9 9	13 14	28 22	26 33	28 38	29 45	43 45	66 76	77 75	91 77	110 94	144 142	133 165	110 164	117 150	63 153	38 87	6 24	2 5	
11																								
11	with pneumonia	(M. F.)	601 672	24 23	19 13	4 3	10 7	17 21	16 29	21 28	29 23	49 46	44 50	50 33	61 49	74 72	54 81	42 62	44 40	18 43	5 22	2 10	— 1	
2	“	(M. F.)	160 217	3 4	5 —	— 1	— —	— 1	1 —	— 2	2 2	5 3	8 3	10 18	14 11	19 19	21 25	24 31	19 38	13 35	12 21	2 2	— —	
3	“	(M. F.)	64 68	1 1	1 —	— —	— —	— —	— —	— —	2 1	2 8	4 2	4 7	5 1	6 4	9 7	12 6	8 10	5 13	2 2	— —	— —	
41	“	(M. F.)	18 16	— —	— —	— —	— —	— —	— —	— —	2 1	1 3	1 —	2 1	4 2	1 1	1 2	— —	— —	— —	— —	— —	— —	
2	“	(F.)	12	—	—	—	—	3	1	4	3	—	1	—	—	—	—	—	—	—	—	—	—	
3	“	(M. F.)	227 294	13 3	4 4	2 1	9 5	4 3	4 2	6 4	5 11	6 16	14 14	19 16	17 19	29 33	32 33	22 47	21 35	16 23	1 21	1 4	— 1	
4	“	(M. F.)	148 196	11 7	4 2	1 5	— —	3 2	2 3	1 4	3 5	3 —	6 5	6 2	9 12	15 13	16 17	10 18	25 27	11 39	18 21	1 6	2 3	
13	Dysentery	(M. F.)	14 11	3 —	5 1	1 —	— —	— —	— 1	1 1	1 —	— —	— —	— —	— 2	— 2	— —	— —	1 1	1 2	— —	— —	— —	
15	Erysipelas	(M. F.)	57 52	5 8	— —	— —	1 —	1 1	— 3	— —	3 —	4 4	— 1	4 4	4 3	3 3	13 6	8 7	5 4	5 4	1 2	— —	— —	
16	Acute poliomyelitis	(M. F.)	8 3	— —	3 —	1 —	— 1	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
17	Lethargic encephalitis	(M. F.)	45 40	— —	— —	1 —	3 —	3 1	5 5	3 3	— —	4 3	5 5	3 6	4 2	5 2	4 4	1 5	3 —	1 —	1 —	— —	— —	
18	Cerebro-spinal fever	(M. F.)	95 49	29 22	21 14	9 4	7 1	3 2	2 2	2 1	3 1	4 —	2 —	1 —	2 —	1 —	— —	— —	— —	— —	— —	— —	— —	
22	Tetanus	(M. F.)	9 3	— —	— —	4 —	— —	— 1	— —	— —	— —	— —	— —	— —	1 2	— —	— —	— —	— —	— —	— —	— —	— —	

Note.—Sub-headings indicated by letters a, b, c, &c. correspond with the International List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.
* Including 2 of unstated age.

- CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1937—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																100 and over					
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-		75-	80-	85-	90-	95-
	I. INFECTIOUS AND PARASITIC DISEASES—continued.																							
	Tuberculosis— (Total)	{ M. F.	1985 1678	53 36	126 85	57 44	56 60	146 252	215 265	235 231	197 185	166 107	157 100	163 72	116 60	108 57	93 49	59 40	25 20	11 10	1 3	1 2	1 2	1 2
23	Respiratory system	{ M. F.	1522 1269	9 3	22 6	8 9	14 34	101 193	174 230	207 205	171 167	145 87	146 85	157 67	107 50	104 48	80 38	48 24	18 15	10 7	1 1	1 1	1 1	1 1
24	Central nervous system	{ M. F.	208 166	30 21	69 54	36 23	26 19	22 25	7 11	3 5	6 3	6 1	2 1	-	-	1 1	1 1	1 1	-	-	-	-	-	-
25	Intestines and peritoneum	{ M. F.	71 88	2 4	14 5	4 2	9 3	9 17	10 9	6 5	1 7	7 7	4 7	1 3	1 5	1 1	2 2	8 1	2 1	1 1	-	-	-	-
26	Vertebral column	{ M. F.	30 18	-	2 -	1 1	2 -	1 -	4 2	5 3	6 3	1 -	1 -	1 -	3 1	2 -	2 1	4 1	1 -	-	-	-	-	-
27	Other bones and joints	{ M. F.	17 18	-	1 -	-	1 -	1 1	2 2	1 1	1 1	1 4	2 -	-	-	1 2	2 2	2 -	3 1	1 1	1 1	1 1	1 1	1 1
28	Skin and sub-cutaneous tissues	{ M. F.	- 8	-	-	-	-	-	-	-	-	-	1 -	-	-	-	2 -	1 1	2 -	-	1 1	1 1	1 1	1 1
29	Lymphatic system (bronchial and abdominal glands excepted)	{ M. F.	5 5	-	-	1 -	1 -	1 1	-	-	1 -	-	-	-	-	-	1 -	1 1	2 -	1 1	-	-	-	-
30	Genito-urinary system	{ M. F.	25 9	-	-	1 -	-	2 1	4 2	4 2	3 -	4 1	1 1	1 -	2 -	-	2 2	1 -	-	-	-	-	-	-
31	Other organs	{ M. F.	4 1	1 -	-	-	-	1 -	1 -	-	1 -	-	-	-	-	-	-	-	1 -	-	-	-	-	-
32.a	Disseminated—acute	{ M. F.	63 58	10 8	14 19	4 5	1 1	5 5	6 4	5 2	4 1	3 2	2 2	2 1	3 3	2 2	1 1	3 2	-	-	-	-	-	-
b	“ chronic (c)	{ M. F.	40 38	1 -	4 1	3 3	4 1	6 7	7 5	4 8	4 2	1 4	1 1	1 1	1 1	2 1	2 -	2 -	1 1	-	-	-	-	-
a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
34	Syphilis - - - - -	(M. F.)	57 22	9 6	1 1	1 1	1 1	1 1	1 1	1 1	1 2	5 5	4 4	5 4	7 3	11 1	6 2	2 2	2 2	1 1	-	-	-	-
35	Other venereal diseases - - - - -	(M. F.)	2 4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
36	Purulent infection, Septicæmia - - - - -	(M. F.)	69 46	11 12	7 6	2 2	1 2	5 1	4 3	3 -	5 1	6 2	2 2	2 3	5 2	4 2	5 5	3 -	1 -	1 -	-	-	-	-
38	Malaria - - - - -	(M. F.)	4 1	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
41	Hydatid cysts - - - - -	(M. F.)	1 -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
43	Mycoses - - - - -	(M. F.)	3 2	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
44*	Other infectious or parasitic diseases (4, 5, 12, 14, 19, 20, 21, 33, 37, 39, 40, 42)	(M. F.)	11 12	3 3	3 6	-	-	-	-	1	1	-	-	1	1	-	2	-	1	-	-	-	-	-
II. CANCER AND OTHER TUMOURS.																								
Cancer—	Total - - - - -	(M. F.)	3735 4405	4 2	9 8	8 8	5 5	3 3	28 17	47 49	70 122	110 178	178 277	279 385	443 483	557 594	732 674	609 671	379 490	186 301	51 96	5 21	-	-
	(Total)	(M. F.)	3609 4201	1 1	3 6	5 3	3 2	14 14	23 14	37 40	65 104	97 165	166 251	266 355	431 462	545 574	727 659	602 662	374 478	185 297	50 95	5 19	-	-
45	Buccal cavity, Pharynx - - - - -	(M. F.)	312 81	-	1 1	-	-	2	-	1 1	3 1	1 2	3 4	13 10	30 8	53 13	75 9	57 10	47 8	15 12	10 2	-	-	-
46	Digestive organs, Peritoneum - - - - -	(M. F.)	2213 2287	-	2 2	2 1	1	6 3	13 4	18 18	28 36	50 52	98 87	158 146	258 199	345 328	479 395	393 421	223 332	116 190	19 61	4 13	-	-
47	Respiratory organs - - - - -	(M. F.)	385 163	-	-	2 1	-	2 1	4 2	6 3	15 6	21 4	38 13	48 22	72 18	59 23	47 28	42 21	14 12	11 5	1 4	-	-	-
48	Uterus - - - - -	F.	477	-	-	-	-	1	3	4	26	43	51	66	68	69	49	59	24	11	1	-	-	-
49	Other female genital organs - - - - -	F.	194	-	1	-	-	-	1	4	4	14	22	25	29	25	28	20	9	9	2	-	-	-

* For further particulars see Text Table J.

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1937—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																							
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95-	100 and over		
II. CANCER AND OTHER TUMOURS— <i>continued.</i>																										
Cancer— <i>continued.</i>																										
50	Breast - - - - - { M. F.	3 671	-	-	-	-	-	1	7	27	37	53	62	1	84	102	75	56	41	12	5	-	-	-	-	
51	Male genito-urinary organs - - M.	393	-	-	-	1	-	3	2	3	11	8	26	38	52	78	68	60	29	14	-	-	-	-		
52	Skin - - - - - { M. F.	69 58	-	1	-	1	1	-	2	3	2	2	8	5	2	12	13	7	7	3	-	-	-	-		
53	Other or unspecified organs - - { M. F.	234 270	1	1	-	1	5	3	10	13	12	16	12	28	30	36	29	23	7	3	1	-	-	-		
55	Tumours, non-malignant, or of unde- termined nature (54)—		1	3	1	2	4	1	3	4	13	21	23	30	30	42	45	22	17	6	1	-	-	-		
a1	Ovary - - - - - F.	33	-	-	-	-	-	-	2	3	3	4	4	3	4	2	2	5	1	-	-	-	-	-		
2	Uterus - - - - - F.	40	-	-	-	-	-	-	-	4	7	12	5	2	4	1	-	3	2	-	-	-	-	-		
b1	Brain - - - - - { M. F.	86 93	1	2	3	2	2	6	3	7	12	8	12	8	7	4	4	-	-	-	-	-	-	-		
2	Bladder - - - - - { M. F.	14 3	-	-	-	-	-	-	-	-	-	-	-	2	2	-	3	5	1	1	-	-	-	-		
3	Others - - - - - (b)	26 35 (c)	2	4	1	-	3	1	2	3	1	4	1	2	3	1	-	2	-	1	2	-	-	-		
(a)			(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)		

(a)	(b) III. RHEUMATISM, DISEASES OF NUTRITION AND OTHER GENERAL DISEASES.	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
	TOTAL	486 1,021	19 13	13 7	15 19	20 13	21 26	15 17	19 17	19 17	15 30	12 32	15 53	26 62	46 95	46 128	55 154	70 176	35 99	19 43	5 17	1 2	-	1
56	Rheumatic fever	107 119	-	3 3	11 13	15 11	17 21	11 13	11 8	4 4	5 8	4 4	2 11	4 8	7 5	2 4	5 3	3 2	1 -	2 -	-	-	-	-
57, 1	Chronic rheumatism	10 18	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	3	1	-	-	-	-
2	Rheumatoid arthritis, Osteo-arthritis	16 92	-	-	-	-	-	-	-	-	2	1	2	2	3	2	3	2	2	2	5	-	-	-
58	Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59	Diabetes mellitus	280 587	-	2	2	3	2	4	5	11	5	3	8	17	30	37	42	62	23	13	5	1	-	1
60	Scurvy	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
63	Rickets	10 4	6 2	3	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
65	Diseases of pituitary gland	4 3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-
66, 6	Exophthalmic goitre	18 84	-	-	-	1	2	3	1	3	7	2	2	2	2	6	7	1	2	-	-	-	-	-
e	Myxoedema, Cretinism	6 63	-	-	1	-	-	-	-	-	1	4	3	5	2	1	8	16	1	3	-	-	-	-
e	Other diseases of thyroid and para-thyroid, Tetany (a, d)	9 10	3 2	1 1	-	-	-	-	-	3	-	1	-	3	1	1	2	1	-	-	-	-	-	-
67	Diseases of thymus	10 10	6 5	2 3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Diseases of adrenals	10 20	1 2	1	-	1	-	-	2	-	3	2	5	-	1	1	1	2	-	-	-	-	-	-
69*	Other general diseases (61, 62, 64)	6 10	3 2	1	1	1	-	-	1	2	1	1	5	1	2	1	2	2	-	1	-	-	-	-

* For further particulars see Text Table J.

(a)	(b) VI. DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
	TOTAL	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)
78.a	Cerebral abscess	3765 4234	164 99	60 44	23 21	26 22	33 22	31 29	28 31	34 43	57 49	66 73	108 125	159 221	275 253	455 445	565 555	613 759	587 713	331 467	123 208	24 43	3 12	-
b	Other forms of encephalitis	15 8	-	-	1 3	1 -	2 -	2 -	1 -	2 -	1 1	1 1	-	1 -	-	3 -	1 -	1 1	-	-	-	-	-	-
79	Meningitis	16 22	3 1	1 1	-	1 1	-	-	-	1 3	1 1	2 2	1 1	2 1	-	2 1	2 1	1 1	1 1	-	-	-	-	-
80	Tabes dorsalis (Locomotor ataxy)	101 80	41 29	20 12	5 8	5 2	3 3	2 6	3 2	3 3	5 4	3 2	2 2	4 1	2 2	2 1	2 1	1 1	4 4	-	-	-	-	-
81.1	Progressive muscular atrophy	47 9	-	-	-	-	-	1 -	-	-	1 -	1 1	5 -	7 1	8 4	7 1	10 -	4 1	4 -	-	-	-	-	-
2	Sub-acute combined sclerosis	30 31	-	-	-	-	3 -	-	-	-	2 -	2 3	3 3	4 3	4 3	3 5	3 4	3 5	2 4	1 1	-	-	-	-
3	Myelitis of unstated origin	8 13	-	-	-	-	-	-	-	-	-	-	1 -	5 1	1 1	2 2	2 1	3 1	3 -	-	-	-	-	-
4	Other diseases of spinal cord	34 34	-	-	-	-	-	2 1	-	2 -	2 1	2 1	2 1	4 4	5 1	4 3	7 8	2 6	3 3	1 3	1 1	-	-	-
82.a	Cerebral hæmorrhage, Apoplexy	1986 2312	4 2	1 4	2 -	4 2	4 2	2 1	3 1	6 4	10 13	20 23	48 66	74 145	154 151	297 282	342 364	380 450	357 406	195 269	69 105	11 15	3 7	-
b1	Cerebral embolism	43 66	-	-	-	-	-	-	1 -	1 1	2 2	2 3	-	3 4	4 1	1 6	8 6	12 10	5 21	5 6	2 3	1 -	-	-
2	Cerebral thrombosis	607 830	-	2 -	-	-	1 -	2 -	-	1 1	1 3	2 3	4 10	18 26	37 37	59 83	106 99	126 173	128 173	80 121	33 70	9 25	-	-
3	Cerebral softening	83 91	-	-	-	1 -	-	-	-	-	1 -	-	1 1	1 -	5 2	8 3	12 6	14 18	19 22	17 23	7 9	3 2	-	-
c1	Hemiplegia	174 188	-	-	-	-	1 -	-	-	-	1 -	1 1	1 5	3 8	8 6	19 18	30 29	39 41	40 46	21 24	9 9	2 -	-	-
2	Other paralyzes of unstated origin	17 14	-	1 -	-	-	1 -	1 -	-	1 1	2 -	-	1 -	1 -	1 1	4 1	4 2	1 3	3 1	1 1	-	-	-	-

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1937—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.														100 and over							
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85-	90-	95-
VI. DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS—continued.																								
83	General paralysis of insane - { M. F.	68 26	-	-	-	-	1	1	1	2	7	10	18	14	6	7	1	2	-	-	-	-	-	-
84	Other forms of insanity - { M. F.	21 42	-	-	-	-	3	2	1	2	3	3	3	1	2	1	3	1	3	-	-	1	-	-
85	Epilepsy - - - { M. F.	81 74	1	5	5	6	7	9	7	10	6	3	3	3	5	6	1	4	3	2	1	1	-	-
86	Infantile convulsions (age under 5 yrs.) { M. F.	111 70	91	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87.a	Chorea - - - { M. F.	2 6	-	-	-	-	1	1	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-
b	Neuritis - - - { M. F.	8 10	-	-	-	-	-	-	-	-	1	1	1	1	1	2	-	4	-	-	-	-	-	-
c	Paralysis agitans - - - { M. F.	37 53	-	-	-	-	-	-	-	-	-	2	1	1	2	8	6	10	7	11	3	1	-	-
d	Disseminated sclerosis - - - { M. F.	88 85	-	-	-	-	-	3	1	4	9	12	10	8	15	10	8	2	4	3	2	1	-	-
e	Other diseases of nervous system - { M. F.	69 89	2	3	1	1	3	1	2	6	5	3	4	3	7	6	10	6	7	13	4	3	-	-
88	Diseases of eye and annexa - { M. F.	1 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
89.a	Otitis, Diseases of ear - - - { M. F.	64 38	17	7	5	5	5	4	3	1	3	3	1	1	6	2	3	1	1	-	-	-	-	-
b	Mastoid disease - - - { M. F.	34 26	5	1	4	4	3	3	3	1	2	1	1	1	3	1	1	1	1	-	-	-	-	-
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

(a)	(b) VII. DISEASES OF CIRCULATORY SYSTEM.	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
	TOTAL	M. 7878 F. 7854	8	2	14	20	31	40	54	57	110	134	250	380	568	893	1261	1492	1320	819	356	63	6	-
90	Pericarditis	M. 19 F. 15	-	1	1	3	-	-	1	-	-	2	-	1	1	2	1	1	4	1	-	-	-	-
91	Acute endocarditis	M. 63 F. 66	1	-	3	3	7	5	9	8	6	3	2	2	4	5	4	1	-	-	-	-	-	-
92	Chronic endocarditis, Valvular disease	M. 1097 F. 1324	-	-	8	10	19	19	25	23	44	41	60	85	107	119	166	175	119	49	22	5	1	-
93.a	Acute myocarditis	M. 100 F. 96	1	-	-	1	-	3	-	3	3	3	6	12	6	14	22	12	7	6	1	-	-	-
41	Fatty heart	M. 38 F. 99	-	-	-	-	-	-	-	-	2	1	3	1	3	3	6	12	4	3	-	-	-	-
2	Cardio-vascular degeneration	M. 734 F. 723	-	-	-	-	-	-	-	-	-	2	5	11	26	70	91	165	180	117	59	6	2	-
3	Chronic myocarditis, Other myocardial disease	M. 1776 F. 1962	-	-	1	1	1	4	3	10	12	26	38	60	105	168	301	351	322	239	114	20	1	-
c	Myocarditis not specified as acute or chronic	M. 1584 F. 1794	-	-	1	2	3	2	6	7	10	19	24	75	103	171	257	322	307	187	71	16	1	-
94	Diseases of coronary arteries, Angina pectoris	M. 1142 F. 614	-	-	-	1	-	2	1	2	14	20	73	84	124	192	219	194	131	69	14	3	-	-
95	Other diseases of heart	M. 563 F. 551	-	-	1	1	1	1	4	1	13	13	21	24	53	74	95	107	93	45	14	3	-	-
96	Aneurysm (heart excepted)	M. 112 F. 27	-	-	-	-	-	3	3	-	4	1	12	13	14	18	22	12	6	2	2	-	-	-
97	Arterio-sclerosis (coronary arteries excepted)	M. 399 F. 325	-	-	-	-	-	-	-	-	-	1	-	5	14	29	51	87	96	66	42	7	1	-
98.a	Senile gangrene	M. 131 F. 110	-	-	-	-	-	-	-	-	-	-	-	4	4	15	29	44	74	79	54	16	1	-
l	Other gangrene	M. 10 F. 10	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7	39	36	27	15	3	-	-
			-	1	-	-	-	-	-	-	1	1	1	1	2	3	4	10	27	31	18	2	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	3	3	1	-	-	-	-	-	-	-	-

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
105.3	Other diseases of larynx -	{ M. 3 F. 1	1 -	- -	- -	- -	- -	1 -	1 -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
106	Bronchitis -	{ M. 1739 F. 1534	152 15 106 11	2 2	2 2	4 4	7 3	9 6	6 6	13 8	24 14	41 30	72 33	93 44	109 58	165 135	235 166	257 242	268 268	172 217	71 125	21 44	3 12	2
107	Broncho-pneumonia -	{ M. 1407 F. 1237	601 221 446 200	20 18	3 3	8 8	11 11	6 6	7 12	9 12	25 14	22 17	36 20	54 25	55 30	71 54	67 67	75 93	57 89	89 68	25 29	5 17	1 2	-
108	Lobar pneumonia -	{ M. 1025 F. 490	30 42 28 33	12 6	9 5	31 18	33 17	33 17	36 33	68 34	65 25	86 30	108 19	111 33	100 29	102 47	77 24	48 36	50 38	14 25	3 10	- -	- -	-
109	Pneumonia, not otherwise defined -	{ M. 411 F. 288	81 41 59 27	2 6	4 4	8 5	9 -	5 10	16 4	16 4	10 8	12 7	23 11	29 9	23 15	35 19	37 21	33 23	22 28	11 19	10 12	- -	- -	-
110	Pleurisy -	{ M. 98 F. 64	7 4 3 5	2 2	1 -	1 -	1 1	1 1	4 4	2 2	4 2	7 1	5 4	10 4	9 5	12 4	12 7	3 8	10 3	1 2	- -	- -	- -	-
111.1	Congestion of Lungs -	{ M. 171 F. 207	29 4 20 3	- -	1 -	1 -	2 2	- 2	1 -	- -	1 -	1 -	1 1	4 5	4 6	9 7	15 13	33 24	32 40	19 38	12 31	5 13	2	-
2	Embolism, Thrombosis, Infarct.	{ M. 15 F. 28	- -	- -	- -	- -	1 1	- -	1 -	2 2	- 2	- 1	2 2	1 1	- 3	3 6	3 3	3 3	1 1	2 -	- -	- 1	- -	-
112	Asthma -	{ M. 93 F. 103	2 -	1 -	- -	- -	- -	- 1	1 -	2 3	6 3	7 9	4 11	8 10	14 9	14 13	13 13	8 9	4 14	7 3	3 -	- 1	- -	-
113	Pulmonary emphysema -	{ M. 5 F. 3	- 1	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	1 1	1 1	1 -	1 -	- -	- -	- -	- -	- -	- -	-
114.1	Chronic interstitial pneumonia -	{ M. 48 F. 11	- -	- -	- -	- -	- -	1 -	- 1	1 -	2 1	6 -	2 -	4 1	6 2	11 2	4 1	7 1	2 1	2 1	- -	- -	- -	-
51	Gangrene of lung -	{ M. 7 F. 2	- -	- -	- -	- -	- -	- -	- -	1 1	1 1	1 -	- -	1 -	- -	- -	2 -	- -	- -	1 -	- -	- -	- -	-
2	Other diseases of respiratory system -	{ M. 23 F. 6	3 -	2 -	1 -	- -	1 -	1 -	- 1	3 -	- -	- -	1 -	1 -	4 2	4 -	1 1	- 1	1 -	- -	1 -	- -	- -	-

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1937—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																			100 and over		
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-		90-	95-
	IX. DISEASES OF DIGESTIVE SYSTEM.																							
	TOTAL	- { M. 2073 F. 1708	499 321	79 89	50 32	29 29	53 38	38 28	49 27	66 30	76 41	85 59	105 71	127 109	142 121	164 160	195 153	134 152	104 115	51 83	21 38	6 8	- 3	100 and over
115.1	Diseases of teeth and gums	- { M. 12 F. 10	2	1 1	1	1	1	1	1	1	-	1	1	-	-	1	1	2	-	-	1	-	-	
2	Diseases of tonsils	- { M. 29 F. 36	2	3 8	7 2	4 1	3 2	1 2	6	1 1	3 2	1	-	-	1	5	2	2	-	-	1	-	-	
3	Other diseases of buccal cavity or pharynx	- { M. 24 F. 40	5 3	2 3	1	-	1 1	2 1	3	1 1	2	3	-	2	2	1	1	2	2	2	1	-	-	
116	Diseases of oesophagus	- { M. 6 F. 4	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	-	1	-	-	-	-	
117.a	Ulcer of stomach	- { M. 243 F. 115	-	-	1	-	4 2	3	5	10	14	21 3	25 9	22 12	27 10	21 20	37 18	21 15	20 10	8 11	3 3	1 1	-	-
b	Ulcer of duodenum	- { M. 300 F. 36	1	-	-	-	-	5	10	23	21	28	34 4	34 6	35 3	36 6	36 5	19 1	10 5	8 1	2	-	-	-
118	Other diseases of stomach	- { M. 51 F. 65	11 12	4 5	-	2 1	-	1	-	-	2	-	3 1	1 5	1 2	4 2	5 1	6 13	3 9	3 4	3 4	-	-	-
119	Diarrhoea and enteritis (under 2 years)	{ M. 473 F. 325	441 291	32 34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120.a	Diarrhoea and enteritis (over 2 years)- (b)	{ M. 102 F. 113	- (c)	22 17	3 7	1 (g)	2 4	2 (h)	2 (i)	2 (j)	4 5	2 4	2 (m)	2 (n)	2 (o)	5 9	8 7	15 8	14 11	4 (u)	4 9	1 (w)	- (x)	- (y)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
120.b	Ulceration of intestines	23 38	-	-	-	-	1 3	2 3	1 6	-	4 2	4 5	-	2 3	1 1	3 4	3 2	1 4	-	-	-	-	-	-
121	Appendicitis	256 196	-	10 12	27 17	17 21	31 21	19 10	17 7	13 9	12 4	13 11	21 11	16 15	13 17	11 14	22 8	10 12	3 5	1 1	-	-	-	-
122.a	Hernia	113 129	11 1	-	-	1	-	1	3	2 2	3 2	3 3	7 2	10 11	5 13	16 17	11 23	11 22	19 13	6 13	3 6	1 1	-	-
b	Intestinal obstruction	130 110	21 9	2 4	8	2 2	2 1	1 1	3 1	7 2	3 7	2 5	2 5	11 7	14 7	10 6	8 18	18 9	5 13	7 10	3 1	1 -	-	-
123	Other diseases of intestines	55 62	2	-	1 1	1 1	3	1	2	2 1	1 1	3 1	3 3	1 4	6 9	7 9	10 9	6 8	2 6	4 5	2 1	-	-	-
124	Cirrhosis of liver	116 80	-	-	1	-	-	2	1 1	1 1	5 3	5 3	4 9	18 5	14 11	18 15	25 12	12 8	10 6	2 1	-	-	-	-
125.1	Acute yellow atrophy of liver	5 12	-	1	1	-	1	3	1 1	-	1	1	-	2	1	3	-	-	-	-	-	-	-	-
2	Other diseases of liver	19 17	1	-	1	-	1	-	1	1	1	2	1	1	2	4	3	1	1	1	1	2	-	-
126	Biliary calculi	25 94	-	-	-	-	-	-	1	1	3	2	1	3	5	4	6	-	4	4	1	2	-	-
127.1	Cholecystitis	43 153	-	-	-	-	-	-	-	2	4	1	10	1	6	6	12	3	6	7	1	3	-	-
2	Other diseases of gall bladder and ducts	6 14	1 1	-	-	-	1	-	-	-	-	2	1	1	-	1	-	2	-	1	-	-	-	-
128	Diseases of pancreas	20 28	-	-	-	-	-	-	1	-	1	5	2	2	2	3	3	4	1	1	-	1	-	-
129	Peritonitis without stated cause	22 31	2 3	2 4	-	1 2	3 2	1 1	2	2	1	3	2	1	3	2	2	1	-	-	1	-	-	-

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1937—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																				100 and over		
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-		95-	
X. NON-VENEREAL DISEASES OF GENITO-URINARY SYSTEM.																									
	TOTAL	{ M. 1693 F. 1228	20	5	4	11	20	33	21	26	30	50	62	89	135	188	237	276	261	149	65	9	2		
			12	8	6	6	16	20	30	31	53	53	74	82	132	164	164	142	119	80	28	6	2		
130	Acute nephritis	{ M. 77 F. 94	4	3	2	5	6	6	6	4	1	3	4	4	7	7	4	6	4	2	1	2	-	-	
131	Chronic nephritis	{ M. 642 F. 573	-	1	1	3	7	18	9	15	15	24	32	43	69	104	104	79	62	45	11	1	-		
132	Nephritis unspecified	{ M. 200 F. 199	1	-	-	1	4	4	3	3	7	12	9	20	14	15	23	33	30	13	8	-	1		
133	Other diseases of kidney and annexa	{ M. 88 F. 98	8	1	-	2	2	3	1	1	4	3	8	5	5	11	6	13	9	4	2	-	-		
134	Calculi of urinary passages	{ M. 31 F. 23	-	-	-	-	-	1	1	-	1	2	2	4	6	2	2	3	5	2	-	-	-		
135	Diseases of bladder	{ M. 100 F. 63	2	-	-	-	-	-	1	1	2	2	3	5	5	7	10	19	17	13	9	3	1		
136	Diseases of urethra, urinary abscess, &c.	{ M. 40 F. 1	1	-	1	1	1	1	-	1	-	1	2	2	4	7	7	6	5	-	1	-	-		
137	Diseases of prostate	M.	-	-	-	-	-	-	-	-	-	1	2	5	23	32	81	115	128	72	33	5	1		
138	Diseases of male genital organs	M.	4	1	-	-	-	-	-	1	-	2	-	1	2	3	-	2	1	-	-	-	-		
139.a	Diseases of ovary, fallopian tube and parametrium	F.	-	-	-	-	1	3	4	7	8	3	6	1	5	2	2	-	-	-	-	-	-		
b	Diseases of uterus	F.	-	-	-	-	-	1	1	-	3	5	1	5	1	7	3	1	1	1	-	1	-		
c	Diseases of breast	F.	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
d	Other diseases of female genital organs	F.	3	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-		
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	
XV. DISEASES OF EARLY INFANCY.																									
	TOTAL	-	{ M. F.	1605 1189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158	Congenital debility	-	{ M. F.	375 318	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
159	Premature birth	-	{ M. F.	887 645	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
160	Injury at birth	-	{ M. F.	164 99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
161	Other diseases peculiar to early infancy	{ M. F.	179 127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XVI. SENILITY.																									
162	Senility, Senile dementia	-	{ M. F.	915 1579	-	-	-	-	-	-	-	-	-	-	-	-	3 7	20 25	93 115	236 329	305 493	181 364	59 191	15 49	3 6
XVII. DEATHS FROM VIOLENCE.																									
	TOTAL	-	{ M. F.	*2023 997	66 54	118 75	97 49	64 28	105 27	145 31	150 27	119 27	125 36	115 30	120 41	142 40	137 42	145 55	124 63	89 90	77 101	47 88	29 67	6 25	1 1
171	Suicide (163-170)	-	{ M. F.	300 153	-	-	-	-	2 4	15 7	16 10	14 16	25 19	31 15	31 15	39 17	38 15	36 16	27 9	15 6	7 2	3 2	-	-	-
175	Homicide (172, 173, 174)	-	{ M. F.	12 6	4 1	1 1	1 1	-	-	1 1	1 1	-	-	1 -	-	2 -	-	3 -	-	-	-	-	-	-	-
177	Food poisoning	-	{ M. F.	1 4	-	1 1	-	-	-	-	-	-	-	-	2 -	-	-	1 -	-	-	1 -	-	-	-	-
178	Accidental gaseous poisoning	-	{ M. F.	21 24	1 1	-	-	1 1	1 1	3 -	1 -	2 -	3 -	2 1	2 1	5 1	2 1	1 4	1 -	1 3	1 2	1 1	1 -	1 -	-
179	Other acute accidental poisoning	-	{ M. F.	7 1	-	-	-	1 -	1 -	1 -	1 -	1 -	-	-	3 -	1 1	-	-	-	-	-	-	-	-	-

* Including 2 of unstated age.

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1937—*continued.*

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.														100 and over							
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85-	90-	95-
180	XVII. DEATHS FROM VIOLENCE— <i>continued.</i>	19 4	1 1	1 1	- -	2 -	8 -	1 -	- -	1 -	1 -	1 1	- -	1 -	- -	1 -	- -	1 1	1 -	- -	- -	- -	- -	
181		101 156	8 7	42 44	7 8	- 3	2 14	1 7	2 4	3 3	1 1	6 4	- 6	4 2	2 2	3 6	5 5	3 8	8 12	2 10	2 5	- -	- -	
182		61 46	45 39	3 -	1 1	1 -	- -	- -	- -	- -	- -	1 1	- -	2 -	1 2	2 -	2 1	1 1	- -	1 -	- -	- -	- -	
183		*273 48	2 1	14 6	24 3	13 1	15 1	23 1	21 3	15 2	21 4	14 4	12 2	12 3	21 8	24 4	19 2	8 2	6 1	6 1	- -	1 -	- -	
184		6 -	- -	- -	- -	2 -	2 -	2 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
186	Crushing, Falls, &c.—	462 146	41 18	53 29	18 12	33 5	49 10	47 5	47 5	34 2	28 6	19 3	16 3	12 6	23 9	25 4	19 15	18 11	17 6	7 1	3 -	- -	- -	
1	Motor vehicles	688 392	2 2	16 3	9 5	28 5	35 2	49 3	55 4	40 2	47 1	40 1	52 11	57 8	41 6	44 17	48 30	39 56	32 76	27 73	22 62	4 24	1 1	
2	Other crushing accidents	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
189	Hunger, Thirst	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
192	Weather agencies (190, 191)	20 10	-	-	1	-	-	-	1	1	-	-	1	4	2	3	3	2	1	1	-	-	-	-
193	Electricity (lightning excepted)	8 1	-	-	2	3	2	2	2	1	-	1	2	2	4	1	1	2	-	-	1	-	-	-
194	Other accidents (176, 185, 187, 188, 195)	38 6	4 2	1 1	3 1	2	2	3	3	6	-	1	2	-	-	-	1	1	-	-	-	-	-	-
196	Wounds of war	6	-	-	-	-	-	-	-	-	1	2	2	-	-	1	-	-	-	-	-	-	-	-
198	Execution (197)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVIII. ILL-DEFINED DISEASES.																								
TOTAL		590 420	12 12	2 9	- -	- -	2 1	2 1	4 1	5 8	14 3	12 3	39 20	40 24	63 30	75 57	102 52	94 76	76 52	37 45	8 14	2 12	- -	1 -
199	Sudden death, Syncope	58 25	- 1	- -	- -	- -	- -	- -	- -	- 1	- -	1 -	4 -	2 1	4 1	10 2	15 4	9 2	8 4	3 7	2 2	- -	- -	- -
200.1	Heart failure	429 295	4 -	- 1	- -	- -	1 1	1 1	2 1	4 6	9 2	8 2	29 15	33 18	44 22	56 44	76 40	71 61	59 41	27 29	4 8	1 3	- -	1 -
2	Other ill-defined causes	97 92	8 10	2 8	- -	- -	1 -	2 -	2 -	1 1	5 1	3 1	5 5	5 5	15 7	9 9	11 8	11 12	8 6	7 8	2 4	- 7	- -	- -
3	Cause not specified	6 8	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- 2	- -	3 1	1 1	- 1	- -	1 2	- -	- -

* Including 2 of unstated age.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1937.

INTERNATIONAL LONG LIST.		Airdrie B.	Coatbridge B.	Glasgow B.	Hamilton B.	Motherswell and Wishaw B.	Rutherglen B.	Remn. of Lanark Co.	Edinburgh B.	Remn. of Midloth. Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remn. of Perth Co.	Greenock B.	Paisley B.	Port-Glasgow B.	Remn. of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Remn. of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.
All Causes		334	655	16,379	509	820	336	3,685	6,544	1,038	594	115	416	203	502	1,321	1,263	1,175	243	1,456	1,019	683	340	443	326	1,397	250	949	453	372
I. INFECTIOUS AND PARASITIC DISEASES.		42	115	2,343	61	113	45	412	862	109	50	12	40	16	46	124	206	158	21	182	140	65	25	43	33	173	28	103	49	46
1. Typhoid fever			1	2																					1					
2. Paratyphoid fevers				3																										
3. Typhus fever																														
6. 1. Small-pox, vaccinated																														
2. " not vaccinated																														
3. " vaccination doubtful																														
7. Measles				29	1	4	2	9	13		1			1		1	11		1	2										
8. Scarlet fever				31		1	1	4	8						1	1	1	1	1	4	3	2								
9. Whooping-cough		7	21	284		12		21	65	12	1	1	1			6	31	12		13		5	1					1		
10. Diphtheria		3	4	118	8	6		29	35	12	2			1	1	2	2	26		11	2	3						6		
11. Influenza—		19	28	505	24	38	11	131	299	35	20	9	30	7	14	70	46	22	8	49	49	29	14	10	5	65	14	21	24	23
a1. " with pneumonia		12	19	269	11	17	6	54	163	21	4	4			2	25	17	6	2	25	25	12	4	9	3	32	5	21	8	7
2. " " bronchitis		4	6	75	3	6		26	40	7	3	1	6	3	1	8	6	4	2	6	4	7	2	2	2	6	1	3	5	4
3. " " other resp. dis.				24	3	2	2	5	9	1	2		1	2	2	2	1			1	2	1	2	1	1	4	1	1	1	
b1. " " tuberc. of resp. system				8		1		3	2	1		1				1				1						1	1			
2. " " dis. or accidents				2					1		1						1						1							
3. " " of preg., &c.																														
4. " " —sole cause		3	3	79	6	5	3	25	52	3	8	2	9		8	18	12	7	3	7	9	7	5	2	1	13	3	8	3	4
13. Dysentery				48	1	7		15	32	2	2		14	2	1	16	9	3	1	5	9	2	1	1	1	12			2	
15. Erysipelas								2	3		1						1				5	1			3					
16. Acute poliomyelitis				34	1	1		5	9							1		1	1		1					4		1		
17. Lethargic encephalitis		1	3	21	1		1	9	2	3						1	4			1	1		2					1	1	
18. Cerebro-spinal fever				54		3	1	6	8	1	2							11		4	1	1				2		2	2	
19. Tetanus				3				1		1																				
Tuberculosis—																														
(Total)		12	54	1,192	24	45	28	183	379	40	22	2	8	6	28	39	107	82	6	88	75	22	7	22	13	54	12	47	16	23
23. Respiratory system		11	34	951	12	39	23	130	300	22	16	2	3	5	24	32	82	61	5	69	60	13	5	19	8	33	9	31	7	23
24. Central nervous system																														
25. Larynx and peritoneum																														
26. Vertebral column																														
27. Other bones and joints																														
28. Skin and sub-cutaneous tissues																														

Note. Sub-headings indicated by letters (a, b, c, &c.) correspond with the International List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1937—continued.

INTERNATIONAL LONG LIST.		SCOTLAND.	*Aberdeen B.	Remr. of Aberdn. Co. B.	Arbroath B.	Dundee B.	Remr. of Angus Co. B.	Argyll Co. B.	Ayr B.	Kilmarnock B.	Remainder of Ayr Co. B.	Banff Co. B.	Berwick Co. B.	Bute Co. B.	Gaithness Co. B.	Clack-mannan Co. B.	Glydebank B.	Dumbarton B.	Remr. of Dumb. Co. B.	Dumfries B.	Remr. of Dumf. Co. B.	East Lothian Co. B.	Dunfermline B.	Kirkcaldy B.	Remainder of Fife Co. B.	Inverness B.	Remr. of Inver. Co. B.	*Kincardine Co. B.	Kinross Co. B.	Kirkcudbright Co. B.		
I. INFECTIOUS AND PARASITIC DISEASES—continued.																																
29.	Tuberculosis—continued.	10	1			1								1						1												
30.	Lymphatic system (bronch. and abdom. glands excepted)	34	1		1	3					2						1			3					1							
31.	Genito-urinary system	5				1																										
32. a	Other organs	121	5		1	4					2									1												
32. b	Disseminated—acute	78	2			5					5									1												
32. c	chronic (c)	79	8			5					2									1												
34.	Syphilis	6	1																													
35.	Other venereal diseases	115	4		1	6					9						2			1												
36.	Purulent infection, Septicæmia	5	1								1																					
38.	Malaria	1																														
41.	Hydatid cysts	5																														
43.	Mycoses	1																														
44.	Other infect. or parasit. dis. (4, 5, 12, 14, 19, 20, 21, 33, 37, 39, 40, 42)	23				2					1									2						2						
II. CANCER AND OTHER TUMOURS.																																
Cancer—		8,140	295	215	27	324	151	134	60	46	333	76	59	42	47	59	70	32	147	47	118	75	49	67	307	36	98	51	16	70		
(Total)		7,810	290	202	27	307	140	129	57	43	319	74	58	38	47	57	67	32	143	46	115	73	47	64	294	36	93	50	16	66		
45.	Buccal cavity, Pharynx.	393	12	14	2	18	9	75	4	1	17	3	2	2	3	4	3	1	7	26	69	3	32	36	20	22	7	1	16	5		
46.	Digestive organs, Peritoneum	4,500	160	128	11	184	8	76	30	18	194	49	33	24	22	34	28	23	78	26	3	47	3	3	176	22	52	32	13	33		
47.	Respiratory organs.	548	23	7	1	19	8	3	4	5	16	1	1	1	1	6	8	1	12	4	2	3	1	3	11	2	3	2	1	7		
48.	Uterus.	477	26	12	3	23	9	3	4	1	18	7	4	2	2	6	8	1	9	3	7	6	5	5	18	4	5	3	1	3		
49.	Other female genital organs	194	6	4	1	3	4	2	4	2	7	1	6	3	2	5	3	1	3	3	4	2	4	4	29	3	10	7	1	9		
50.	Breast.	674	34	15	4	17	16	11	5	7	25	16	7	8	6	2	7	1	14	1	14	3	1	4	12	1	5	1	1	1		
51.	Male genito-urinary organs.	393	7	8	2	12	3	14	2	2	12	1	6	2	2	2	1	1	8	1	6	2	1	4	22	1	9	3	1	1		
52.	Skin	127	3	5	1	7	3	4	6	5	9	1	3	1	2	3	1	1	9	2	2	1	3	9	18	1	9	3	1	1		
53.	Other or unspecified organs.	504	19	9	2	24	14	8			21	5	3	2	2	3	8	1	3	2	9	5	3	9	18	1	9	3	1	1		
55.	Tumours, non-malignant, or of undetermined nature (54)—																															
a 1.	Ovary	33	1	2		3		1		2				1		1			1		1		1	1	2						1	
2.	Uterus.	40	1	5		4	8	1		3	1			1		1	2		3	1	2	1	1	1	9		5	1			1	
b 1.	Brain	17	1	1		7	1	1			10			1		1	1								1	1						
2.	Bladder	17	2	4		1	1	3			1			1			1								1	1						
3.	Others.	61	1			2	2		3		1			1											1	1						2

* See footnote Table 4.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1937—continued.

INTERNATIONAL LONG LIST.		SCOTLAND.	*Aberdeen B.	Remr. of Aberdn. Co.	Arbroath B.	Dundee B.	Remr. of Angus Co.	Argyll Co.	Ayr B.	Kilmarnock B.	Remr. of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Gaithness Co.	Clackmannan Co.	Clydebank B.	Dumbarton B.	Remr. of Dunb. Co.	Dumfries B.	Remr. of Dumf. Co.	East Lothian Co.	Dunfermline B.	Kirkcaldy B.	Remr. of Fife Co.	Inverness B.	Remr. of Inver. Co.	*Kincairdine Co.	Kinross Co.	Kirkcaldy Co.	
IX. DISEASES OF DIGESTIVE SYSTEM.		3,781	105	96	16	107	56	38	32	31	167	23	10	8	23	20	40	20	70	17	32	24	28	22	133	17	36	20	5	14	
115.	1. Diseases of teeth and gums	22	2	2	2	3	1	1	1	1	4	1	1	1	1	1	1	1	3	1	2	1	1	2	2	1	1	1	1	1	
	2. Diseases of tonsils	65	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	3. Other diseases of buccal cavity or pharynx	64	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
116.	Diseases of œsophagus	10	1	1	2	8	5	7	4	1	12	3	3	2	4	3	4	4	8	3	3	7	2	1	10	5	7	1	1	1	
117. a	Ulcer of stomach	358	6	11	5	12	3	5	4	2	14	4	1	1	1	1	2	2	8	8	3	2	7	1	15	1	1	2	2	2	
b	Ulcer of duodenum	336	17	8	1	8	4	2	4	3	3	2	1	1	3	1	3	2	1	1	1	2	1	1	5	1	1	1	1	1	
118.	Other diseases of stomach	116	9	8	1	3	2	2	4	9	31	2	2	2	2	2	8	3	10	3	4	2	1	3	8	1	3	1	1	1	
119.	Diarrhoea and enteritis (under 2 years)	798	9	8	2	18	2	2	4	9	31	2	2	2	2	2	3	3	10	3	4	2	1	3	8	1	3	1	1	1	
120. a	Diarrhoea and enteritis (over 2 years)	215	2	3	2	5	2	2	2	8	16	1	1	1	2	2	2	2	1	3	2	2	3	1	12	1	1	2	1	1	
b	Ulceration of intestines	61	6	1	1	1	2	2	5	2	1	4	3	1	3	6	3	1	2	1	6	2	5	1	2	2	2	4	1	1	
121.	Appendicitis	452	14	13	2	13	15	8	3	2	24	4	1	1	3	3	5	2	8	1	1	6	5	1	21	3	2	2	1	1	
122. a	Hernia	242	13	7	2	8	3	5	3	2	9	1	1	1	2	2	2	2	2	1	1	1	1	2	10	1	3	1	1	1	
b	Intestinal obstruction	240	10	10	1	6	4	1	2	1	8	4	1	1	1	1	2	2	2	1	1	2	1	2	8	1	3	1	1	1	
123.	Other diseases of intestines	117	8	5	1	4	5	1	6	1	6	1	1	1	1	1	1	2	2	1	1	1	2	3	5	1	6	1	1	1	
124.	Cirrhosis of liver	196	17	7	1	5	3	1	1	1	12	2	2	1	1	1	3	1	5	1	1	1	2	3	4	1	2	2	2	2	
125.	1. Acute yellow atrophy of liver	17	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	2	1	1	1	1	1	1	1	
	2. Other diseases of liver	36	7	6	1	6	2	1	1	1	2	1	1	1	1	1	2	2	4	1	1	1	2	1	1	1	1	1	1	1	
126.	Biliary calculi	119	4	4	1	5	2	1	1	1	10	1	1	1	1	1	1	2	3	1	1	2	2	1	8	1	1	1	1	1	
127.	1. Cholecystitis	196	4	4	1	5	2	1	1	1	10	1	1	1	2	1	2	2	3	1	1	2	2	2	13	2	2	2	2	2	
	2. Other diseases of gall bladder and ducts	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
128.	Diseases of pancreas	48	3	4	1	3	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	2	3	1	2	1	1	1	
129.	Peritonitis without stated cause	53	3	3	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	2	1	1	1	1	
X. NON-VENEREAL DISEASES OF GENITO-URINARY SYSTEM.		2,921	123	98	12	113	52	62	24	16	153	31	21	16	22	19	22	10	42	18	27	19	19	10	106	12	42	13	11	21	
130.	Acute nephritis	171	5	5	1	8	19	40	16	1	8	1	1	1	1	9	2	5	24	1	2	1	4	1	9	1	19	2	9	1	1
131.	Chronic nephritis	1,315	60	40	7	52	5	6	3	7	84	11	9	8	6	10	3	2	8	12	20	12	7	1	47	3	5	9	1	1	1
132.	Nephritis unspecified	399	16	11	1	12	5	6	3	4	14	11	4	1	5	5	3	2	3	2	1	2	4	3	11	2	6	1	1	1	1
133.	Oth. dis. of kidney and annexa	186	8	6	1	11	1	3	1	1	7	2	1	1	3	1	1	2	3	2	1	1	1	1	4	2	2	1	1	1	1

* See footnote Table 4.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1937—continued.

INTERNATIONAL LONG LIST.	PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1937—continued.																										Wigtown Co.	Zetland Co.		
	Airdrie B.	Coatbridge B.	Glasgow B.	Hamilton B.	Motherswell and Wishaw B.	Rutherglen B.	Remr. of Lanark Co.	Edinburgh B.	Remr. of Midloth. Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remr. of Perth Co.	Greenock B.	Paisley B.	Port-Glasgow B.	Remr. of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Remr. of Stirling Co.	Sutherland Co.			West Lothian Co.	
IX. DISEASES OF DIGESTIVE SYSTEM.																														
115. 1. Diseases of teeth and gums	13	37	1,079	35	55	15	219	311	72	27	3	21	6	25	73	88	82	18	76	48	35	16	19	19	73	8	56	27	15	
2. Diseases of tonsils	.	1	4	1	1	.	1	5	1	1	.	.	4	2	2	1	4	.	.	1	.	1	1	.	1	
3. Other diseases of buccal cavity or pharynx	.	.	23	1	.	1	5	6	1	1	1	.	.	1	.	2	.	.	3	1	2	.	.	
116. Diseases of oesophagus	3	1	3	2	7	2	12	2	7	1	1	4	10	1	10	12	10	1	4	8	.	7	2	2	14	.	8	.	.	
117. a Ulcer of stomach	2	5	74	3	1	.	21	38	9	2	.	2	1	1	3	2	4	2	6	5	8	2	1	4	6	1	5	1	1	
b Ulcer of duodenum	2	1	60	3	1	.	12	39	9	2	.	3	1	1	3	5	2	2	2	5	1	.	1	1	6	1	1	1	1	
118. Other diseases of stomach	2	1	28	10	17	2	49	6	14	3	1	2	1	8	3	23	24	7	18	3	4	.	.	1	6	.	6	2	2	
119. Diarrhoea and enteritis (under 2 years)	2	8	401	10	17	2	49	36	14	3	1	2	1	2	3	8	4	6	6	3	1	1	.	
120. a Diarrhoea and enteritis (over 2 years)	.	2	51	1	3	3	19	11	9	2	.	1	.	2	3	8	4	.	6	3	5	.	4	.	4	.	1	1	.	
b Ulceration of intestines	1	1	17	.	5	.	2	4	1	3	.	1	.	1	3	1	8	1	13	2	4	.	3	1	1	2	3	1	1	
121. Appendicitis	3	7	98	5	5	.	30	35	5	.	.	1	.	1	14	8	8	1	13	6	1	1	1	1	1	2	4	1	1	
122. a Hernia	.	4	58	3	4	2	9	26	3	2	.	1	.	1	7	4	9	2	1	6	1	.	1	1	3	.	5	1	1	
b Intestinal obstruction	.	1	68	3	2	2	17	24	3	.	.	1	1	3	3	2	9	2	4	1	4	2	1	1	4	.	6	1	1	
123. Other diseases of intestines	.	1	27	2	2	1	11	12	3	3	.	1	.	1	4	1	4	1	5	1	2	1	1	2	4	1	1	3	1	
124. Cirrhosis of liver	.	2	55	1	2	3	6	17	3	3	2	.	2	.	2	.	3	1	1	1	4	1	4	3	1	
125. 1. Acute yellow atrophy of liver	.	1	1	.	.	.	2	3	.	2	2	1	1	1	.	.	1	1	.	
2. Other diseases of liver	1	1	24	1	2	.	6	9	2	1	.	2	.	3	4	1	3	.	2	1	1	2	1	2	1	1	3	1	.	
126. Biliary calculi	.	1	38	2	3	.	8	22	5	1	6	5	3	.	5	2	1	.	.	.	5	.	1	3	.	
127. 1. Cholecystitis	.	.	6	.	1	.	2	.	2	1	1	.	1	.	.	
2. Other diseases of gall bladder and ducts	2	1	.	.	1	2	.	.	
128. Diseases of pancreas	1	1	13	.	.	1	2	5	1	.	.	3	1	.	.	1	2	.	1	1	.	.	2	.	1	
129. Peritonitis without stated cause	.	.	10	5	.	.	3	5	1	3	.	.	1	
X. NON-VENEREAL DISEASES OF GENITO-URINARY SYSTEM.																														
130. Acute nephritis	14	22	570	24	35	16	157	285	54	28	2	23	13	28	71	53	46	13	76	50	31	12	20	14	47	7	37	21	18	
131. Chronic nephritis	1	2	35	1	4	2	15	15	5	1	.	1	.	1	3	2	2	5	11	1	1	1	1	1	1	2	2	2	1	10
132. Nephritis unspecified	5	8	245	12	7	7	47	125	30	10	1	11	6	9	26	22	26	3	32	21	19	6	3	9	20	6	19	16	10	
133. Oth. dis. of kidney and annexa	3	2	84	1	14	2	34	37	1	4	.	4	2	5	9	8	4	2	7	11	3	.	.	.	7	.	6	3	.	1

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1937—continued.

INTERNATIONAL LONG LIST.	SCOTLAND.	*Aberdeen B.	Remr. of Aberdeen Co.	Arbroath B.	Dundee B.	Remr. of Angus Co.	Argyll Co.	Ayr B.	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Gaithness Co.	Clackmannan Co.	Clydebank B.	Dumbarton B.	Remr. of Dund. Co.	Dumfries B.	Remr. of Dumf. Co.	East Lothian Co.	Dunfermline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remr. of Inver. Co.	*Kincardine Co.	Kinross Co.	Bright Co.	
X. NON-VEREAL DISEASES OF GENITO-URINARY SYSTEM— <i>continued.</i>																														
134. Calculi of urinary passages . . .	54	4	1	.	1	1	.	1	2	3	2	.	1	.	.	.	1	.	1	.	1	2	1	.	4	2	1	.	1	2
135. Diseases of bladder . . .	163	3	5	.	4	2	.	1	.	12	1	1	1	.	.	.	1	1	1	.	3
136. Diseases of urethra, urinary abscess, &c. . .	41	2	1	.	6	1	.	.	.	2	1	3
137. Diseases of prostate . . .	498	21	29	3	14	18	9	2	1	19	3	5	4	7	4	2	2	.	2	2	2	1	2	5	21	4	9	2	.	8
138. Diseases of male genital organs . . .	17	1	1	2
139. a Diseases of ovary, fallopian tube and parametrium . . .	42	2	.	.	2	1	1	.	.	3	2	2
b Diseases of uterus . . .	31	2	.	.	2	3	.	.	.	1	1	1	1
c Diseases of breast . . .	1
d Other diseases of female genital organs . . .	3	.	.	.	1
XI. DISEASES OF PREGNANCY AND CHILDBIRTH.	424	12	8	.	16	7	2	7	1	18	4	2	1	4	6	10	3	6	3	6	3	2	3	8	15	.	3	.	.	2
140. Post-abortive sepsis . . .	22	.	1	.	2	1	.	.	.	1	1	1
141. Abortion not returned as septic . . .	13	.	2	.	.	1	.	.	.	1
142. Ectopic gestation . . .	11
143. Other accidents of pregnancy . . .	3
144. a Placenta prævia . . .	17	.	.	.	1	2
b 1. Accidental hæmorrhage . . .	10	.	.	.	3	2	2	1
2. Other puerperal hæmorrhage . . .	34	.	.	.	6	2	.	.	.	2	1	.	.	.	1	6	1	.	1	1	.	2	.	.	3
145. Puerperal sepsis . . .	122	7	1	.	1	.	1	1	1	3	2	1	.	3	2
146. Puerperal albuminuria, Convulsions . . .	71	2	1	.	1	.	1	1	1	3	.	1	1	1	.	.	2	.	3
147. 1. Uncontrollable vomiting . . .	23	.	2	.	2	1	.	.	.	3	2	1
2. Other toxæmias of pregnancy . . .	14	2
148. Puerperal phlegmæsia alba dolens, Embolism . . .	34	.	.	.	1	1	1	1	.	1	1	1	.	1	.	.	.	1	.	.	1	.	2	.	1	.	1	.	.	.
149. Other accidents of childbirth . . .	44	1	1	.	.	1	.	1	1	.	1	.	1	.	4	1	.	1	.	1
150. Other or unspecified conditions of the puerperal state . . .	6

* See footnote Table 4.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1937—continued.

INTERNATIONAL LONG LIST.	Public Health Districts														
	Airdrie B.	Coatbridge B.	Glasgow B.	Hamilton B.	Motherwell and Wishaw B.	Rutherglen B.	Remr. of Lanark Co.	Edinburgh B.	Remr. of Midloth. Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remr. of Perth Co.
V. NON-VENEREAL DISEASES OF GENITO-URINARY SYSTEM—continued.															
134. Calculi of urinary passages	2	.	11	2	.	3	3	7	1	.	.	1	.	1	.
135. Diseases of bladder	2	34	.	2	9	9	17	4	.	.	1	.	5	.
136. Diseases of urethra, urinary abscess, &c.	15	.	.	1	1	4	.	.	.	1	.	.	4
137. Diseases of prostate	1	4	84	5	6	2	31	42	7	7	1	3	4	6	20
138. Diseases of male genital organs	1	4	.	.	.	1	3	.	1	.	1	.	.	.
139. a Diseases of ovary, fallopian tube and parametrium	1	8	.	.	.	4	7	.	1	.	1	.	.	.
b Diseases of uterus	5	.	1	.	3	4	1	1	.	.	.	1	.
c Diseases of breast	2	1
d Other diseases of female genital organs
VI. DISEASES OF PREGNANCY AND CHILD-BIRTH.															
140. Post-abortive sepsis	3	7	110	3	7	4	16	35	5	3	.	.	1	2	6
141. Abortion not returned as septic	1	.	11	2
142. Ectopic gestation	6	.	1	.	.	3
143. Other accidents of pregnancy	3	.	.	.	1	2
144. a Placenta previa	2	1	.	.	.	1	.	2	.	.	.	1	.
b 1. Accidental hæmorrhage	3	1	.	.	2	4	1
2. Other puerperal hæmorrhage	4	10	.	2	3	5	7	1
145. Puerperal sepsis	4	35	.	3	1	2	4	1	1
146. Puerperal albuminuria, Convulsions	2	2	15	.	.	.	2	4	1	1
147. 1. Uncontrollable vomiting	5	4	1
2. Other toxæmias of pregnancy	1	.	.	.	2	5	1	.	.
148. Puerperal phlegmasia alba dolens, Embolism	1	6	.	1	.	1	4	1	.
149. Other accidents of childbirth	10	1	.	.	3	1	1	.	.	.	1	1	.
150. Other or unspecified conditions of the puerperal state	3	1

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1937—continued.

INTERNATIONAL LONG LIST.	SCOTLAND.	* Aberdeen B.	Remr. of Aberdn. Co.	Aberdn. Co.	Argyll Co.	Ayr B.	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Gaithness Co.	Clackmannan Co.	Clydebank B.	Dumbarton B.	Remr. of Dunb. Co.	Dumfries B.	Remr. of Dumf. Co.	East Lothian Co.	Dunfermline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remr. of Inver. Co.	* Kincairdine Co.	Kinross Co.	Kirkcudbright Co.
XII. DISEASES OF SKIN AND CELLULAR TISSUE.	332	12	9	2	15	8	7	3	.	3	3	3	2	1	2	12	1	4	1	3	1	10	1	1	2	.	2
151. Carbuncle, Boil	62	3	4	.	2	2	1	1	.	.	.	1	.	.	.	1	.	1	.	2	.	2	.	.	1	.	1
152. Cellulitis, Acute abscess	200	3	2	2	10	4	3	1	.	2	3	1	1	.	1	10	.	3	.	1	1	6	1	.	.	.	1
153. Oth. dis. of skin and its annexa	70	6	3	.	3	2	3	2	.	1	.	2	1	1	1	1	1	.	1	.	.	2	.	.	1	.	.
XIII. DISEASES OF BONES AND ORGANS OF LOCOMOTION.	128	4	3	.	2	.	.	5	.	2	.	2	2	1	1	3	.	2	3	.	2	10	1
154. Acute infective osteomyelitis and periostitis	77	2	3	.	2	.	.	2	.	1	.	2	2	.	1	2	.	2	3	.	2	4
155. Other diseases of bones	17	1	.	1	.	.	.	1	1
156. Dis. of joints and other organs of locomotion	34	2	2	1	.	1	5	1
XIV. CONGENITAL MALFORMATIONS.	615	18	19	11	18	10	4	9	6	25	8	1	2	6	5	8	3	9	7	1	2	35	1	3	2	.	3
157. Congenital malformations . . .																											
XV. DISEASES OF EARLY INFANCY.	2,794	96	76	5	98	46	21	28	32	138	40	13	19	31	7	36	16	17	17	16	28	113	12	27	12	4	16
158. Congenital debility	693	12	18	.	25	15	9	11	13	41	9	7	7	7	.	7	2	4	1	1	4	37	3	4	.	2	8
159. Premature birth	1,532	51	36	4	54	26	11	9	15	72	21	2	8	17	5	19	10	8	12	11	19	52	6	13	8	2	6
160. Injury at birth	263	16	14	1	11	8	1	2	2	11	3	1	1	2	1	4	1	1	2	1	1	15	1	2	2	.	1
161. Other diseases peculiar to early infancy	806	17	8	.	11	3	.	6	2	14	7	3	3	5	1	6	3	4	2	3	4	9	2	8	2	.	1

* See footnote Table 4.

CAUSES OF DEATH IN SCOTLAND (BOTH SEXES), BY MONTHS, IN 1937.

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	All Causes - - - -	68942	8692	6595	6837	5741	5186	4854	4677	4461	4478	4708	5706	7007
	I. INFECTIOUS AND PARASITIC DISEASES.	8377	2105	1225	804	682	499	494	418	388	342	375	446	599
1	Typhoid fever - - - -	11	3	-	-	1	1	1	1	2	-	-	1	1
2	Paratyphoid fevers - - - -	5	1	-	-	1	-	2	1	-	-	-	-	-
3	Typhus fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
6.1	Smallpox vaccinated - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
2	" not vaccinated - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
3	" vaccination doubtful - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Measles - - - -	119	5	5	7	11	10	19	8	4	1	6	11	32
8	Scarlet fever - - - -	123	14	10	16	10	10	6	8	4	11	8	10	16
9	Whooping-cough - - - -	717	123	102	126	119	85	47	34	21	21	12	9	18
10	Diphtheria - - - -	426	52	41	35	37	26	30	25	33	21	37	51	38
11	Influenza— (Total)	2693	1524	655	175	58	18	26	13	10	8	29	57	120
a1	with pneumonia - - - -	1273	781	305	63	20	7	10	4	5	5	13	16	44
2	" bronchitis - - - -	377	226	96	14	5	3	2	1	-	-	2	9	19
3	" other resp. dis. - - - -	132	75	25	9	5	1	3	1	-	1	2	2	8
b1	" tuberc. of resp. system - - - -	34	20	7	3	1	-	1	1	-	-	1	-	-
2	" dis. or acc. of preg., &c. - - - -	12	7	3	2	-	-	-	-	-	-	-	-	-
3	" other cause - - - -	521	236	133	56	14	5	8	5	2	2	8	18	34
4	sole cause - - - -	344	179	86	28	13	2	2	1	3	-	3	12	15
13	Dysentery - - - -	25	-	3	1	2	-	1	1	2	2	8	-	5
15	Erysipelas - - - -	109	9	14	21	11	8	10	5	6	4	6	6	9
16	Acute poliomyelitis - - - -	11	-	-	2	-	-	-	2	1	-	2	3	1
17	Lethargic encephalitis - - - -	85	7	8	6	7	3	4	10	5	7	10	9	9
18	Cerebro-spinal fever - - - -	144	12	23	19	18	14	17	13	3	7	5	5	8
22	Tetanus - - - -	12	1	4	-	1	-	1	1	2	-	-	2	-
	Tuberculosis— (Total)	3663	336	339	376	382	305	309	277	275	246	236	260	322
23	Respiratory system - - - -	2791	258	270	279	286	217	234	205	216	192	181	205	248
24	Central nervous system - - - -	374	28	30	59	41	38	35	30	25	23	24	16	25
25	Intestines and peritoneum - - - -	159	20	11	8	20	13	11	13	11	7	14	17	14
26	Vertebral column - - - -	48	5	6	5	5	4	5	-	4	3	2	4	5
27	Other bones and joints - - - -	35	5	3	4	1	3	1	2	1	3	2	3	7
28	Skin and sub-cutaneous tissues - - - -	8	1	1	-	2	-	1	1	-	1	-	-	1
29	Lymphatic system (bronch. and abdom. glands excepted) - - - -	10	-	-	1	3	-	2	1	1	1	1	-	-
30	Genito-urinary system - - - -	34	4	3	2	2	5	2	-	3	4	1	5	3
31	Other organs - - - -	5	-	1	-	-	1	-	-	-	-	-	1	2
32.a	Disseminated—acute - - - -	121	10	7	11	14	13	12	17	10	7	7	5	8
b	" —chronic (c) - - - -	78	5	7	7	8	11	6	8	4	5	4	4	9
34	Syphilis - - - -	79	4	5	9	8	7	9	6	6	4	5	9	7
35	Other venereal diseases - - - -	6	1	1	2	-	-	-	2	-	-	-	-	-
36	Purulent infection, Septicæmia - - - -	115	8	13	8	15	6	9	9	11	9	7	10	10
38	Malaria - - - -	5	-	-	1	-	1	2	-	-	1	-	-	-
41	Hydatid cysts - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-
43	Mycoses - - - -	5	-	1	-	1	-	1	-	1	-	-	1	-
44	Other infect. or parasit. dis. (4, 5, 12, 14, 19, 20, 21, 33, 37, 39, 40, 42)	23	4	1	-	-	5	-	2	2	-	4	2	3
	II. CANCER AND OTHER TUMOURS.	8140	668	603	715	664	681	725	678	667	687	679	683	690
	Cancer— (Total)	7810	637	587	688	633	658	702	650	645	654	654	648	654
45	Buccal cavity, Pharynx - - - -	393	25	38	38	43	34	32	31	32	27	29	31	33
46	Digestive organs, Peritoneum - - - -	4500	376	328	402	353	365	405	372	364	398	384	384	369
47	Respiratory organs - - - -	548	46	34	42	51	49	47	64	36	37	50	48	44
48	Uterus - - - -	477	42	41	42	36	32	49	32	41	51	34	35	42
49	Other female genital organs - - - -	194	18	12	20	17	14	21	11	20	14	24	9	14
50	Breast - - - -	674	44	66	54	45	69	57	55	63	57	51	58	55
51	Male genito-urinary organs - - - -	393	40	32	37	41	44	24	24	32	25	25	32	37
52	Skin - - - -	127	8	7	10	9	10	17	7	11	10	15	11	12
53	Other or unspecified organs - - - -	504	38	29	43	38	41	50	54	46	35	42	40	48

Note.—Sub-headings indicated by letters (a, b, c, &c.) correspond with the International List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
II. CANCER AND OTHER TUMOURS—continued.														
55	Tumours, non-malignant, or of undetermined nature (54)—													
a1	Ovary - - - - -	33	-	2	2	2	6	2	2	1	2	7	6	1
2	Uterus - - - - -	40	6	2	2	5	1	3	4	2	2	2	3	8
b1	Brain - - - - -	179	18	9	18	12	15	10	13	16	19	10	22	17
2	Bladder - - - - -	17	2	1	-	4	-	1	3	-	3	2	-	1
3	Others - - - - -	61	5	2	5	8	1	7	6	3	7	4	4	9
III. RHEUMATISM, DISEASES OF NUTRITION, AND OTHER GENERAL DISEASES.		1507	152	117	128	133	108	109	94	122	114	115	140	175
56	Rheumatic fever - - - -	226	18	17	12	18	19	15	18	22	21	17	25	21
57.1	Chronic rheumatism - - -	28	1	-	7	3	1	1	1	2	5	-	3	4
2	Rheumatoid arthritis, Osteo arthritis	108	13	14	12	12	6	4	7	6	7	8	8	11
58	Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
59	Diabetes mellitus - - - -	867	94	65	70	70	58	70	50	76	61	66	74	113
60	Scurvy - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-
63	Rickets - - - - -	14	2	3	2	1	3	1	1	-	-	1	1	-
65	Diseases of pituitary gland - -	7	1	-	2	-	-	1	-	-	-	-	2	1
66.b	Exophthalmic goitre - - -	102	7	3	8	13	6	4	9	7	8	10	14	13
c	Myxædema, Cretinism - - -	69	12	8	5	8	4	4	4	2	4	5	8	5
e	Other diseases of thyroid and parathyroid, Tetany (a, d)	19	2	2	2	2	3	1	-	-	2	1	3	1
67	Diseases of thymus - - - -	20	-	-	2	3	4	2	1	1	3	2	1	1
68	Diseases of adrenals - - -	30	1	5	5	2	2	4	2	4	3	1	1	-
69	Other general diseases (61, 62, 64) -	16	1	-	1	1	2	2	1	2	-	4	-	2
IV. DISEASES OF THE BLOOD, AND BLOOD-FORMING ORGANS.		544	58	37	40	50	54	48	36	45	44	53	38	41
70.a	Purpura - - - - -	26	1	2	4	1	4	2	3	2	1	2	-	4
b	Hæmophilia - - - - -	15	1	-	1	1	2	-	3	2	3	1	1	-
71.a	Pernicious anæmia - - - -	253	32	21	15	19	20	22	12	18	29	24	24	17
b	Other anæmias, Chlorosis - -	59	5	2	7	9	6	4	4	7	2	8	1	4
72.a	Leukæmia - - - - -	111	10	8	7	11	13	10	8	9	6	13	6	10
b	Aleukæmia (Lymphadenoma) -	66	8	2	3	8	9	8	5	6	2	5	5	5
73	Diseases of spleen - - - -	10	1	2	1	1	-	2	1	1	1	-	-	-
74	Other diseases of blood and blood-forming organs	4	-	-	2	-	-	-	-	-	-	-	1	1
V. CHRONIC POISONINGS.		37	9	2	7	1	1	2	2	5	2	1	1	4
75	Alcoholism (acute or chronic) -	32	9	2	7	1	1	1	1	2	2	1	1	1
76	Chronic poisoning by other organic substances	1	-	-	-	-	-	-	1	-	-	-	-	-
77.1	Occupational lead poisoning - -	3	-	-	-	-	-	-	-	3	-	-	-	-
2	Other chronic poisoning by mineral substances	1	-	-	-	-	-	1	-	-	-	-	-	-
VI. DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.		7999	756	752	847	679	685	566	561	549	534	541	713	816
78.a	Cerebral abscess - - - - -	23	2	2	2	3	2	1	1	4	1	2	1	2
b	Other forms of encephalitis - -	28	4	4	4	1	8	1	1	3	3	3	4	2
79	Meningitis - - - - -	181	16	14	20	25	18	12	14	12	9	11	11	19
80	Tabes dorsalis (Locomotor ataxy) -	56	10	6	5	4	2	4	3	3	2	2	9	6
81.1	Progressive muscular atrophy - -	61	7	3	10	5	7	2	3	3	5	5	6	5
2	Sub-acute combined sclerosis - -	21	2	3	2	1	1	-	3	2	1	4	1	1
3	Myelitis of unstated origin - - -	35	4	5	4	1	3	1	7	3	2	-	2	3
81.4	Other diseases of spinal cord - -	68	8	8	9	5	2	7	6	2	2	4	10	5

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
VI. DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS— <i>continued.</i>														
82. <i>a</i>	Cerebral hæmorrhage, Apoplexy -	4298	422	382	445	341	361	321	304	281	293	289	402	457
<i>b</i> 1	Cerebral embolism - - -	109	9	9	11	13	9	9	5	6	11	8	8	11
2	Cerebral thrombosis - - -	1437	107	148	136	138	110	93	110	114	96	101	123	161
3	Cerebral softening - - -	174	17	20	26	15	20	13	10	6	8	9	13	17
<i>c</i> 1	Hemiplegia - - - - -	362	38	43	40	25	36	28	20	26	27	22	35	22
2	Other paralysees of unstated origin	31	6	2	3	1	5	1	2	1	2	1	3	4
83	General paralysis of insane - -	94	6	4	20	6	9	2	6	11	9	7	9	5
84	Other forms of insanity - - -	63	4	4	8	9	8	2	3	7	5	5	4	4
85	Epilepsy - - - - -	155	9	18	20	14	13	14	10	8	14	12	8	15
86	Infantile convulsions (age under 5)	181	19	15	22	20	21	13	13	11	6	8	15	18
87. <i>a</i>	Chorea - - - - -	8	1	2	-	1	-	-	-	1	-	1	-	2
<i>b</i>	Neuritis - - - - -	18	1	2	1	1	2	1	1	1	3	1	2	2
<i>c</i>	Paralysis agitans - - - -	90	10	8	7	8	3	7	13	4	4	8	8	10
<i>d</i>	Disseminated sclerosis - - -	173	17	19	16	15	19	9	11	17	9	14	14	13
<i>e</i>	Other diseases of nervous system -	153	19	19	24	11	12	12	5	11	7	15	7	16
88	Diseases of eye and annexa - -	3	-	1	-	-	-	-	-	-	1	-	1	-
89. <i>a</i>	Otitis, diseases of ear - - -	102	10	7	6	6	11	7	7	10	9	8	11	10
<i>b</i>	Mastoid disease - - - - -	60	8	4	6	10	3	6	3	2	5	1	6	6
VII. DISEASES OF CIRCULATORY SYSTEM.														
		15732	1728	1385	1581	1275	1235	1075	1156	1030	1099	1160	1320	1683
90	Pericarditis - - - - -	24	5	2	2	4	3	3	1	6	1	2	2	3
91	Acute endocarditis - - - -	129	9	9	9	12	19	8	11	14	9	11	10	8
92	Chronic endocarditis, Valvular dis.	2421	299	216	253	196	189	179	178	140	165	174	174	258
93. <i>a</i>	Acute myocarditis - - - -	196	22	21	22	14	11	18	11	8	12	17	18	22
<i>b</i> 1	Fatty heart - - - - -	137	24	12	7	6	15	9	14	11	12	11	6	10
2	Cardiovascular degeneration -	1457	141	152	147	109	108	96	100	87	112	114	118	173
3	Chronic myocarditis, Other myo- cardial disease	3738	398	324	383	313	280	216	285	240	264	292	344	399
<i>c</i>	Myocard. not spec. as acute or chronic	3378	423	296	313	264	279	246	257	232	223	219	268	358
94	Diseases of coronary arteries, Angina pectoris	1756	155	135	193	120	152	127	128	107	119	137	170	213
95	Other diseases of heart - - -	1114	113	91	117	109	74	74	71	78	83	87	93	124
96	Aneurysm (heart excepted) - -	139	12	12	16	13	9	9	9	7	15	11	12	14
97	Arterio-sclerosis (coron. art. except.)	724	80	76	68	58	50	47	56	63	50	50	61	65
98. <i>a</i>	Senile gangrene - - - - -	241	23	17	20	30	25	24	15	25	17	12	17	16
<i>b</i>	Other gangrene - - - - -	20	2	-	2	1	5	1	2	-	2	1	1	3
99	Other diseases of arteries - -	92	6	5	15	13	8	6	6	5	3	5	9	11
100	Diseases of veins - - - - -	87	10	8	5	7	4	8	7	5	6	11	9	7
101	Diseases of lymphatic system -	11	2	1	3	1	1	-	1	-	-	-	-	2
102	Abnormalities of blood pressure -	48	3	7	5	4	1	4	3	2	6	4	7	2
103	Other dis. of circulatory system -	10	1	1	1	1	2	-	1	-	-	2	1	-
VIII. DISEASES OF RESPIRATORY SYSTEM.														
		9087	1533	973	993	733	562	440	391	361	380	466	903	1352
104	Diseases of nasal fossæ and annexa	38	5	2	4	4	1	1	6	4	1	7	1	2
105.1	Laryngismus stridulus - - -	6	-	-	3	1	-	1	-	-	1	-	-	-
2	Laryngitis (including croup) - -	24	4	3	2	3	-	1	-	4	1	1	2	3
3	Other diseases of larynx - - -	4	-	1	-	-	1	-	-	-	-	-	2	-
106	Bronchitis - - - - -	3273	634	426	369	256	178	142	111	97	124	125	284	527
107	Broncho-pneumonia - - - -	2644	433	286	250	209	168	122	102	101	104	146	310	413
108	Lobar pneumonia - - - - -	1515	239	114	187	123	108	91	79	72	77	91	138	196
109	Pneumonia (not otherwise defined)	699	113	72	58	60	52	34	33	21	30	33	72	121
110	Pleurisy - - - - -	162	20	17	24	15	5	15	9	9	7	13	15	13
111.1	Congestion of lungs - - - -	378	38	30	39	31	24	19	34	24	16	26	51	46
2	Embolism, Thrombosis, Infarct -	43	3	2	12	5	2	2	2	5	4	2	2	2
112	Asthma - - - - -	196	34	9	30	15	14	6	11	12	10	17	18	20
113	Pulmonary emphysema - - -	8	1	1	-	1	1	-	-	1	-	1	1	1
114. <i>a</i>	Chronic interstitial pneumonia -	59	7	7	11	7	6	2	2	6	-	3	4	4
<i>b</i> 1	Gangrene of lung - - - - -	9	1	1	-	1	1	-	-	2	2	-	-	1
2	Other dis. of respiratory system -	29	1	2	4	2	1	4	2	3	3	1	3	3

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
IX. DISEASES OF DIGESTIVE SYSTEM.														
		3781	285	282	349	303	298	294	302	300	323	326	338	381
115.1	Diseases of teeth and gums - -	22	-	1	2	2	2	5	3	1	-	3	2	1
2	Diseases of tonsils - - -	65	9	5	5	4	7	6	8	2	3	2	8	6
3	Other diseases of buccal cavity or pharynx	64	6	9	7	7	3	4	5	4	7	2	7	3
116	Diseases of œsophagus - - -	10	3	-	-	1	1	-	1	2	-	1	-	1
117.a	Ulcer of stomach - - -	358	33	27	38	28	23	29	35	32	23	25	31	34
b	Ulcer of duodenum - - -	336	14	27	30	19	31	34	33	22	24	29	33	40
118	Other diseases of stomach - -	116	13	7	8	9	9	6	10	10	13	11	9	11
119	Diarrhœa and enteritis (under 2 years)	798	52	40	54	63	57	65	58	75	103	90	74	67
120.a	Diarrhœa and enteritis (over 2 years)	215	6	15	21	21	17	13	13	23	20	21	23	22
b	Ulceration of intestines - -	61	5	3	6	7	7	5	8	4	2	2	7	5
121	Appendicitis - - -	452	37	36	45	25	40	34	33	36	36	40	39	51
122.a	Hernia - - -	242	24	23	25	23	20	18	20	13	9	19	22	26
b	Intestinal obstruction - -	240	22	25	15	20	18	18	16	21	16	21	20	28
123	Other diseases of intestines -	117	12	10	15	12	6	11	13	6	8	4	6	14
124	Cirrhosis of liver - - -	196	12	17	29	18	11	13	17	11	11	16	15	26
125.1	Acute yellow atrophy of liver -	17	-	2	1	3	2	-	1	-	5	2	-	1
2	Other diseases of liver - - -	36	1	2	1	1	1	1	6	7	3	3	3	7
126	Biliary calculi - - -	119	12	12	15	9	11	11	4	5	11	12	9	8
127.1	Cholecystitis - - -	196	11	14	23	22	16	15	8	15	17	16	20	19
2	Other diseases of gall bladder and ducts	20	3	2	2	3	3	2	1	-	3	-	-	1
128	Diseases of pancreas - - -	48	6	5	4	2	2	1	5	4	4	7	4	4
129	Peritonitis without stated cause -	53	4	-	3	4	11	3	4	7	5	-	6	6
X. NON-VENEREAL DISEASES OF GENITO-URINARY SYSTEM.		2921	289	250	301	230	214	227	215	196	219	213	282	285
130	Acute nephritis - - -	171	17	18	17	15	11	17	7	6	12	11	20	20
131	Chronic nephritis - - -	1315	127	99	148	95	102	91	103	84	106	96	131	133
132	Nephritis unspecified - - -	399	34	32	33	31	26	38	31	35	34	23	40	42
133	Other dis. of kidney and annexa -	186	17	18	16	18	24	18	10	7	14	14	16	14
134	Calculi of urinary passages - -	54	5	7	3	3	3	4	4	6	-	6	6	7
135	Diseases of bladder - - -	163	24	14	17	13	8	14	14	14	9	13	14	9
136	Dis. of urethra, urinary abscess, &c.	41	6	5	1	2	4	1	6	3	3	4	3	3
137	Diseases of prostate - - -	498	53	47	56	50	27	32	33	28	37	41	47	47
138	Diseases of male genital organs -	17	3	3	3	-	1	3	-	1	-	-	1	2
139.a	Diseases of ovary, fallopian tube and parametrium	42	2	3	5	1	6	4	4	6	1	3	3	4
b	Diseases of uterus - - -	31	1	4	2	2	2	4	3	4	3	2	1	3
c	Diseases of breast - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
d	Other dis. of female genital organs	3	-	-	-	-	-	1	-	1	-	-	-	1
XI. DISEASES OF PREGNANCY AND CHILDBIRTH.		424	35	37	33	42	30	33	31	41	37	24	41	40
140	Post-abortive sepsis - - -	22	-	2	-	2	1	4	1	1	5	1	5	-
141	Abortion not returned as septic -	13	2	-	-	1	2	1	1	2	1	-	1	2
142	Ectopic gestation - - -	11	1	-	1	-	-	1	2	1	3	-	2	-
143	Other accidents of pregnancy -	3	-	-	-	1	-	-	-	1	-	1	-	-
144.a	Placenta prævia - - -	17	1	2	2	1	1	1	-	2	-	1	-	6
b1	Accidental hæmorrhage - - -	10	4	-	1	1	3	-	-	1	-	-	-	-
2	Other puerperal hæmorrhage - -	34	3	2	3	4	2	4	-	4	3	2	6	1
145	Puerperal sepsis - - -	122	13	18	12	11	4	5	12	14	9	6	10	8
146	Puerperal albuminuria, Convulsions	71	6	3	5	10	8	8	9	5	5	4	4	4
147.1	Uncontrollable vomiting - - -	23	-	2	1	2	2	-	1	2	1	4	6	2
2	Other toxæmias of pregnancy -	14	2	1	3	-	2	-	1	1	-	1	2	1
148	Puerperal phlegmasia alba dolens, Embolism	34	2	2	1	4	2	4	1	2	4	-	3	9
149	Other accidents of childbirth -	44	1	4	4	4	3	5	1	5	5	4	2	6
150	Other or unspecified conditions of the puerperal state	6	-	1	-	1	-	-	2	-	1	-	-	1

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	XII. DISEASES OF SKIN AND CELLULAR TISSUE.													
		332	34	35	28	31	22	22	32	21	26	28	29	24
151	Carbuncle, Boil - - - -	62	-	8	4	5	1	7	7	7	5	7	5	6
152	Cellulitis, Acute abscess - -	200	27	24	18	16	12	9	17	11	19	14	18	15
153	Other dis. of skin and its annexa -	70	7	3	6	10	9	6	8	3	2	7	6	3
	XIII. DISEASES OF BONES AND ORGANS OF LOCOMOTION.													
		128	12	10	14	8	9	14	15	10	9	8	10	9
154	Acute infective osteomyelitis and periostitis	77	9	4	9	6	7	9	6	7	5	5	6	4
155	Other diseases of bones - - -	17	1	2	1	-	1	2	4	1	1	1	1	2
156	Diseases of joints and other organs of locomotion	34	2	4	4	2	1	3	5	2	3	2	3	3
	XIV. CONGENITAL MALFOR- MATIONS.													
157	Congenital malformations - -	615	64	46	51	64	46	52	49	50	51	42	47	53
	XV. DISEASES OF EARLY INFANCY.													
		2794	256	245	295	267	236	254	202	202	180	204	211	242
158	Congenital debility - - - -	693	84	57	92	51	60	68	43	41	48	43	50	56
159	Premature birth - - - -	1532	150	141	144	148	131	128	108	118	92	115	113	144
160	Injury at birth - - - -	263	8	21	25	28	22	32	19	25	21	25	20	17
161	Other dis. peculiar to early infancy	306	14	26	34	40	23	26	32	18	19	21	28	25
	XVI. SENILITY.													
162	Senility, Senile dementia - -	2494	310	257	276	210	190	170	166	166	134	170	185	260
	XVII. DEATHS FROM VIOLENCE.													
		3020	294	233	272	271	242	267	256	220	223	238	239	265
171	Suicide (163-170) - - - -	453	44	35	29	48	51	42	42	25	33	38	33	33
175	Homicide (172, 173, 174) - -	18	-	1	-	-	1	2	1	5	1	3	2	2
177	Food poisoning - - - -	5	-	-	-	-	-	-	1	1	2	-	1	-
178	Accidental gaseous poisoning -	45	1	10	2	1	6	4	3	1	3	2	2	10
179	Other acute accidental poisoning -	8	-	1	1	-	-	2	2	-	2	-	-	-
180	Conflagration - - - -	23	2	-	-	-	-	-	4	-	12	2	-	3
181	Accidental burns (conflagration ex- cepted)	257	36	20	27	23	13	25	13	12	16	26	21	25
182	Accidental mechanical suffocation	107	10	11	25	9	4	4	6	3	3	7	13	12
183	Accidental drowning - - -	321	28	28	35	22	22	52	39	27	17	14	18	19
184	Accidental injury by firearms -	6	2	1	-	1	-	1	-	1	-	-	-	-
186	Crushing, Falls, etc.—													
1	Motor vehicles - - - -	608	61	44	41	41	59	56	55	62	59	47	48	35
2	Other crushing accidents - -	1080	102	74	107	114	74	76	86	73	70	93	93	118
189	Hunger, Thirst - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
192	Weather agencies (190, 191) -	30	3	6	2	4	1	-	-	3	-	1	3	7
193	Electricity (lightning excepted) -	9	1	2	-	1	-	1	-	-	3	-	1	-
194	Other accidents (176, 185, 187, 188, 195)	44	4	-	2	7	10	2	3	7	1	5	3	-
196	Wounds of war - - - -	6	-	-	1	-	1	-	1	-	1	-	1	1
198	Execution (197) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
	XVIII. ILL-DEFINED DISEASES.													
		1010	104	106	103	98	74	62	73	88	74	65	80	83
199	Sudden death, Syncope - - -	83	7	6	11	10	6	5	5	8	7	8	5	5
200.1	Heart failure - - - -	724	73	69	73	68	56	44	53	67	51	48	62	60
2	Other ill-defined causes - -	189	24	28	19	18	11	12	15	13	15	8	11	15
3	Cause not specified - - - -	14	-	3	-	2	1	1	-	-	1	1	2	3

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS
OF SCOTLAND, 1937.

Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos.	CAUSES OF DEATH.	ARBROATH BURGH.														DUNDEE BURGH.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
		M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {	M. { F. {		
	All Causes—Both Sexes	302	20	6	1	1	8	6	9	22	48	88	77	21	2,672	272	100	29	24	102	108	171	240	387	600	498	141		
	Males	139	11	4	1	1	2	4	4	14	24	38	29	7	1,240	149	59	18	16	47	54	86	113	198	283	183	84		
	Females	163	9	2	.	.	6	2	5	8	24	45	48	14	1,432	123	41	11	8	55	54	85	127	189	317	107			
1	Typhoid fever (including Para-typhoid)		
4	Measles	1	.	1		
5	Scarlet fever	3	3	1	1		
6	Whooping-cough	2	1	1	27	12	14	1	.	.	1		
7	Diphtheria	7	.	3	4		
8	Influenza	2	1	1	1	1	.	43	2	2	.	1	2	3	8	3	8	9	4	3		
14 (1)	Cerebro-spinal fever	5	3	2		
14 (2)	Other epidemic diseases (2, 3, 9)*	1	1	.	.	4	1	2	1	.		
10	Tuberculosis of respiratory system	3	1	.	1	1	1	1	.	.	47	.	.	.	2	12	12	14	5	2	2	2	.		
11	Other tuberculous diseases	1	.	1	.	.	1	24	1	4	4	1	5	4	4	1	1	.	1	.		
14 (3)	Other infectious and parasitic diseases (12, 13)	1	1	.	.	6	1	4	1	1	1	1	.	1	.	3	.	.		
15	Cancer, malignant disease	12	1	2	4	3	2	.	129	1	3	14	41	58	16	1		
18	Diabetes mellitus	3	3	.	.	11	1	.	1	2	6	1	1		
20	Other general diseases, chronic poisonings (16, 17, 19)	2	1	1	.	.	1	.	17	.	.	1	1	1	1	2	3	3	2	4	.		
22	Cerebral hæmorrhage, &c.	16	1	5	7	11	3	98	.	.	1	.	1	2	3	7	26	31	25	4		
23	Other diseases of nervous system and sense organs (21)	1	1	1	.	.	.	2	.	.	46	3	2	3	6	4	3	2	6	11	5	1	.		
(12)		3	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	32	5	.	.	2	2	(i)	(j)	(k)	(l)	(m)	(n)	(o)		

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos.	CAUSES OF DEATH.	ANGUS COUNTY (excluding Large Burghs).													ARGYLL COUNTY.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
		1,122	79	9	10	6	31	33	53	86	171	286	271	87	1,041	44	8	4	1	28	26	41	71	161	253	291	103
	All Causes—Both Sexes . .																										
	Males	515	46	4	5	2	20	16	23	38	70	134	119	38	530	29	3	2	1	15	23	24	41	96	120	139	37
	Females	607	33	5	5	4	11	17	30	48	101	152	152	49	511	15	5	2	.	13	13	17	30	65	133	152	66
1	Typhoid fever (including typhoid) {M. {F.	1	.	.	.	1
4	Measles {M. {F.
5	Scarlet fever {M. {F.	2	.	.	1	.	.	1	.	1	1	1
6	Whooping-cough {M. {F.	1	1	1
7	Diphtheria {M. {F.	1	.	.	1	1	.	.	1
8	Influenza {M. {F.	19	2	1	.	1	1	1	4	6	13	5	1	28	1	1	.	.	1	1	1	5	6	6	5	3	
14 (1)	Cerebro-spinal fever {M. {F.	41	27	10	1
14 (2)	Other epidemic diseases (2, 3, 9)* . . {M. {F.	1	1	1
10	Tuberculosis of respiratory system . {M. {F.	18	.	.	.	1	2	6	4	2	4	2	.	17	4	6	5	1	.	.	.	1	.
11	Other tuberculous diseases {M. {F.	2	.	.	1	.	.	2	1	5	1	1	.	.	1	1	.	.	.	1	.	.	.
14 (3)	Other infectious and parasitic diseases (12, 13) {M. {F.	1	1	2
15	Cancer, malignant disease {M. {F.	52	1	1	4	6	13	21	6	68	1	2	2	3	20	20	18	4	
18	Diabetes mellitus {M. {F.	8	.	.	1	7	26	26	21	61	.	.	.	1	.	.	2	.	2	10	24	15	1
20	Other general diseases, chronic poisonings (16, 17, 19) {M. {F.	7	1	.	1	.	2	1	1	1	2	4	1	8	3	.	1	3	3	2	2	1	1
22	Cerebral hæmorrhage, &c. {M. {F.	59	3	5	14	30	17	3	46	1	4	8	11	20	18	5
23	Other diseases of nervous system and sense organs (21) {M. {F.	72	54
(n)		15	1	1	1	1	1	1	1	1	1	1	1	12	4	1	1	1	1	1	1	3	3	1	2	4	(o)
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

24	Heartdisease	{ M. F. }	124 132	8 10	20 16	23 30	4 7	7 1	4 1	2 1	2 1	7 6	8 6	14 20	49 34	41 54	15 10	116 127	1 1	2 1	6 3	19 22	44 41	38 37	8 21
25	Other circulatory diseases	{ M. F. }	8 10	20 16	23 30	4 7	7 1	4 1	2 1	2 1	2 1	7 6	8 6	14 20	49 34	41 54	15 10	116 127	1 1	2 1	6 3	19 22	44 41	38 37	8 21
26	Bronchitis	{ M. F. }	8 10	20 16	23 30	4 7	7 1	4 1	2 1	2 1	2 1	7 6	8 6	14 20	49 34	41 54	15 10	116 127	1 1	2 1	6 3	19 22	44 41	38 37	8 21
27	Pneumonia (all forms)	{ M. F. }	8 10	20 16	23 30	4 7	7 1	4 1	2 1	2 1	2 1	7 6	8 6	14 20	49 34	41 54	15 10	116 127	1 1	2 1	6 3	19 22	44 41	38 37	8 21
28	Other respiratory diseases	{ M. F. }	8 10	20 16	23 30	4 7	7 1	4 1	2 1	2 1	2 1	7 6	8 6	14 20	49 34	41 54	15 10	116 127	1 1	2 1	6 3	19 22	44 41	38 37	8 21
32(1)	Gastric and duodenal ulcer	{ M. F. }	8 10	20 16	23 30	4 7	7 1	4 1	2 1	2 1	2 1	7 6	8 6	14 20	49 34	41 54	15 10	116 127	1 1	2 1	6 3	19 22	44 41	38 37	8 21
29	Diarrhoea, &c. (all ages)	{ M. F. }	8 10	20 16	23 30	4 7	7 1	4 1	2 1	2 1	2 1	7 6	8 6	14 20	49 34	41 54	15 10	116 127	1 1	2 1	6 3	19 22	44 41	38 37	8 21
30	Appendicitis	{ M. F. }	8 10	20 16	23 30	4 7	7 1	4 1	2 1	2 1	2 1	7 6	8 6	14 20	49 34	41 54	15 10	116 127	1 1	2 1	6 3	19 22	44 41	38 37	8 21
31(1)	Cirrhosis of liver	{ M. F. }	8 10	20 16	23 30	4 7	7 1	4 1	2 1	2 1	2 1	7 6	8 6	14 20	49 34	41 54	15 10	116 127	1 1	2 1	6 3	19 22	44 41	38 37	8 21
31(2)	Other diseases of liver, &c.	{ M. F. }	8 10	20 16	23 30	4 7	7 1	4 1	2 1	2 1	2 1	7 6	8 6	14 20	49 34	41 54	15 10	116 127	1 1	2 1	6 3	19 22	44 41	38 37	8 21
32(2)	Other digestive diseases	{ M. F. }	8 10	20 16	23 30	4 7	7 1	4 1	2 1	2 1	2 1	7 6	8 6	14 20	49 34	41 54	15 10	116 127	1 1	2 1	6 3	19 22	44 41	38 37	8 21
33	Acute and chronic nephritis	{ M. F. }	8 10	20 16	23 30	4 7	7 1	4 1	2 1	2 1	2 1	7 6	8 6	14 20	49 34	41 54	15 10	116 127	1 1	2 1	6 3	19 22	44 41	38 37	8 21
34	Other diseases of genito-urinary system	{ M. F. }	8 10	20 16	23 30	4 7	7 1	4 1	2 1	2 1	2 1	7 6	8 6	14 20	49 34	41 54	15 10	116 127	1 1	2 1	6 3	19 22	44 41	38 37	8 21
35	Puerperal sepsis	F.	8 10	20 16	23 30	4 7	7 1	4 1	2 1	2 1	2 1	7 6	8 6	14 20	49 34	41 54	15 10	116 127	1 1	2 1	6 3	19 22	44 41	38 37	8 21
36	Other puerperal causes	F.	8 10	20 16	23 30	4 7	7 1	4 1	2 1	2 1	2 1	7 6	8 6	14 20	49 34	41 54	15 10	116 127	1 1	2 1	6 3	19 22	44 41	38 37	8 21
37	Diseases of skin and locomotor system { M. F. }	{ M. F. }	8 10	20 16	23 30	4 7	7 1	4 1	2 1	2 1	2 1	7 6	8 6	14 20	49 34	41 54	15 10	116 127	1 1	2 1	6 3	19 22	44 41	38 37	8 21
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	8 10	20 16	23 30	4 7	7 1	4 1	2 1	2 1	2 1	7 6	8 6	14 20	49 34	41 54	15 10	116 127	1 1	2 1	6 3	19 22	44 41	38 37	8 21
39	Old age	{ M. F. }	8 10	20 16	23 30	4 7	7 1	4 1	2 1	2 1	2 1	7 6	8 6	14 20	49 34	41 54	15 10	116 127	1 1	2 1	6 3	19 22	44 41	38 37	8 21
40	Suicide	{ M. F. }	8 10	20 16	23 30	4 7	7 1	4 1	2 1	2 1	2 1	7 6	8 6	14 20	49 34	41 54	15 10	116 127	1 1	2 1	6 3	19 22	44 41	38 37	8 21
42	Other violence (41)	{ M. F. }	8 10	20 16	23 30	4 7	7 1	4 1	2 1	2 1	2 1	7 6	8 6	14 20	49 34	41 54	15 10	116 127	1 1	2 1	6 3	19 22	44 41	38 37	8 21
43	Causes ill-defined or unknown	{ M. F. }	8 10	20 16	23 30	4 7	7 1	4 1	2 1	2 1	2 1	7 6	8 6	14 20	49 34	41 54	15 10	116 127	1 1	2 1	6 3	19 22	44 41	38 37	8 21

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos. Short List.	CAUSES OF DEATH.	AYR BURGH.												KILMARNOCK BURGH.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . . .	623	69	27	8	3	22	22	33	67	108	123	117	24	565	84	28	8	6	21	14	32	39	82	125	111	15
	Males . . .	328	44	16	7	3	12	11	14	39	61	65	53	3	291	47	16	4	3	13	6	19	19	40	63	53	8
	Females . . .	295	25	11	1	.	10	11	19	28	47	58	64	21	274	37	12	4	3	8	8	13	20	42	62	58	7
1	Typhoid fever (including typhoid) . . . {M. F.
4	Measles . . . {M. F.	2	1	1	5	1	4
5	Scarlet fever . . . {M. F.	1	.	.	1	1	.	1
6	Whooping-cough . . . {M. F.	5	4	1	3	2	2	1
7	Diphtheria . . . {M. F.	4	.	2	2	2	2	1	1
8	Influenza . . . {M. F.	4	.	4	.	.	1	.	1	1	2	.	3	.	11	1	.	.	1	1	.	4	.	4	4	1	
14 (1)	Cerebro-spinal fever . . . {M. F.	2	1	1	3	2	.	.	1
14 (2)	Other epidemic diseases (2, 3, 9)* . . . {M. F.	1	.	.	1	1	.	.	.	1
10	Tuberculosis of respiratory system . . . {M. F.	18	.	1	.	.	3	7	4	2	4	1	.	.	11	.	1	.	1	3	1	2	1	1	.	.	.
11	Other tuberculous diseases . . . {M. F.	4	.	.	1	.	1	.	.	.	1	1	.	.	2	1	.	1	.	1	.	2
14 (3)	Other infectious and parasitic diseases (12, 13) . . . {M. F.	1	.	1	.	.	1	1
15	Cancer, malignant disease . . . {M. F.	20	1	4	8	6	1	1	24	1	1	10	10	2	.
18	Diabetes mellitus . . . {M. F.	6	.	1	2	1	1	2	.	2	1	.	5	1	.
20	Other general diseases, chronic poisonings (16, 17, 19) . . . {M. F.	6	1	1	.	.	3	.	1	2	3	2	.	.	4	1	.	.	2	.	1	1	2
22	Cerebral hæmorrhage, &c. . . {M. F.	32	1	2	9	8	11	2	28	1	2	1	4	9	11	2
23	Other diseases of nervous system and sense organs (21) . . . {M. F.	10	1	1	3	3	3	.	.	10	2	.	1	.	2	3	1	1	1	2	1	.
(a)		2	1	12	2	(n)
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	56 65	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
25	Other circulatory diseases	{ M. F. }	7 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Bronchitis	{ M. F. }	18 6	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
27	Pneumonia (all forms)	{ M. F. }	30 17	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
28	Other respiratory diseases	{ M. F. }	6 6	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	7 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
29	Diarrhoea, &c. (all ages)	{ M. F. }	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	8 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (1)	Cirrhosis of liver	{ M. F. }	5 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (2)	Other diseases of liver, &c.	{ M. F. }	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (2)	Other digestive diseases	{ M. F. }	5 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Acute and chronic nephritis	{ M. F. }	12 8	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other diseases of genito-urinary system	{ M. F. }	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Puerperal sepsis	F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	F.	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and locomotor system { M. F. }	{ M. F. }	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	20 17	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old age	{ M. F. }	6 22	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Suicide	{ M. F. }	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
42	Other violence (41)	{ M. F. }	16 10	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Causes ill-defined or unknown	{ M. F. }	10 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos. Short List.	CAUSES OF DEATH.	AYR COUNTY (excluding Large Burghs).													BANFF COUNTY.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	
	All Causes--Both Sexes . .	2,943	310	112	45	34	105	115	147	187	474	699	559	156	677	78	21	7	6	15	18	29	41	87	142	176	57	
	Males . .	1,527	174	56	22	19	54	62	83	107	256	373	271	50	324	44	11	5	.	6	8	15	22	50	69	77	17	
	Females . .	1,416	136	56	23	15	51	53	64	80	218	326	288	106	353	34	10	2	6	9	10	14	19	37	73	99	40	
1	Typhoid fever (including typhoid)	1	1	
4	Measles . .	8	2	6	1	1	
5	Scarlet fever . .	3	1	2	1	1	.	1	
6	Whooping-cough . .	7	5	2	3	2	2	1	1	
7	Diphtheria . .	22	1	11	6	3	1	3	.	3	.	2	
8	Influenza . .	60	1	6	1	1	2	3	5	8	13	15	10	2	13	1	1	1	1	1	2	2	3	3	2	8	3	
14 (1)	Cerebro-spinal fever . .	4	1	1	.	1	1	.	1	
14 (2)	Other epidemic diseases (2, 3, 9) *	5	.	1	.	1	1	1	1	1	1	1	1	
10	Tuberculosis of respiratory system .	53	.	.	1	2	12	9	14	7	3	5	.	.	8	.	.	.	2	3	1	2	1	1	.	1	.	
11	Other tuberculous diseases . .	15	1	4	1	2	4	2	1	.	1	.	.	.	3	.	2	1	.	.	1	.	.	1	.	1	.	
14 (3)	Other infectious and parasitic diseases (12, 13)	5	2	.	.	.	1	.	2	1	1	1	.	.	3	1	.	.	.	1	.	.	1	
15	Cancer, malignant disease . .	147	.	.	1	1	2	2	11	12	38	55	22	3	37	2	1	1	3	9	13	9	2	
18	Diabetes mellitus . .	9	3	9	11	6	.	5	1	.	.	.	2	2	1	.	.
20	Other general diseases, chronic poisonings (16, 17, 19)	28	2	1	1	1	1	3	2	5	6	8	4	.	10	2	1	.	.	.	2	1	3	1	2	1	.	.
22	Cerebral hæmorrhage, &c. . .	163	.	.	.	1	1	1	2	19	35	67	46	6	28	1	6	6	8	12	3	1
23	Other diseases of nervous system and sense organs (21)	31	5	1	1	1	3	2	5	5	7	4	1	1	6	2	1	.	1	3	1	2	1	1	1	.	.	.
(a)		38	4	3	1	1	2	6	4	2	7	4	3	1	10	2	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	

[illegible]

including typhus fever, smallpox, dysentery, erysipelas acute polymyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos.	CAUSES OF DEATH.	BERWICK COUNTY.												BUTE COUNTY.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . .	373	18	4	2	3	5	15	11	20	55	112	102	26	296	10	3	1	1	3	11	11	26	30	85	93	22
	Males	181	7	3	1	3	1	10	5	11	34	51	44	11	139	5	2	1	1	2	5	4	9	17	41	44	8
	Females	192	11	1	1	.	4	5	6	9	21	61	58	15	157	5	1	.	.	1	6	7	17	13	44	49	14
1	Typhoid fever (including Paratyphoid) { M. F. }
4	Measles { M. F. }
5	Scarlet fever { M. F. }	1	.	.	.	1
6	Whooping-cough { M. F. }	1 2	2
7	Diphtheria { M. F. }	1	.	.	.	1
8	Influenza { M. F. }	6 5	1	1	.	.	.	1	1	2	1	2	.	1	6 9	1	2	1	1	2	3	1
14 (1)	Cerebro-spinal fever { M. F. }
14 (2)	Other epidemic diseases (2, 3, 9)* { M. F. }	1	1	.	1	1
10	Tuberculosis of respiratory system { M. F. }	3 2	2 1	.	1	.	1	.	.	3 7	1	3	2	1	.	.	1	.
11	Other tuberculous diseases { M. F. }	1	1	1 3	.	1	.	.	.	1	.	.	.	1	1	.
14 (3)	Other infectious and parasitic diseases (12, 13) { M. F. }	1	1	2	1
15	Cancer, malignant disease { M. F. }	30 28	.	1	1	1	10	11	6	.	14 24	2	2	5	4	3	6
18	Diabetes mellitus { M. F. }	1 4	1	2	.	4 3	.	.	.	1	2	1	1
20	Other general diseases, chronic poisonings (16, 17, 19) { M. F. }	3 2	1	.	.	1	.	2	.	.	1 8	.	1	.	.	1	.	1	1	.	2	2	1
22	Cerebral hæmorrhage, &c. { M. F. }	19 22	1	1	4	4	8	1	14 17	1	2	1	7	5	3
23	Other diseases of nervous system and sense organs (21) { M. F. }	4 1	.	.	.	1	.	.	1	1	.	2	.	.	5 8	1	1	1	2	2	2	2	(c)
(a)			(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos.	Short List.	CAUSES OF DEATH.	CAITHNESS COUNTY.													CLACKMANNAN COUNTY.												
			All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
		All Causes--Both Sexes . .	430	31	8	3	4	9	21	19	27	51	98	106	53	409	34	11	2	4	12	24	16	33	62	112	79	20
		Males	206	14	6	1	1	8	11	9	11	26	48	51	20	206	21	6	1	2	7	10	12	18	32	56	25	6
		Females	224	17	2	2	3	1	10	10	16	25	50	55	33	203	13	5	1	2	5	14	4	15	30	56	44	14
1		Typhoid fever (including typhoid)																										
4		Measles	1	1			1									2	2											
5		Scarlet fever														1		1										
6		Whooping-cough	1	1	1											2	1	1										
7		Diphtheria														1												
8		Influenza	10	1	2		1	1	2	1	1	1	1	3	1	4			1					1		3		
14 (1)		Cerebro-spinal fever																										
14 (2)		Other epidemic diseases (2, 3, 9) *														1												1
10		Tuberculosis of respiratory system	7								1	1	2			5					2	5			1			
11		Other tuberculous diseases	1				1		1			1				1	1								1			
14 (3)		Other infectious and parasitic diseases (12, 13)														1												
15		Cancer, malignant disease	18					1		3	5	4	8	6	1	27							1	3	9	10	4	1
18		Diabetes mellitus	2										1	1		7									1	4	2	
20		Other general diseases, chronic poisonings (16, 17, 19)	9			1		2		1		3	1	1		3	1			2	1			1	5	1		
22		Cerebral hæmorrhage, &c.	19									6	7	6	3	21								1	3	9	6	3
23		Other diseases of nervous system and sense organs (21)	8		1				2	1		1	2	1		6	1	1				2	2	1			1	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	M. { F. }	69 40	1 .	4 3	4 4	4 4	4 4	4 4	4 4	22 9	28 13	14 10	1 1	41 26	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .
25	Other circulatory diseases	M. { F. }	4 2	1 .	4 3	4 4	4 4	4 4	4 4	4 4	22 9	28 13	14 10	1 1	2 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	
26	Bronchitis	M. { F. }	8 16	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	9 4	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	
27	Pneumonia (all forms)	M. { F. }	60 24	8 6	6 2	6 2	6 2	6 2	6 2	6 2	12 3	5 3	3 2	1 .	16 9	2 3	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	
28	Other respiratory diseases	M. { F. }	3 3	1 1	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 2	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	
29	Gastric and duodenal ulcer	M. { F. }	6 1	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	2 .	1 .	4 2	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	
30	Diarrhoea, &c. (all ages)	M. { F. }	7 6	6 2	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	3 1	2 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	
31(1)	Appendicitis	M. { F. }	3 2	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	2 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	
31(1)	Cirrhosis of liver	M. { F. }	2 1	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	
31(2)	Other diseases of liver, &c.	M. { F. }	5 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	
32(2)	Other digestive diseases	M. { F. }	4 3	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	3 2	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	
33	Acute and chronic nephritis	M. { F. }	8 7	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	5 2	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	
34	Other diseases of genito-urinary system	M. { F. }	4 3	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	3 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	
35	Puerperal sepsis	M. { F. }	7 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	
36	Other puerperal causes	M. { F. }	3 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	2 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	
37	Diseases of skin and locomotor system	M. { F. }	1 1	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	2 1	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	
38	Congenital debility, premature birth, malformation, &c.	M. { F. }	20 17	20 16	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	10 2	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	
39	Old age	M. { F. }	4 3	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	4 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	
40	Suicide	M. { F. }	1 1	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	2 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	
41	Other violence (41)	M. { F. }	15 4	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	9 3	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	
42	Causes ill-defined or unknown	M. { F. }	2 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos.	CAUSES OF DEATH.	DUNBARTON COUNTY (excluding Large Burghs)													DUMFRIES BURGH.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . .	1164	92	30	10	11	48	51	64	98	174	275	256	55	352	37	6	5	.	.	8	18	31	51	86	82	20
	Males . . .	590	57	18	8	8	31	26	33	54	99	137	101	18	168	23	5	5	.	.	6	6	18	25	40	27	10
	Females . . .	574	35	12	2	3	17	25	26	44	75	138	155	42	184	14	1	.	.	2	5	12	13	26	46	55	10
1	Typhoid fever (including Para-typhoid)	1	1
4	Measles
5	Scarlet fever	3	1	1	.	.	1
6	Whooping-cough	4	2	2
7	Diphtheria	2	1	1	1	1	1	.	.	1
8	Influenza	20	.	.	.	1	2	1	.	4	8	2	6	.	6	1	2	.	.	1	2	2	.
14 (1)	Cerebro-spinal fever	1	1	1	1
14 (2)	Other epidemic diseases (2, 3, 9) *	1	1
10	Tuberculosis of respiratory system	18	.	1	.	.	4	5	5	3	1	.	.	.	8	3	2	.	.	1	.	.	.
11	Other tuberculous diseases	8	2	2	.	1	1	1	2	1	1	.	.	.	3	1	2	1	.	1	1
14 (3)	Other infections and parasitic diseases (12, 13)	2	1	.	.	.	1	.	.	.	1	1	.	.	.
15	Cancer, malignant disease	44	1	.	5	10	17	10	1	19	5	5	2	1
18	Diabetes mellitus	5	2	1	1	2	2	3
20	Other general diseases, chronic poisonings (16, 17, 19)	14	1	.	1	1	1	2	2	2	2	2	1	.	5	1	.	1	.	2	.	1	1	.	.	2	.
22	Cerebral hæmorrhage, &c.	55	1	2	2	8	26	16	6	10	1	3	4	2
23	Other diseases of nervous system and sense organs (21)	15	1	1	.	1	1	1	4	3	1	1	1	.	4	3	1	.	.	.
(a)		8	1	1	.	.	2	2	1	1	3	1	1	(o)	2	2	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24 Heart disease	{ M. 138 F. 112 }	4	2	6	4	2	1	4	1	1	1	1	1	1	4
25 Other circulatory diseases	{ M. 12 F. 16 }	1	1	1	1	1	1	1	1	1	1	1	1	1	4
26 Bronchitis	{ M. 21 F. 19 }	4	1	1	1	1	1	1	1	1	1	1	1	1	4
27 Pneumonia (all forms)	{ M. 65 F. 29 }	8	2	5	3	2	1	6	4	1	1	1	1	1	4
28 Other respiratory diseases	{ M. 4 F. 5 }	1	1	1	1	1	1	1	1	1	1	1	1	1	4
32 (1) Gastric and duodenal ulcer	{ M. 12 F. 4 }	1	1	1	1	1	1	1	1	1	1	1	1	1	4
29 Diarrh. &c. (all ages)	{ M. 6 F. 7 }	6	3	1	1	1	1	1	1	1	1	1	1	1	4
30 Appendicitis	{ M. 5 F. 3 }	1	1	1	1	1	1	1	1	1	1	1	1	1	4
31 (1) Cirrhosis of liver	{ M. 4 F. 1 }	1	1	1	1	1	1	1	1	1	1	1	1	1	4
31 (2) Other diseases of liver, &c.	{ M. 2 F. 6 }	1	1	1	1	1	1	1	1	1	1	1	1	1	4
32 (2) Other digestive diseases	{ M. 9 F. 11 }	1	1	1	1	1	1	1	1	1	1	1	1	1	4
33 Acute and chronic nephritis	{ M. 16 F. 16 }	1	1	1	1	1	1	1	1	1	1	1	1	1	4
34 Other diseases of genito-urinary system	{ M. 5 F. 5 }	1	1	1	1	1	1	1	1	1	1	1	1	1	4
37 Puerperal sepsis	{ M. 4 F. 2 }	1	1	1	1	1	1	1	1	1	1	1	1	1	4
38 Other puerperal causes	{ M. 7 F. 8 }	1	1	1	1	1	1	1	1	1	1	1	1	1	4
39 Diseases of skin and locomotor system	{ M. 30 F. 14 }	1	1	1	1	1	1	1	1	1	1	1	1	1	4
33 Congenital debility, premature birth, malformation, &c.	{ M. 15 F. 28 }	1	1	1	1	1	1	1	1	1	1	1	1	1	4
39 Old age	{ M. 2 F. 2 }	1	1	1	1	1	1	1	1	1	1	1	1	1	4
40 Suicide	{ M. 39 F. 15 }	1	1	1	1	1	1	1	1	1	1	1	1	1	4
42 Other violence (41)	{ M. 10 F. 9 }	1	1	1	1	1	1	1	1	1	1	1	1	1	4
43 Causes ill-defined or unknown	{ M. 1 F. 1 }	1	1	1	1	1	1	1	1	1	1	1	1	1	4

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos. Short List.	CAUSES OF DEATH.	DUMFRIES COUNTY (excluding Dumfries Burgh).												EAST LOTHIAN COUNTY.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . .	852	56	19	5	6	23	27	33	56	140	228	195	64	554	41	10	5	5	11	17	23	43	96	128	139	36
	Males . .	395	39	12	1	4	14	10	12	28	69	108	81	17	277	21	5	2	4	5	9	12	25	51	64	64	15
	Females . .	457	17	7	4	2	9	17	21	28	71	120	114	47	277	20	5	3	1	6	8	11	18	45	64	75	21
1	Typhoid fever (including Para-typhoid) { M. { F.
4	Measles { M. { F.	1	1
5	Scarlet fever { M. { F.	1	1	1	1	1	.	1
6	Whooping-cough { M. { F.	1	1	4	2	2
7	Diphtheria { M. { F.	3	.	1	1	1
8	Influenza { M. { F.	18	1	3	.	.	.	1	1	3	2	7	8	1	7	1	.	1	.	.	.	1	2	5	2	1	.
14 (1)	Cerebro-spinal fever { M. { F.	4	.	1	1	.	2	.	2	1	.	1
14 (2)	Other epidemic diseases (2, 3, 9) * { M. { F.	1	1	.	.	3	.	1	1
10	Tuberculosis of respiratory system { M. { F.	6	1	2	1	2	2	1	.	.	9	.	.	1	.	1	2	2	3
11	Other tuberculous diseases { M. { F.	3	1	1	.	.	1	2	1	2	.	.	.	1
14 (3)	Other infectious and parasitic diseases (12, 13) { M. { F.	4	.	2	.	.	1	1
15	Cancer, malignant disease { M. { F.	40	.	1	.	.	.	1	3	5	11	14	7	2	41	.	.	1	.	.	1	4	8	15	11	10	1
18	Diabetes mellitus { M. { F.	3	2	.	.	4	4	1	1	3
20	Other general diseases, chronic poisonings (16, 17, 19) { M. { F.	10	4	1	1	.	1	1	1	2	3	4	3	1	5	.	1	.	1	1	1	1	1	1	2	1	1
22	Cerebral hæmorrhage, &c. { M. { F.	37	1	.	2	9	15	11	3	32	1	1	2	2	2	14	9	4
23	Other diseases of nervous system and sense organs (21) { M. { F.	12	4	1	.	.	.	1	.	1	3	2	1	1	5	1	1	.	.	1	1	1	1	1	1	2	1
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. 132 F. 116 }	1	2	1	7	24	39	12	65	2	9	20	5
25	Other circulatory diseases	{ M. 3 F. 8 }	3	1	3	2	1	2	1	12	1	1	8	2
26	Bronchitis	{ M. 12 F. 14 }	1	1	1	2	4	4	1	5	1	1	2	1
27	Pneumonia (all forms)	{ M. 14 F. 8 }	1	2	1	2	2	3	1	10	1	1	1	1
28	Other respiratory diseases	{ M. 4 F. 9 }	1	1	1	1	1	1	3	7	1	1	2	1
32 (1)	Gastric and duodenal ulcer	{ M. 6 F. 3 }	1	1	1	3	3	1	1	7	2	1	1	1
29	Diarrhea, &c. (all ages)	{ M. 7 F. 1 }	1	1	1	1	1	1	1	3	1	1	1	1
30	Appendicitis	{ M. 3 F. 3 }	1	1	1	1	1	1	1	2	1	1	1	1
31 (1)	Cirrhosis of liver	{ M. 1 F. 1 }	1	1	1	1	1	1	1	1	1	1	1	1
31 (2)	Other diseases of liver, &c.	{ M. 1 F. 5 }	1	1	1	2	2	1	1	2	1	1	1	1
32 (2)	Other digestive diseases	{ M. 2 F. 1 }	1	1	1	1	1	1	1	3	1	1	1	1
33	Acute and chronic nephritis	{ M. 10 F. 13 }	1	1	1	2	2	5	1	5	1	1	1	1
34	Other diseases of genito-urinary system	{ M. 3 F. 1 }	1	1	1	1	1	2	1	2	1	1	1	1
35	Puerperal sepsis	{ M. 1 F. 1 }	1	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	{ M. 7 F. 1 }	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and locomotor system	{ M. 2 F. 4 }	1	1	1	1	1	1	1	4	1	1	1	1
38	Congenital debility, premature birth, malformation, &c.	{ M. 15 F. 11 }	1	1	1	1	1	1	1	12	1	1	1	1
39	Old age	{ M. 11 F. 16 }	1	1	1	1	1	1	1	10	1	1	1	1
40	Suicide	{ M. 1 F. 2 }	1	1	1	1	1	1	1	1	1	1	1	1
42	Other violence (41)	{ M. 23 F. 11 }	1	1	1	1	1	1	1	14	1	1	1	1
43	Causes ill-defined or unknown	{ M. 4 F. 5 }	1	1	1	1	1	1	1	2	1	1	1	1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos. Short List.	CAUSES OF DEATH.	DUNFERMLINE BURGH.														KIRKCALDY BURGH.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
	All Causes- Both Sexes . .	489	34	8	10	4	11	25	33	42	71	130	91	30	553	43	10	3	2	12	23	25	44	91	155	112	28		
	Males . .	234	15	4	6	.	9	12	19	25	31	59	45	9	276	32	4	1	2	6	12	11	27	50	79	44	8		
	Females . .	255	19	4	4	4	2	13	14	17	40	71	46	21	277	16	6	2	.	6	11	14	17	41	76	68	20		
1	Typhoid fever (including typhoid)	1	1		
4	Measles		
5	Scarlet fever	1	.	.	1		
6	Whooping-cough	2	1	1		
7	Diphtheria	1	.	.	1		
8	Influenza	20 21	1	2	.	.	1	1	2	1	1	4	7	1	12 11	1	1	1	2	4	2	2	.		
14 (1)	Cerebro-spinal fever	1	1	1	.	.	.	1		
14 (2)	Other epidemic diseases (2, 3, 9)* . .	1	1	1	1		
10	Tuberculosis of respiratory system { M. { { F. {	11 6	1	2	4	3	1	.	.	.	6 4	1	2	1	3	1	1	.	.		
11	Other tuberculous diseases	2	.	.	1	1	.	.	3 4	.	1 1	.	.	1	.	.	.	1	1	.	.		
14 (3)	Other infectious and parasitic diseases (12, 13)		
15	Cancer, malignant disease	24 23	2	.	2	7	13	4	.	26 38	1	1	1	2	7	12	3	.		
18	Diabetes mellitus	4	1	3	.	.	5 5	1	.	1	1	1	1	.		
20	Other general diseases, chronic poisonings (16, 17, 19)	2 6	.	.	1	1	1	1	1	2	1	1	.	.	10 4	1	.	.	1	1	1	.	3	3	2	1	.		
22	Cerebral hæmorrhage, &c.	22 31	1	1	2	3	9	6	2	28 37	1	4	14	8	1		
23	Other diseases of nervous system and sense organs (21)	11 7	2 1	.	.	1	.	1	2	1	4	1	1	1	5 6	2 1	1	2	.	.	.	2	1	1	1	.	(a)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. }	6 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
25	Other circulatory diseases	{ M. F. }	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Bronchitis	{ M. F. }	10 14	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
27	Pneumonia (all forms)	{ M. F. }	20 12	4 6	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
28	Other respiratory diseases	{ M. F. }	1 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	5 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
29	Diarrhoea, &c. (all ages)	{ M. F. }	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	2 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (1)	Cirrhosis of liver	{ M. F. }	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (2)	Other diseases of liver, &c.	{ M. F. }	1 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (2)	Other digestive diseases	{ M. F. }	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Acute and chronic nephritis	{ M. F. }	10 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other diseases of genito-urinary system	{ M. F. }	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Puerperal sepsis	F.	2	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	F.	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and locomotor system	{ M. F. }	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	6 11	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old age	{ M. F. }	6 10	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Suicide	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
42	Other violence (41)	{ M. F. }	17 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Causes ill-defined or unknown	{ M. F. }	5 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

CAUSES OF DEATH.		FIFE COUNTY (excluding Large Burghs).													INVERNESS BURGH.														
International Nos.	Short List.	All Ages.		1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	
		M.	F.	2,559	225	71	28	23	82	92	134	227	373	604	535	165	327	25	6	4	2	5	11	10	21	39	89	83	32
All Causes—Both Sexes		Males	Females	1,267	129	32	16	15	55	47	70	105	200	290	252	148	14	3	2	1	3	8	5	10	23	41	31	7	
				1,292	96	39	12	8	27	45	64	122	173	314	283	179	11	3	2	1	2	3	5	11	16	48	52	25	
1	Typhoid fever (including typhoid)	Para- {M. {F.		1	1	
4	Measles	{M. {F.		
5	Scarlet fever	{M. {F.		2	1	1	1	
6	Whooping-cough	{M. {F.		11	6	5	1	2	1	
7	Diphtheria	{M. {F.		3	3	2	1	1	5	3	7	6	15	8	7	1	1	
8	Influenza	{M. {F.		58	3	2	1	1	4	7	6	9	8	7	9	5	1	2	
14 (1)	Cerebro-spinal fever	{M. {F.		2	1	3	
14 (2)	Other epidemic diseases (2, 3, 9) *	{M. {F.		8	5	.	.	2	1	1	1	2	2	1	1	2	
10	Tuberculosis of respiratory system	{M. {F.		33	32	1	1	.	7	9	7	4	3	1	1	8	2	.	.	1	5	1	2	
11	Other tuberculous diseases	{M. {F.		14	9	4	1	1	2	2	.	1	1	.	.	2	.	1	1	.	.	.	
14 (3)	Other infectious and parasitic diseases (12, 13)	{M. {F.		5	7	1	1	.	1	.	3	1	.	.	.	1	
15	Cancer, malignant disease	{M. {F.		131	163	.	.	.	1	1	8	19	33	44	23	15	.	.	.	1	.	.	2	5	7	1	.	.	
18	Diabetes mellitus	{M. {F.		12	35	2	5	4	3	4	1	
20	Other general diseases, chronic poisonings (16, 17, 19)	{M. {F.		21	35	1	2	2	3	2	2	8	5	2	2	3	1	.	.	.	4	1	.	.	
22	Cerebral hæmorrhage, &c.	{M. {F.		128	149	.	.	.	2	1	4	11	24	41	38	15	2	7	2	2	1	
23	Other diseases of nervous system and sense organs (21)	{M. {F.		21	29	1	2	2	2	.	1	1	3	4	2	8	1	1	.	.	1	.	.	1	2	1	1	1	
(a)				(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(a)	(c)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	263 296	1 1	1 1	3 1	5 5	11 14	22 19	38 41	89 95	80 94	13 26	28 50	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
25	Other circulatory diseases	{ M. F. }	30 84	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Bronchitis	{ M. F. }	56 57	3 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
27	Pneumonia (all forms)	{ M. F. }	68 45	5 9	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
28	Other respiratory diseases	{ M. F. }	16 12	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	22 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
29	Diarrhoea, &c. (all ages)	{ M. F. }	9 13	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	13 8	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (1)	Cirrhosis of liver	{ M. F. }	4 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (2)	Other diseases of liver, &c.	{ M. F. }	8 17	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (2)	Other digestive diseases	{ M. F. }	14 22	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Acute and chronic nephritis	{ M. F. }	38 20	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other diseases of genito-urinary system	{ M. F. }	29 10	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Puerperal sepsis	F.	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	F.	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and locomotor system	{ M. F. }	17 3	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	87 61	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old age	{ M. F. }	48 57	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Suicide	{ M. F. }	11 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
42	Other violence (41)	{ M. F. }	65 48	1 3	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Causes ill-defined or unknown	{ M. F. }	20 11	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos. Short List.	CAUSES OF DEATH.	INVERNESS COUNTY (excluding Inverness Burgh).													KINCARDINE COUNTY (excluding portion of Aberdeen Burgh).												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes	836	56	11	10	7	21	23	24	43	96	166	255	124	376	27	5	4	4	7	8	14	26	45	78	113	45
	Males	398	34	5	7	4	15	12	11	22	39	81	113	55	179	17	3	3	3	6	4	5	14	23	36	51	14
	Females	438	22	6	3	3	6	11	13	21	57	85	142	69	197	10	2	1	1	1	4	9	12	22	42	62	31
1	Typhoid fever (including Para-typhoid).	1	1
4	Measles
5	Scarlet fever	1	.	.	1
6	Whooping-cough	6	5	3	1
7	Diphtheria	1	.	1	1
8	Influenza	14	1	.	.	.	1	1	1	2	2	3	4	5	7	.	.	.	1	.	.	3	.	.	1	2	1
14 (1)	Cerebro-spinal fever
14 (2)	Other epidemic diseases (2, 3, 9) *	3	.	.	.	1	.	.	.	1	1	.	1
10	Tuberculosis of respiratory system	10	.	.	1	1	2	5	1	1	1	2	.	.	4	.	.	1	.	2	1	1	.	.	.	1	.
11	Other tuberculous diseases	2	.	.	1	1	.	1	2	1	1	.	.	1
14 (3)	Other infectious and parasitic diseases (12, 13)	2	2	2	.	.	1	.	.	1	.	.	.	1	.	.
15	Cancer, malignant disease	42	.	2	.	.	1	2	3	3	5	16	14	1	21	5	3	4	8	6	.
18	Diabetes mellitus	4	1	1	1	1	1	1	1	1	1
20	Other general diseases, chronic poisonings (16, 17, 19)	9	.	.	1	2	1	.	2	.	1	2	1	1	4	1	1	.	1	.	1	.	.	.	1	.	.
22	Cerebral hæmorrhage, &c.	33	1	1	2	9	18	3	18	1	3	5	7	3
23	Other diseases of nervous system and sense organs (21)	16	1	1	1	1	1	2	3	4	4	3	2	1	3	2	1	1	.	1	.
(a)		15	2	1	3	3	2	2	1	5	2	1	.	1	(a)
		(e)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }																							
25	Other circulatory diseases	{ M. F. }																							
26	Bronchitis	{ M. F. }																							
27	Pneumonia (all forms)	{ M. F. }																							
28	Other respiratory diseases	{ M. F. }																							
32 (1)	Gastric and duodenal ulcer	{ M. F. }																							
29	Diarrhoea, &c. (all ages)	{ M. F. }																							
30	Appendicitis	{ M. F. }																							
31 (1)	Cirrhosis of liver	{ M. F. }																							
31 (2)	Other diseases of liver, &c.	{ M. F. }																							
32 (2)	Other digestive diseases	{ M. F. }																							
33	Acute and chronic nephritis	{ M. F. }																							
34	Other diseases of genito-urinary system	{ M. F. }																							
35	Puerperal sepsis	F.																							
36	Other puerperal causes	F.																							
37	Diseases of skin and locomotor system	{ M. F. }																							
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }																							
39	Old age	{ M. F. }																							
40	Suicide	{ M. F. }																							
42	Other violence (41)	{ M. F. }																							
43	Causes ill-defined or unknown	{ M. F. }																							

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos. Short List.	CAUSES OF DEATH.	KINROSS COUNTY.													KIRKCUDBRIGHT COUNTY.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . .	113	4	2	.	.	1	2	5	10	17	33	30	9	466	31	13	6	2	12	24	22	26	54	116	112	48
	Males . .	51	2	2	.	.	.	2	4	7	13	16	5	220	18	8	3	1	7	15	9	8	25	51	52	23	
	Females . .	62	2	.	.	1	2	3	6	10	20	20	14	4	246	13	5	3	1	5	9	13	18	29	65	60	25
1	Typhoid fever (including Para-typhoid)
4	Measles
5	Scarlet fever
6	Whooping-cough	1
7	Diphtheria	2	2	2	1
8	Influenza . .	2	1	1	1	1	.	1	10	1	.	.	.	1	2	.	2	2	3	1	2
14 (1)	Cerebro-spinal fever	3	1
14 (2)	Other epidemic diseases (2, 3, 9)*	1	1	.	1
10	Tuberculosis of respiratory system	4	1	3	1	1	1	2	.	.
11	Other tuberculous diseases . .	1	1	2	1	1	.	.	1	.	.	.
14 (3)	Other infectious and parasitic diseases (12, 13) . .	1	1	1	1
15	Cancer, malignant disease . .	5	1	1	2	4	3	.	28	1	2	6	6	12	5	2
18	Diabetes mellitus . .	1	1	.	3	2	1	.	.
20	Other general diseases, chronic poisonings (16, 17, 19) . .	1	1	.	.	6	.	1	1	.	.	1	.	.	.	2	.	.
22	Cerebral hæmorrhage, &c. . .	5	1	.	.	3	3	1	17	2	3	5	9	10
23	Other diseases of nervous system and sense organs (21) . .	1	1	5	5	1	1	.	.	.	1	1	1	1	1	1	1

(a)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	14 11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
25	Other circulatory diseases	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
26	Bronchitis	{ M. F. }	1 6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
27	Pneumonia (all forms)	{ M. F. }	4 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
28	Other respiratory diseases	{ M. F. }	3 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
29	Diarrhea, &c. (all ages)	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30	Appendicitis	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
31 (1)	Cirrhosis of liver	{ M. F. }	1 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
31 (2)	Other diseases of liver, &c.	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (2)	Other digestive diseases	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
33	Acute and chronic nephritis	{ M. F. }	5 5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
34	Other diseases of genito-urinary system	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
35	Puerperal sepsis	F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and locomotor system { M. F. }	{ M. F. }	1 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	2 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
39	Old age	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
40	Suicide	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
42	Other violence (41)	{ M. F. }	4 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
43	Causes ill-defined or unknown	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos.	CAUSES OF DEATH.	AIRDRIE BURGH.												COATBRIDGE BURGH.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . . .	334	45	9	6	1	12	13	19	30	54	73	58	14	655	96	44	7	13	38	37	34	63	91	135	80	17
	Males . . .	176	25	3	6	1	3	8	8	20	35	38	26	3	366	52	20	3	10	21	20	16	38	53	82	46	5
	Females . . .	158	20	6	.	.	9	5	11	10	19	35	32	11	289	44	24	4	3	17	17	18	25	38	53	34	12
1	Typhoid fever (including Para-typhoid) . . . {M. F.}	1	.	.	.	1
4	Measles . . . {M. F.}
5	Scarlet fever . . . {M. F.}	1	.	1
6	Whooping-cough . . . {M. F.}	3	1	2	7	6	1
7	Diphtheria . . . {M. F.}	1	.	2	1	2	.	1	2	1
8	Influenza . . . {M. F.}	6	1	2	1	1	3	1	1	1	17	1	1	.	.	3	3	2	7	3	1	1	1
14(1)	Cerebro-spinal fever . . . {M. F.}
14(2)	Other epidemic diseases (2, 3, 9)* . . . {M. F.}	1	1	1	1	.	2	.	.	1	.	.
10	Tuberculosis of respiratory system . . . {M. F.}	6	1	.	.	.	1	1	1	3	.	1	.	.	19	.	1	.	1	3	6	5	3	1	.	.	.
11	Other tuberculous diseases . . . {M. F.}	1	.	.	1	12	2	1	.	3	4	1	2
14(3)	Other infectious and parasitic diseases (12, 13) . . . {M. F.}	1	.	.	1
15	Cancer, malignant disease . . . {M. F.}	20	3	2	4	7	4	.	33	1	1	6	6	15	4	1
18	Diabetes mellitus . . . {M. F.}	2	2	1	1	1	.	4	1	.	1	1	1	2	.	.
20	Other general diseases, chronic poisonings (16, 17, 19) . . . {M. F.}	1	.	.	.	1	1	1	1	4	.	1	.	1	.	.	1	.	1	2	1	1
22	Cerebral hæmorrhage, &c. . . {M. F.}	16	1	3	10	3	1	20	.	.	.	1	.	.	1	1	5	9	4	1
23	Other diseases of nervous system and sense organs (21) . . . {M. F.}	3	1	1	.	.	1	1	1	1	11	2	2	2	2	2	2	1	.
(a)		4	2	1	(e)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	6	2	3	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	22 29	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
25	Other circulatory diseases	{ M. F. }	4 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
26	Bronchitis	{ M. F. }	18 10	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
27	Pneumonia (all forms)	{ M. F. }	17 5	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
28	Other respiratory diseases	{ M. F. }	5 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	4 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
29	Diarrhoea, &c. (all ages)	{ M. F. }	1 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30	Appendicitis	{ M. F. }	1 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
31 (1)	Cirrhosis of liver	{ M. F. }	1 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
31 (2)	Other diseases of liver, &c.	{ M. F. }	1 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (2)	Other digestive diseases	{ M. F. }	1 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
33	Acute and chronic nephritis	{ M. F. }	4 5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
34	Other diseases of genito-urinary system	{ M. F. }	3 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
35	Puerperal sepsis	F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	F.	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and locomotor system { M. F. }	{ M. F. }	2 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	15 11	15	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
39	Old Age	{ M. F. }	6 9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
40	Suicide	{ M. F. }	1 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
41	Other violence (41)	{ M. F. }	9 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
42	Causes ill-defined or unknown	{ M. F. }	8 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos. Short List.	CAUSES OF DEATH.	GLASGOW BURGH.													HAMILTON BURGH.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes	16,379	2314	686	229	161	658	783	978	1655	2708	3460	2292	455	509	65	21	9	6	25	25	31	46	82	118	67	14
	Males	8,611	1293	352	123	81	298	411	525	970	1523	1851	1032	152	292	39	11	7	4	11	16	17	27	52	70	34	4
	Females	7,768	1021	334	106	80	360	372	453	685	1185	1609	1260	303	217	26	10	2	2	14	9	14	19	30	48	33	10
1	Typhoid fever (including typhoid)	2
	Measles	18	3	14	1	1	.	1
5	Scarlet fever	15	.	7	3	1	1	3	1
	Whooping-cough	122	55	64	3
7	Diphtheria	60	3	27	17	5	3	2	1	2	1	.	.	.	7	.	3	3	1
8	Influenza	236	7	9	.	.	7	14	30	45	49	49	23	3	18	1	.	.	.	2	1	1	.	5	5	3	1
14 (1)	Cerebro-spinal fever	41	11	7	7	3	4	2	3	3	1
14 (2)	Other epidemic diseases (2, 3, 9)*	42	5	2	.	.	.	8	4	5	4	10	4	.	2
10	Tuberculosis of respiratory system	541	5	10	3	6	99	133	95	105	67	14	3	.	5	2	1	1	.	1	.	.	.
11	Other tuberculous diseases	121	11	29	12	15	27	13	4	4	3	3	.	.	6	.	1	1	1	1	2	.	.	1	.	.	.
14 (3)	Other infectious and parasitic diseases (12, 13)	38	8	2	.	.	3	4	3	2	11	4	1	.	2
15	Cancer, malignant disease	817	1	.	1	.	6	16	40	121	249	289	88	6	28	1	.	.	6	10	9	2	1
18	Diabetes mellitus	47	1	3	1	7	12	18	3	2	1	1	.
20	Other general diseases, chronic poisonings (16, 17, 19)	146	12	6	7	11	20	11	24	15	18	13	8	1	8	.	1	1	.	.	1	.	.	1	2	1	.
22	Cerebral hæmorrhage, &c.	530	1	.	.	.	1	3	7	44	137	208	113	16	25	1	2	8	11	3	.
23	Other diseases of nervous system and sense organs (21)	179	43	11	6	3	11	11	14	28	28	17	7	.	6	2	1	.	.	.	1	1	.	1	.	.	.
		163	26	9	3	7	15	16	19	16	21	21	9	1	2	.	1	(o)
		(e)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	
24	Heart disease	{ M. 1583 F. 1505	1 5 5	1 5 5	27 36 36	64 76 76	163 185 185	389 269 269	562 459 459	367 398 398	44 97 97	32 43 43	4 5 5	1 2 2
25	Other circulatory diseases	{ M. 151 F. 98	4 1 2	3 3 3	18 8 8	32 8 8	50 37 37	37 37 37	6 13 13	6 5 5	1 1 1	1 1 1
26	Bronchitis	{ M. 579 F. 435	8 2 2	34 20 20	69 25 25	108 80 80	177 123 123	116 123 123	21 29 29	17 6 6	1 1 1	4 3 3
7	Pneumonia (all forms)	{ M. 972 F. 716	3 25 3	3 25 3	44 36 36	80 39 39	145 44 44	157 72 72	84 74 74	43 66 66	6 14 14	24 19 19	1 1 1	1 1 1
28	Other respiratory diseases	{ M. 100 F. 98	3 1 1	3 1 1	4 3 3	10 5 5	9 7 7	17 14 14	24 18 18	15 19 19	1 10 10	9 6 6	1 1 1	1 1 1
32 (1)	Gastric and duodenal ulcer	{ M. 102 F. 32	15 2 2	14 1 1	30 11 11	26 10 10	11 7 7	3 4 4	. . .	4 1 1	. . .	1 1 1
29	Diarrhea, &c. (all ages)	{ M. 270 F. 199	18 4 4	18 4 4	2 5 5	3 3 3	2 6 6	4 6 6	9 3 3	4 3 3	1 1 1	4 7 7
30	Appendicitis	{ M. 54 F. 44	6 5 5	6 5 5	4 6 6	8 2 2	7 5 5	4 7 7	7 4 4	1 1 1	. . .	5
31 (1)	Cirrhosis of liver	{ M. 28 F. 27	1 1 1	1 4 4	4 5 5	10 7 6	7 6 3	4 3 1	1 1 1	2 2 2
31 (2)	Other diseases of liver, &c.	{ M. 18 F. 60	1 1 1	1 3 3	2 5 5	23 17 10	12 10	1 2 2
32 (2)	Other digestive diseases	{ M. 122 F. 123	4 4 4	4 4 4	10 3 3	7 12 12	15 19 19	26 20 30	21 17 9	17 3 17	2 3 3	2 7 7
33	Acute and chronic nephritis	{ M. 175 F. 189	2 3 3	2 3 3	8 2 2	15 15 15	25 34 34	51 56 42	43 21 16	4 21 16	4 1 1	5 9 9	1 1 1	1 1 1
34	Other diseases of genito-urinary system	{ M. 154 F. 52	1 1 1	1 1 1	3 5 5	6 10 4	10 4 4	38 49 10	49 11 4	35 4 4	7 . .	8 2 2	1 1 1	1 1 1
35	Puerperal sepsis	F. 46	7 24 24	14 1 1	1
36	Other puerperal causes	F. 64	14 30 30	20	3
37	Diseases of skin and locomotor system { M. 88 F. 48	16 4 3	3 . .	3 . .	5 4 4	5 2 2	8 4 4	18 4 4	19 5 2	4 2 2	3 3 3	4 4 4	1 1 1	1 1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. 517 F. 394	3 3 3	3 3 3	19 14 13
39	Old age	{ M. 144 F. 215	2 3 3	39 29 186	75 47 47	28 47 47	7 6 6	1 1 1	1 1 1
40	Suicide	{ M. 77 F. 21	3 3 3	11 6 6	17 2 2	23 2 2	6 1 1	3 3 3
42	Other violence (41)	{ M. 350 F. 173	32 25 25	32 25 25	43 4 4	25 6 6	38 11 11	42 12 12	48 30 30	24 11 11	4 11 11	12 6 6	1 1 1	1 1 1
43	Causes ill-defined or unknown	{ M. 172 F. 119	2 2 2	6 3 3	27 18 18	49 26 26	58 40 40	28 16 16	. . .	2 6 6	. . .	1 4 4

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos. Short List.	CAUSES OF DEATH.	MOTHERWELL AND WISHAW BURGH.											RUTHERGLEN BURGH.														
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
		(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	All Causes—Both Sexes . .	820	97	33	12	10	41	45	32	83	138	171	142	16	336	25	7	1	2	20	19	21	30	72	79	43	17
	Males . . .	433	57	19	5	6	17	20	13	46	77	89	76	8	169	13	3	1	10	10	5	12	16	40	42	23	4
	Females . . .	387	40	14	7	4	24	25	19	37	61	82	66	8	167	12	4	.	2	10	14	9	14	32	37	20	13
1	Typhoid fever (including typhoid) . . . {M. {F.
4	Measles {M. {F.	3	1	2	1	1	1
5	Scarlet fever {M. {F.	1	1	1	.	1
6	Whooping-cough {M. {F.	4	2	4
7	Diphtheria {M. {F.	4	.	1	4	1
8	Influenza {M. {F.	15	.	1	.	.	1	2	1	3	1	4	5	1	5	.	.	.	1	1	1	1	2	1	1	1	1
14 (1)	Cerebro-spinal fever {M. {F.	1	.	.	2	.	1	1	1
14 (2)	Other epidemic diseases (2, 3, 9)* . {M. {F.	1	1	1	1
10	Tuberculosis of respiratory system . {M. {F.	20	.	.	.	7	10	5	2	2	2	.	.	.	11	.	.	.	2	5	1	1	3	3	1	.	.
11	Other tuberculous diseases . . . {M. {F.	4	1	2	.	1	1	.	1	.	1	.	.	.	3	.	1	.	.	1	.	2
14 (3)	Other infectious and parasitic diseases (12, 13) {M. {F.	3	1
15	Cancer, malignant disease . . . {M. {F.	46	1	5	2	17	22	5	.	14	.	.	.	1	2	2	2	2	4	5	1	.
18	Diabetes mellitus {M. {F.	4	1	.	2	1	2	1	.	1	1	.	.	.	1	.	.	.
20	Other general diseases, chronic poisonings (16, 17, 19) . . {M. {F.	10	.	.	1	1	4	2	2	3	3	2	1	.	4	.	.	1	1	.	.	1	1	.	1	.	.
22	Cerebral hæmorrhage, &c. . . {M. {F.	34	3	5	8	6	14	1	19	1	3	5	10	1	2
23	Other diseases of nervous system and sense organs (21) . . . {M. {F.	14	3	2	.	1	1	2	2	2	1	3	1	.	5	1	1	2	3	1	.	(a)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	81 69	2 2	3 5	1 1	8 9	16 16	30 21	20 14	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
25	Other circulatory diseases	{ M. F. }	9 5	1 1	1 1	1 1	1 1	2 2	6 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Bronchitis	{ M. F. }	34 22	1 1	1 1	1 1	4 2	6 1	4 6	13 10	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
27	Pneumonia (all forms)	{ M. F. }	28 16	1 1	2 2	1 1	8 2	3 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
28	Other respiratory diseases	{ M. F. }	7 4	1 1	1 1	1 1	1 1	2 1	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	6 2	1 1	1 1	1 1	2 1	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
29	Diarrhoea, &c. (all ages)	{ M. F. }	15 5	10 4	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	2 3	1 1	1 1	1 1	1 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (1)	Cirrhosis of liver	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (2)	Other diseases of liver, &c.	{ M. F. }	3 3	1 1	1 1	1 1	1 1	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (2)	Other digestive diseases	{ M. F. }	7 7	3 2	1 1	1 1	1 1	1 1	2 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Acute and chronic nephritis	{ M. F. }	12 13	1 1	1 1	1 1	2 1	4 3	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other diseases of genito-urinary system	{ M. F. }	7 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Puerperal sepsis	F.	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	F.	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and locomotor system	{ M. F. }	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	26 21	25 20	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old age	{ M. F. }	8 14	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Suicide	{ M. F. }	2 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
42	Other violence (41)	{ M. F. }	17 5	1 3	1 1	1 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Causes ill-defined or unknown	{ M. F. }	4 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos.	CAUSES OF DEATH.	LANARK COUNTY (excluding Large Burghs).												EDINBURGH BURGH.													
		All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
	All Causes—Both Sexes . . .	3,685	421	133	68	38	157	143	196	340	580	838	619	152	6,544	516	181	64	43	205	259	357	600	1058	1584	1828	349
	Males . . .	1,945	257	73	39	16	80	78	107	183	311	452	300	49	3,178	301	103	29	104	109	173	212	312	602	777	553	95
	Females . . .	1,740	164	60	29	22	77	65	89	157	269	386	319	103	3,366	215	78	35	23	101	150	184	288	456	807	775	254
1	Typhoid fever (including typhoid) . . . { M. { F.	
4	Measles . . . { M. { F.	4 5	3 1	5 8	1 1	4 7
5	Scarlet fever . . . { M. { F.	3 1	1 1	1	5 3	1 1	2	1
6	Whooping-cough . . . { M. { F.	13 8	10 2	34 31	15 16	19 15
7	Diphtheria . . . { M. { F.	16 13	. . .	4 4	10 7	1 2	1	11 24	. . .	6 11	2 9	1 1	1 1
8	Influenza . . . { M. { F.	68 63	8 2	1 1	1 2	. . .	3 2	2 3	2 8	11 11	14 11	14 13	9 6	4 .	120 179	3 3	3 3	1 2	1 .	4 4	6 7	16 20	20 20	35 29	18 33	11 34	2 18
14 (1)	Cerebro-spinal fever . . . { M. { F.	3 3	1 1	5 3	2 2	1	1
14 (2)	Other epidemic diseases (2, 3, 9)* . . . { M. { F.	6 10	1 .	1 1	1 1	2	1 4	1	12 17	. . .	1	3 2	2 3	2 2	1 3	2 2	2 2	1 .
10	Tuberculosis of respiratory system . . . { M. { F.	58 72	. . .	1	1 1	14 28	18 18	5 7	11 8	7 7	4 3	152 148	. . .	1	7	33 46	28 16	22 11	30 13	7 6	1 .	1 .
11	Other tuberculous diseases . . . { M. { F.	26 27	2 2	8 6	2 3	1 1	2 9	4 1	1 1	. . .	3 2	3 2	42 37	2 .	9 8	8 5	3 3	5 4	5 4	2 1	2 3	1 2	1 1	2
14 (3)	Other infectious and parasitic diseases (12, 13) . . . { M. { F.	11 2	3 1	1 1	1 2	2	15 11	1 4	1 1	2 .	2 1	1 1	1 1	4
15	Cancer, malignant disease . . . { M. { F.	187 215	. . .	1 1	2 .	1 .	2 1	4 5	8 13	25 28	53 51	70 75	19 34	2 7	388 466	5 4	13 80	53 80	99 92	147 145	65 100	15 15
18	Diabetes mellitus . . . { M. { F.	17 46	1 1	1 1	. . .	1 4	5 17	5 17	1 4	1 .	24 52	1 1	6 6	3 16	9 14	4 11	1 .
20	Other general diseases, chronic poisonings (16, 17, 19) . . . { M. { F.	43 61	1 1	. . .	5 1	3 2	5 5	6 6	4 3	7 17	7 11	6 13	43 90	1	1 2	2 5	3 6	6 8	6 10	6 11	8 18	4 16
22	Cerebral hæmorrhage, &c. . . { M. { F.	158 167	1 1	1 3	9 15	28 35	71 51	41 40	7 19	289 315	1 1	2 .	1 6	5 6	11 25	73 45	90 106	98 108	8 23
23	Other diseases of nervous system and sense organs (21) . . . { M. { F.	54 34	10 4	2 2	1 2	1 2	9 3	3 5	11 .	2 5	5 2	4 8	6 3	. . .	62 61	6 2	3 .	2 .	2 1	2 4	2 7	6 2	10 4	15 8	12 11	4 11	3 (o)
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

24	Heart disease	{ M. 371 F. 351	3	1	1	7	6	10	36	72	131	89	10	684	1	.	.	.	1	1	1	7	4	21	31	31	30	134	223	177	26	
25	Other circulatory diseases	{ M. 330 F. 341	1	1	1	2	6	17	11	1	79	1	1	1	.	.	.	5	12	24	26	11	7
26	Bronchitis	{ M. 136 F. 69	21	9	1	1	1	2	4	11	26	35	31	6	144	13	1	1	.	.	.	3	3	.	5	16	22	37	35	11	22		
27	Pneumonia (all forms)	{ M. 152 F. 101	32	22	13	.	.	2	6	7	12	12	12	17	15	19	12	2	287	62	36	1	2	2	6	9	14	20	31	37	48	29	6	14			
28	Other respiratory diseases	{ M. 32 F. 23	2	1	1	2	2	1	4	6	5	2	57	7	4	.	.	.	1	3	.	1	7	15	14	7	1	8	1		
32 (1)	Gastric and duodenal ulcer	{ M. 28 F. 5	1	5	.	5	8	2	1	1	.	39	1	3	.	7	13	14	17	4	5	1	.		
29	Diarrhoea, &c. (all ages)	{ M. 41 F. 29	29	17	.	.	.	3	.	2	.	.	1	1	.	.	1	2	31	19	4	.	.	.	1	1	.	1	1	1	1	2	2	.	.		
30	Appendicitis	{ M. 20 F. 10	.	1	.	.	.	3	1	4	1	1	2	3	5	2	.	.	18	.	.	1	2	6	2	2	.	2	2	1	1	3	2	1	.		
31 (1)	Cirrhosis of liver	{ M. 5 F. 1	2	1	.	.	13		
31 (2)	Other diseases of liver, &c.	{ M. 6 F. 13	2	2	4	3	1	1	10	1	1	.	1	1	1	7	4	3	1	.		
32 (2)	Other digestive diseases	{ M. 21 F. 40	3	4	.	.	.	3	.	3	1	5	4	4	3	9	4	2	38	4	2	2	2	4	9	6	12	16	5	1	
33	Acute and chronic nephritis	{ M. 46 F. 50	1	1	2	4	6	5	10	14	14	10	7	89	1	.	.	.	1	3	4	.	1	5	12	23	17	17	1	3		
34	Other diseases of genito-urinary system	{ M. 47 F. 14	1	2	.	.	.	1	.	.	1	3	3	7	17	3	2	15	72	.	1	6	1	6	9	32	16	7	.		
35	Puerperal sepsis	{ M. 5 F. 11	1	1	3	9	1	3	.	5		
36	Other puerperal causes	{ M. 11 F. 11	3	3	5	26	5	10	.	11		
37	Diseases of skin and locomotor system	{ M. 11 F. 6	3	1	.	.	.	1	1	1	1	1	1	1	1	2	1	2	16	1	5	1	1	.	.	1	1	1	2	3	2	2	1	3	.	.	
38	Congenital debility, premature birth, malformation, &c.	{ M. 125 F. 93	123	92	1	157	156	1	
39	Old age	{ M. 52 F. 91	7	33	12	43	6	29	8		
40	Suicide	{ M. 5 F. 8	2	1	2	1	1	.	.	34	3	1	3	8	8	9	2	6	3	1	.	.	
42	Other violence (41)	{ M. 113 F. 41	3	10	6	7	.	.	4	18	11	15	12	9	5	5	6	4	132	3	4	7	6	1	20	17	1	7	15	21	15	12	5	8	1	.	
43	Causes ill-defined or unknown	{ M. 58 F. 18	1	5	8	7	6	2	2	8	6	2	.	.	

* Including typhus fever, dysentery, erysipelas, acute polymyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos.	CAUSES OF DEATH.	MIDLOTHIAN COUNTY (excluding Edinburgh Burgh).													MORAY COUNTY.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
		1,038	98	23	12	9	38	37	48	86	151	266	213	57	594	59	9	7	6	11	17	25	46	74	142	143	55
	All Causes—Both Sexes	534	53	13	6	7	20	20	26	47	81	140	106	15	305	41	3	6	5	5	9	14	21	36	77	68	20
	Males	504	45	10	6	2	18	17	22	39	70	126	107	42	289	18	6	1	1	6	8	11	25	33	65	75	35
	Females																										
1	Typhoid fever (including typhoid)	{ M. F. }																									
4	Measles	{ M. F. }													1		1										
5	Scarlet fever	{ M. F. }	1	1		1																					
6	Whooping-cough	{ M. F. }	7	6	1										1		1										
7	Diphtheria	{ M. F. }	7	2	1	2									1		1										
8	Influenza	{ M. F. }	20	3			1	4	2	5	2	3	2	2	11					1		2	2	2	3	1	1
14 (1)	Cerebro-spinal fever	{ M. F. }	1		1																						
14 (2)	Other epidemic diseases (2, 3, 9)*	{ M. F. }	2		1						1				1												
10	Tuberculosis of respiratory system	{ M. F. }	12				3	1	2	4	1	1			6					1	2			1			
11	Other tuberculous diseases	{ M. F. }	10	2	3		2	1	1						3			2	1	1							
14 (3)	Other infectious and parasitic diseases (12, 13)	{ M. F. }	1												3												
15	Cancer, malignant disease	{ M. F. }	54					1	2	7	17	20	7	2	36						1	4	6	13	9	2	2
18	Diabetes mellitus	{ M. F. }	5								1	3	1		3									1	1	1	
20	Other general diseases, chronic poisonings (16, 17, 19)	{ M. F. }	10	1	1	1	1	1		2	1	1			7	1				1		2			1	1	
22	Cerebral haemorrhage, &c.	{ M. F. }	32	2					1	3	6	12	14	12	33								3	12	15	2	2
23	Other diseases of nervous system and sense organs (21)	{ M. F. }	7	1	1		2	1		1	1	1	1	1	9	2	1	1	1		1	2	3	1			
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(e)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	127 116	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2
25	Other circulatory diseases	{ M. F. }	11 15	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2
26	Bronchitis	{ M. F. }	39 20	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
27	Pneumonia (all forms)	{ M. F. }	21 19	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
28	Other respiratory diseases	{ M. F. }	12 11	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	14 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
29	Diarrhoea, &c. (all ages)	{ M. F. }	13 11	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	2 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (1)	Cirrhosis of liver	{ M. F. }	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (2)	Other diseases of liver, &c.	{ M. F. }	3 6	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (2)	Other digestive diseases	{ M. F. }	5 10	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Acute and chronic nephritis	{ M. F. }	17 19	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other diseases of genito-urinary system	{ M. F. }	10 8	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Puerperal sepsis	F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	F.	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and locomotor system { M. F. }	{ M. F. }	4 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	19 19	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old age	{ M. F. }	11 16	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Suicide	{ M. F. }	2 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
42	Other violence (41)	{ M. F. }	42 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Causes ill-defined or unknown	{ M. F. }	10 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos.	CAUSES OF DEATH.	NAIRN COUNTY.												ORKNEY COUNTY.															
		All Ages.														85 and over.													
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.				
	All Causes--Both Sexes	115	7	2	.	1	4	5	5	4	13	25	33	16	416	20	3	1	48			
	Males	60	5	2	.	.	3	4	4	3	8	10	13	8	199	12	2	1	16			
	Females	55	2	.	1	1	1	1	1	1	5	15	20	8	217	8	1	32			
1	Typhoid fever (including typhoid) {M. {F.			
4	Measles {M. {F.			
5	Scarlet fever {M. {F.	1	.	.	1			
6	Whooping-cough {M. {F.	1	1			
7	Diphtheria {M. {F.			
8	Influenza {M. {F.	4	.	.	.	1	.	.	1	.	1	.	1	1	10	1	.	.	.	1	1	.	2	3	3	4			
14 (1)	Cerebro-spinal fever {M. {F.			
14 (2)	Other epidemic diseases (2, 3, 9)* . {M. {F.			
10	Tuberculosis of respiratory system . {M. {F.	2	2	1	2	.	.	.	1			
11	Other tuberculous diseases {M. {F.	4	1	.	.	.	1			
14 (3)	Other infectious and parasitic diseases (12, 13) {M. {F.	1	1			
15	Cancer, malignant disease {M. {F.	4	2	1	3	1	24	10	9	.	.			
18	Diabetes mellitus {M. {F.	1	.	.	1	1	.	1	1	6	.	.			
20	Other general diseases, chronic poisonings (16, 17, 19) {M. {F.	3	1	1	1	1	1	.	.	.	3	.	.	.	1	1	1	1	2	5	.	.			
22	Cerebral hæmorrhage, &c. {M. {F.	8	1	2	3	2	1	14	.	.	.	1	1	1	3	7	14	1	2			
23	Other diseases of nervous system and sense organs (21) {M. {F.	1	3	4	.	.	.	1	1	1	1	.	.	.			
(a)			(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)				

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. } 9 18
25	Other circulatory diseases	{ M. F. } 5 1
26	Bronchitis	{ M. F. } 1 2
27	Pneumonia (all forms)	{ M. F. } 3 4
28	Other respiratory diseases	{ M. F. } 2 2
32 (1)	Gastric and duodenal ulcer	{ M. F. } 1
29	Diarrhoea, &c. (all ages)	{ M. F. } 1
30	Appendicitis	{ M. F. }
31 (1)	Cirrhosis of liver	{ M. F. }
31 (2)	Other diseases of liver, &c.	{ M. F. }
32 (2)	Other digestive diseases	{ M. F. } 1
33	Acute and chronic nephritis	{ M. F. } 1
34	Other diseases of genito-urinary system	{ M. F. } 1
35	Puerperal sepsis	F.
36	Other puerperal causes	F.
37	Diseases of skin and locomotor system	{ M. F. } 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. } 3 8
39	Old age	{ M. F. } 3 8
40	Suicide	{ M. F. }
42	Other violence (41)	{ M. F. } 4
43	Causes ill-defined or unknown	{ M. F. } 1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

† Including 2 age not stated.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

CAUSES OF DEATH.		PEEBLES COUNTY.													PERTH BURGH.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
International Nos.	Short List.	All Causes—Both Sexes															203	6	4	2	.	.	5	7	23	25	58	57	16	502	42	12	4	4	12	27	23	40	68	111	125	34																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		Males															101	3	.	1	.	.	3	2	14	15	32	24	7	248	29	4	2	4	11	16	27	48	58	50	8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		Females.															102	3	4	1	.	.	2	5	9	10	26	33	9	254	13	8	2	8	16	7	13	25	58	75	26																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
1		Typhoid fever (including typhoid).	{ M. { F. }

(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)	(aa)	(ab)	(ac)	(ad)	(ae)	(af)	(ag)	(ah)	(ai)	(aj)	(ak)	(al)	(am)	(an)	(ao)
24	Heart disease	{ M. F. }	23 17	2 13 20 10 19	2 13 20 10 19	
25	Other circulatory diseases	{ M. F. }	3 9	2 1 1 3	2 1 1 3	
26	Bronchitis	{ M. F. }	4 6	2 3 2 5 10	2 3 2 5 10	
27	Pneumonia (all forms)	{ M. F. }	6 5	1 1 1 1	1 1 1 1	
28	Other respiratory diseases	{ M. F. }	6	2 1 8 2	2 1 8 2	
32 (1)	Gastric and duodenal ulcer	{ M. F. }	1	
29	Diarrhoea, &c. (all ages)	{ M. F. }	1	1 1	1 1	
30	Appendicitis	{ M. F. }	
31 (1)	Cirrhosis of liver	{ M. F. }	
31 (2)	Other diseases of liver, &c.	{ M. F. }	
32 (2)	Other digestive diseases	{ M. F. }	2 2	1 1 2	1 1 2	
33	Acute and chronic nephritis	{ M. F. }	5 3	2 2 3	2 2 3	
34	Other diseases of genito-urinary system	{ M. F. }	4 1	2 1 3 1	2 1 3 1	
35	Puerperal sepsis	F.	
36	Other puerperal causes	F.	1	
37	Diseases of skin and locomotor system { M. F. }	{ M. F. }	1	2 .	2 .	
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	1 1	
39	Old age	{ M. F. }	3 1	1 1 3 6	1 1 3 6	
40	Suicide	{ M. F. }	1 2	
42	Other violence (41)	{ M. F. }	2 4	1 2 1 1	1 2 1 1	
43	Causes ill-defined or unknown	{ M. F. }	5 8	3 8 3 1	3 8 3 1	

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos.	CAUSES OF DEATH.	PERTH COUNTY (excluding Perth Burgh).													GREENOCK BURGH.												
		All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
	All Causes—Both Sexes	1,321	54	15	9	7	34	45	107	196	334	348	127	1,263	79	19	17	74	62	79	116	151	277	182	38		
	Males	621	28	5	5	6	16	26	52	99	168	144	50	713	46	10	12	45	33	48	68	89	173	86	13		
	Females	700	26	10	4	1	18	19	55	97	166	204	77	550	33	9	5	29	29	31	48	62	104	96	25		
1	Typhoid fever (including typhoid)		
4	Measles	1	.	1	4	2		
5	Scarlet fever	1	.	.	1	1	.	1		
6	Whooping-cough	2	1	17	14	1		
7	Diphtheria	2	.	1	.	.	1	2	1	1		
8	Influenza	26	2	1	6	3	28	7	1	.	2	1	3	2	1	8	3	.		
14 (1)	Cerebro-spinal fever		
14 (2)	Other epidemic diseases (2, 3, 9)*	1	.	.	.	1	3	1		
10	Tuberculosis of respiratory system	15	1	6	1	3	.	.	.	49	1	1	.	12	8	12	8	6	1	.	.		
11	Other tuberculous diseases	2	1	1	.	.	.	1	1	17	4	3	3	5	1	.	1	.	1	.	.		
14 (3)	Other infectious and parasitic diseases (12, 13)	1	1	1	2	1		
15	Cancer, malignant disease	78	.	.	.	1	2	2	6	13	28	20	4	75	2	3	11	19	33	6	1		
18	Diabetes mellitus	10	1	2	2	1	1	54	4	5	13	22	9	1		
20	Other general diseases, chronic poisonings (16, 17, 19)	14	.	1	.	1	1	.	1	3	4	3	.	16	.	.	1	3	3	2	2	3	3	2	.		
22	Cerebral hæmorrhage, &c.	62	5	8	25	18	5	62	.	.	.	1	.	2	1	3	11	19	13		
23	Other diseases of nervous system and sense organs (21)	88	4	17	30	32	5	51	2	3	4	4	3	.		
(a)		14	2	1	2	1	1	.	3	5	2	1	.	26	2	.	.	2	4	2	4	4	3	1	.		
		20	2	5	5	5	3	.	14	4	.	.	3	.	1	2	1	1	1	(o)		
			(d)	(e)	(f)	(g)	(h)	(i)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. } 126 131
25	Other circulatory diseases	{ M. F. } 25 23
26	Bronchitis	{ M. F. } 17 35
27	Pneumonia (all forms)	{ M. F. } 27 25
28	Other respiratory diseases	{ M. F. } 8 6
32 (1)	Gastric and duodenal ulcer	{ M. F. } 16 3
29	Diarrhoea, &c. (all ages)	{ M. F. } 4 5
30	Appendicitis	{ M. F. } 9 5
31 (1)	Cirrhosis of liver	{ M. F. } 3 1
31 (2)	Other diseases of liver, &c.	{ M. F. } 4 8
32 (2)	Other digestive diseases	{ M. F. } 6 9
33	Acute and chronic nephritis	{ M. F. } 23 15
34	Other diseases of genito-urinary system	{ M. F. } 27 6
35	Puerperal sepsis	F. 2
36	Other puerperal causes	F. 4
37	Diseases of skin and locomotor system	{ M. F. } 1 3
38	Congenital debility, premature birth, malformation, &c.	{ M. F. } 16 14
39	Old age	{ M. F. } 14 38
40	Suicide	{ M. F. } 12 1
42	Other violence (41)	{ M. F. } 33 19
43	Causes ill-defined or unknown	{ M. F. } 20 14

including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

CAUSES OF DEATH.		PAISLEY BURGH.														PORT-GLASGOW BURGH.													
		All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.				
International Nos.	Short List.	1,175	160	52	25	12	31	56	73	105	174	263	195	28	243	39	14	.	4	5	7	15	22	34	59	37	7		
	All Causes—Both Sexes	606	93	32	9	7	18	29	42	59	84	133	88	12	118	22	5	.	3	1	1	6	15	17	31	16	1		
	Males	569	67	20	17	5	13	27	31	46	90	130	107	16	125	17	9	.	1	4	6	9	7	17	28	21	6		
	Females																												
1	Typhoid fever (including typhoid)		
4	Measles	1	1	1	3	1	2		
5	Scarlet fever	1	.	1	1	1		
6	Whooping-cough	7	3	4		
7	Diphtheria	11	6	4	4	1	1		
8	Influenza	12	1	.	.	1	4	6	1	4	4	1	1	.	.	1	1	2	1		
14 (1)	Cerebro-spinal fever	6	2	1	1		
14 (2)	Other epidemic diseases (2, 3, 9) *	1	1	.	1		
10	Tuberculosis of respiratory system	41	1	2	.	1	6	11	7	6	6	1	.	.	4	1	.	1	1		
11	Other tuberculous diseases	12	1	5	2	2	2	1	.	.	.	1	.	.	1		
14 (3)	Other infectious and parasitic diseases (12, 13)	1	1	1	1		
15	Cancer, malignant disease	68	1	1	5	12	14	27	9	1	13	4	2	2	.	.		
18	Diabetes mellitus	6	1	1	1	2	2	.	10	1	1	.	.	.		
20	Other general diseases, chronic poisonings (16, 17, 19)	7	1	.	.	1	1	.	1	1	1	1	.	1	3	2	1	.	.		
22	Cerebral hæmorrhage, &c.	34	1	1	5	14	13	1	7	1	.	.	2	5	4	.	.		
23	Other diseases of nervous system and sense organs (21)	15	3	2	.	1	1	2	1	3	1	2	1	.	4	4	1	(o)		
(c)		11	3	2	.	1	2	2	1	2	1	2	1	.	1	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. } 106 106	. . .	1 . .	. 1 .	. 1 .	. 1 .	. 2	3 3 .	6 4 .	12 8 .	6 7 .	. 2 .
25	Other circulatory diseases	{ M. F. } 15 6	2	2 . .	. 1 .	. 1 .
26	Bronchitis	{ M. F. } 32 25	4 4 .	. 1 .	. 3 .	. 3	1 3 .	2 5 .	1 4 .	1 1
27	Pneumonia (all forms)	{ M. F. } 46 35	9 6 .	3 3 .	. 1 .	2 5 .	1 1	1 1 .	1 . .	1 2	1
28	Other respiratory diseases	{ M. F. } 11 5 1	1
32(1)	Gastric and duodenal ulcer	{ M. F. } 8 6	1 1	1 1 .	1 1
29	Diarrhoea, &c. (all ages)	{ M. F. } 14 14	13 11 .	1 2
30	Appendicitis	{ M. F. } 4 4	. . .	1 1 .	. 1
31(1)	Cirrhosis of liver	{ M. F. }
31(2)	Other diseases of liver, &c.	{ M. F. }
32(2)	Other digestive diseases	{ M. F. } 13 11	1 1 .	1 1 .	2 1	1	1
33	Acute and chronic nephritis	{ M. F. } 14 18	1	5 6 .	1 5 .	6 2
34	Other diseases of genito-urinary system	{ M. F. } 12 2	2 3 .	3 6 .	1
35	Puerperal sepsis	2 1
36	Other puerperal causes
37	Diseases of skin and locomotor system { M. F. }	. .	1 1 .	1	3 1 .	1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. } 50 34	. 34
39	Old age	{ M. F. } 10 13	1 1 .
40	Suicide	{ M. F. } 6 4	1	3 1	1 1
42	Other violence (41)	{ M. F. } 31 16	1 . .	2 2 .	. 2 .	4 1	5 . .	3 1 .	3 2 .	2 1 1 .
43	Causes ill-defined or unknown	{ M. F. } 5 5	1 2

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos. Short List.	CAUSES OF DEATH.	RENFREW COUNTY (excluding Large Burghs).												ROSS AND CROMARTY COUNTY.											
		All Ages.	-1	5	10	15	25	35	45	55	65	75	85 and over.	All Ages.	-1	5	10	15	25	35	45	55	65	75	85 and over.
		1,456	119	32	20	15	67	72	117	234	361	301	66	1,019	44	11	9	27	55	56	59	122	203	284	138
	All Causes—Both Sexes . .	743	66	15	9	8	40	39	58	136	186	132	27	484	26	4	9	18	30	28	31	52	108	124	47
	Males	713	53	17	11	7	25	33	59	98	175	169	39	535	18	7	2	9	25	28	28	70	95	160	91
1	Typhoid fever (including typhoid)
4	Measles	1	1	1	.	1
5	Scarlet fever	2	2	.	.	1	2	.	1	1
6	Whooping-cough	5	5	3
7	Diphtheria	4	4	2	1	1	1	.	1
8	Influenza	28	3	1	.	2	1	4	2	7	5	6	.	17	.	.	1	.	2	2	.	1	3	6	3
14 (1)	Cerebro-spinal fever	2	1	1	32	1	.	.	.	1	8
14 (2)	Other epidemic diseases (2, 3, 9)* . .	3	1	1	1	1	1	3	1	.	.	1	.	.	.	1	1	2	1
10	Tuberculosis of respiratory system . .	44	.	1	.	.	15	9	7	6	2	1	.	41	1	.	1	5	11	11	8	2	2	.	.
11	Other tuberculous diseases	10	1	1	1	2	2	1	1	19	.	.	.	1	9	4	.	1	1	.	.
14 (3)	Other infectious and parasitic diseases (12, 13)	5	1	.	.	.	1	1	.	2	.	.	.	8	.	1	.	1	3	3	1	.	1	.	.
15	Cancer, malignant disease	77	.	1	1	.	1	2	8	24	23	14	3	54	1	2
18	Diabetes mellitus	2	1	1	1	1	1	1	.	55	1	3	4	10	26	12	2
20	Other general diseases, chronic poisonings (16, 17, 19)	11	1	1	.	2	2	1	.	1	6	4	.	8	1	.	1	1	2	1	2	7	1	6	.
22	Cerebral hæmorrhage, &c.	69	.	.	.	2	.	1	3	14	28	17	5	47	.	.	.	1	.	1	.	8	11	24	2
23	Other diseases of nervous system and sense organs (21)	25	4	1	1	1	1	2	3	4	6	2	1	17	1	.	1	1	3	1	.	5	3	1	.
(a)		9	1	.	.	2	1	1	.	3	3	1	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	
24	Heart disease	{ M. F.	171 185	1 1	2 4	1 1	1 1	2 5	2 5	12 16	35 25	69 60	39 60	8 12	12 13
25	Other circulatory diseases.	{ M. F.	13 15	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
26	Bronchitis	{ M. F.	27 19	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
27	Pneumonia (all forms).	{ M. F.	43 35	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
28	Other respiratory diseases.	{ M. F.	12 14	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
32(1)	Gastric and duodenal ulcer	{ M. F.	9 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
29	Diarrhoea, &c. (all ages)	{ M. F.	13 11	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
30	Appendicitis	{ M. F.	8 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
31(1)	Cirrhosis of liver	{ M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
31(2)	Other diseases of liver, &c.	{ M. F.	2 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
32(2)	Other digestive diseases	{ M. F.	12 8	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
33	Acute and chronic nephritis	{ M. F.	22 28	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
34	Other diseases of genito-urinary system	{ M. F.	21 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
35	Puerperal sepsis	F.	3	1	1	1	1	1	1	1	1	1	1	1	
36	Other puerperal causes	F.	4	1	1	1	1	1	1	1	1	1	1	1	
37	Diseases of skin and locomotor system { M. F.	{ M. F.	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
38	Congenital debility, premature birth, malformation, &c.	{ M. F.	31 26	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
39	Old age	{ M. F.	16 33	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
40	Suicide	{ M. F.	5	1	1	1	1	1	1	1	1	1	1	1	
42	(Other violence (41)	{ M. F.	36 14	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
43	Causes ill-defined or unknown	{ M. F.	11 6	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos.	Short List.	CAUSES OF DEATH.	ROXBURGH COUNTY.											SELKIRK COUNTY.															
			All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	
		All Causes—Both Sexes	683	40	15	3	5	11	23	26	54	110	181	166	49	340	12	2	.	1	4	11	14	29	47	93	100	27	
		Males	316	24	5	3	1	5	10	11	26	53	89	68	21	145	5	1	.	1	3	8	7	11	22	40	38	14	
		Females	367	16	10	.	4	6	13	15	28	57	92	98	28	195	7	1	.	.	1	8	7	18	25	53	62	13	
1		Typhoid fever (including Para-typhoid)
4		Measles
5		Scarlet fever	1	1	.	.	1	1
6		Whooping-cough	2	3	.	1	1	.	.	1
7		Diphtheria	1	2
8		Influenza	13	16	.	.	1	.	1	2	1	4	5	1	1	3	1	2	1	1	1	1	3	.	
14 (1)		Cerebro-spinal fever	1	.	1
14 (2)		Other epidemic diseases (2, 3, 9) *	1	1	.	.	2
10		Tuberculosis of respiratory system	6	7	.	.	.	1	2	2	2	1	.	.	.	4	1	1
11		Other tuberculous diseases	5	4	.	1	.	2	1	1	.	1	.	.	1	1	1
14 (3)		Other infectious and parasitic diseases (12, 13)	1	1	1
15		Cancer, malignant disease	37	35	2	6	10	15	4	.	13	1	1	3	5	2	1	.
18		Diabetes mellitus	4	9	1	.	1	3	5	1	.	20
20		Other general diseases, chronic poisonings (16, 17, 19)	5	12	1	.	.	1	.	.	2	1	6	1	.	8	1	.	2	.	1	2	.	.
22		Cerebral hæmorrhage, &c.	28	54	1	1	3	5	10	8	4	16	5	2	5	8	1	2
23		Other diseases of nervous system and sense organs (21)	15	13	.	.	1	.	1	1	1	2	5	2	4	4	1	1	1	1	1	.	.
(a)			(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. }	79 90	1 1	2 2	6 5	1 3	1 2	1 2	3 8	7 8	13 19	7 21	5 3
25	Other circulatory diseases	{ M. F. }	12 10	1 1	2 2	2 3	2 3	2 3	2 3	9 8	2 2	1 2	2 2	1 1
26	Bronchitis	{ M. F. }	15 17	1 1	2 2	2 2	2 2	2 2	2 2	7 8	1 2	1 2	1 2	1 1
27	Pneumonia (all forms)	{ M. F. }	6 13	1 2	1 1	2 3	1 1	1 1	1 1	7 5	1 1	8 4	1 1	1 1
28	Other respiratory diseases	{ M. F. }	7 4	1 1	1 1	1 1	1 1	1 1	1 1	2 2	1 1	1 2	1 2	1 1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	8 1	1 1	2 2	2 2	1 1	1 1	1 1	7 2	1 1	3 1	1 1	1 1
29	Diarrhoea, &c. (all ages)	{ M. F. }	4 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	4 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (1)	Cirrhosis of liver	{ M. F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (2)	Other diseases of liver, &c.	{ M. F. }	1 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (2)	Other digestive diseases	{ M. F. }	2 5	1 1	1 1	1 1	1 1	1 1	1 1	2 2	1 1	1 1	1 1	1 1
33	Acute and chronic nephritis	{ M. F. }	10 13	1 1	2 2	2 2	2 2	2 2	2 2	7 4	1 2	1 2	1 2	1 1
34	Other diseases of genito-urinary system	{ M. F. }	6 2	1 1	1 1	1 1	1 1	1 1	1 1	5 1	1 1	2 2	1 2	1 1
35	Puerperal sepsis	F.	2	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	F.	4	2	2	2	2	2	2	1	1	1	1	1
37	Diseases of skin and locomotor system	{ M. F. }	1 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	17 10	1 1	1 1	1 1	1 1	1 1	1 1	5 4	1 1	1 1	1 1	1 1
39	Old age	{ M. F. }	9 11	1 1	1 1	1 1	1 1	1 1	1 1	14 17	1 1	2 2	1 1	5 4
40	Suicide	{ M. F. }	3 5	1 1	1 1	1 1	1 1	1 1	1 1	3 1	1 1	1 1	1 1	1 1
42	Other violence (41)	{ M. F. }	12 4	1 1	1 1	1 1	1 1	1 1	1 1	7 4	1 1	1 1	1 1	1 1
43	Causes ill-defined or unknown	{ M. F. }	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos. Short List.	CAUSES OF DEATH.	FALKIRK BURGH.													STIRLING BURGH.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . .	443	44	9	5	2	15	13	33	44	76	104	87	11	326	38	13	5	3	10	15	18	32	40	69	61	22
	Males	237	27	5	3	1	6	5	18	22	38	65	44	3	175	23	7	1	.	9	8	11	24	22	36	27	7
	Females	206	17	4	2	1	9	8	15	22	38	39	43	8	151	15	6	4	3	1	7	8	18	33	34	15	
1	Typhoid fever (including Para-typhoid) { M. F.
4	Measles { M. F.
5	Scarlet fever { M. F.
6	Whooping-cough { M. F.	1	1
7	Diphtheria { M. F.	1	.	1
8	Influenza { M. F.	8	8	1	3	2	1	1	1	.	3	1	1	1	2	.	.	1	1
14 (1)	Cerebro-spinal fever { M. F.
14 (2)	Other epidemic diseases (2, 3, 9) * . { M. F.	1	1	1	.	.	.	2	1	1	.
10	Tuberculosis of respiratory system . { M. F.	10	9	.	.	.	2	5	2	1	2	2	.	.	8	3	2	1	2
11	Other tuberculous diseases . . . { M. F.	1	2	.	.	1	1	3	.	1	1	1	1
14 (3)	Other infectious and parasitic diseases (12, 13) { M. F.	2	1	1
15	Cancer, malignant disease . . . { M. F.	42	26	2	5	12	13	9	1	21	1	1	6	6	6	1	2	.
18	Diabetes mellitus { M. F.	1	8	1	.	4	1	3	.	1	1	3	1	.	.
20	Other general diseases, chronic poisonings (16, 17, 19) . . . { M. F.	8	7	.	.	1	.	.	1	2	2	4	1	.	3	.	1	.	.	1	1	1	.	1	1	1	.
22	Cerebral hæmorrhage, &c. . . { M. F.	10	17	1	2	1	5	2	1	16	.	1	1	1	4	4	6	6
23	Other diseases of nervous system and sense organs (21) { M. F.	2	7	1	1	.	.	.	1	2	1	1	1	.	1	2	1	.	.	1	.	.	.
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. }	40 47	1 2	1 2	1 2	2 3	2 6	10 12	13 13	9 8	2 1	34 35	2 1
25	Other circulatory diseases	{ M. F. }	4 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Bronchitis	{ M. F. }	9 8	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
27	Pneumonia (all forms)	{ M. F. }	25 12	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
28	Other respiratory diseases	{ M. F. }	4 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32(1)	Gastric and duodenal ulcer	{ M. F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
29	Diarrhoea, &c. (all ages)	{ M. F. }	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31(1)	Cirrhosis of liver	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31(2)	Other diseases of liver, &c.	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32(2)	Other digestive diseases	{ M. F. }	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Acute and chronic nephritis	{ M. F. }	4 6	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other diseases of genito-urinary system	{ M. F. }	8 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Puerperal sepsis	F.	2	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	F.	2	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and locomotor system	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	19 10	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old age	{ M. F. }	8 12	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Suicide	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
42	Other violence (41)	{ M. F. }	12 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Causes ill-defined or unknown	{ M. F. }	7 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1937.

International Nos. Short List.	CAUSES OF DEATH.	STIRLING COUNTY (excluding Large Burghs).													SUTHERLAND COUNTY.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
		1,397	140	65	28	19	47	62	69	107	206	325	273	56	250	7	4	1	2	4	8	17	13	34	52	74	34
1	Typhoid fever (including typhoid)	1	1
4	Measles	3	1	.	.	2	1	1	
5	Scarlet fever	1	.	1	
6	Whooping-cough	4	3	1	
7	Diphtheria	6	.	4	5	2	1	
8	Influenza	35	2	1	1	1	4	4	3	6	6	9	4	3	11	1	1	.	.	2	.	.	1	.	5	3	
14(1)	Cerebro-spinal fever	2	.	.	1	1	
14(2)	Other epidemic diseases (2, 3, 9)*	1	1	1	.	.	1	
10	Tuberculosis of respiratory system	20	.	1	.	.	3	1	8	2	1	1	1	.	6	.	.	.	1	3	1	2	.	1	.	.	
11	Other tuberculous diseases	16	4	3	1	1	2	3	1	.	.	1	.	.	3	.	.	.	1	
14(3)	Other infectious and parasitic diseases (12, 13)	2	1	1	1	.	.	.	1	
15	Cancer, malignant disease	61	1	1	3	5	17	18	15	1	16	3	7	5	1	
18	Diabetes mellitus	8	1	.	.	1	3	8	1	.	2	
20	Other general diseases, chronic poisonings (16, 17, 19)	7	1	1	.	1	2	1	1	3	.	2	.	3	5	.	.	.	1	.	.	2	.	.	1	1	
22	Cerebral hæmorrhage, &c.	70	2	2	19	24	20	3	14	1	1	4	2	5	1	
23	Other diseases of nervous system and sense organs (21)	17	2	3	1	.	2	3	1	1	3	3	1	.	3	.	1	.	.	1	1	1	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. }	186 130	1 2	2 3	1 8	5 2	4 2	10 10	23 24	53 38	33 36	4 11
25	Other circulatory diseases	{ M. F. }	22 7	1	2 1	9 4	8 2	2 .
26	Bronchitis	{ M. F. }	38 26	1	1 1	14 6	13 11	2 1
27	Pneumonia (all forms)	{ M. F. }	59 34	15 5	1 1	1 1	2 .	3 1	9 1	2 4	8 7	6 2	6 4
28	Other respiratory diseases	{ M. F. }	9 13	1 .	1 .	1 .	1 .	3 2	1 3	3 1	2 1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	15 5	1 1	2 .	6 .	2 .	2 1	2 1	2 .	1 .
29	Diarrhoea, &c. (all ages)	{ M. F. }	6 5	3 1	1 1
30	Appendicitis	{ M. F. }	7 5	2 1	1 1	1	1 .	3 .	1 .	1 .
31 (1)	Cirrhosis of liver	{ M. F. }	3 1	1	1
31 (2)	Other diseases of liver, &c.	{ M. F. }	5 4	1 2	2 .	2 .	1 .
32 (2)	Other digestive diseases	{ M. F. }	8 9	1 1	1 .	1	3 5	2 1	1 .	1 3
33	Acute and chronic nephritis	{ M. F. }	14 12	1 .	1 1	1 .	1	2 4	3 4	3 1	2 4
34	Other diseases of genito-urinary system	{ M. F. }	13 5	1	2 .	1 .	1 .	2 1	6 .	3 1	1 .
35	Puerperal sepsis	F.	7	2 .	3 .	1 .	1
36	Other puerperal causes	F.	6	1 .	3 .	2	1 .
37	Diseases of skin and locomotor system	{ M. F. }	6 6	1	1 .	1 .	1 1	1 2	2
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	41 31	41 30	1 2
39	Old age	{ M. F. }	21 44	2 4	18 23	10 14
40	Suicide	{ M. F. }	7 2	3 .	2 1	1 .	1 .	1	1 .
42	Other violence (41)	{ M. F. }	53 22	1 1	6 4	2 1	9 2	8 .	4 2	8 3	6 2	3 8	3 2	6 2
43	Causes ill-defined or unknown	{ M. F. }	10 9	3 4	4 2	2 .	4 2

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. }	95 71	3 1	1 1	3 1	10 6	16 13	39 25	19 18	2 4	58 62	7 7	7 7
25	Other circulatory diseases	{ M. F. }	9 5	1 1	1 1	1 1	2 1	6 1	6 1	3 3	1 1	6 7	1 1	3 1
26	Bronchitis	{ M. F. }	24 25	1 1	1 1	1 1	2 4	4 4	7 4	5 11	1 3	8 8	1 1	2 2
27	Pneumonia (all forms)	{ M. F. }	46 24	14 6	3 3	3 3	8 2	8 2	3 6	1 1	1 1	7 10	1 1	1 2
28	Other respiratory diseases	{ M. F. }	5 9	1 2	1 1	1 1	2 3	3 3	1 1	1 1	1 1	3 3	1 1	1 1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	9 4	1 1	1 1	1 1	3 2	1 2	1 1	2 1	1 1	4 1	2 1	2 1
29	Diarrhoea, &c. (all ages)	{ M. F. }	3 7	2 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (1)	Cirrhosis of liver, &c.	{ M. F. }	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (2)	Other diseases of liver, &c.	{ M. F. }	6 11	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (2)	Other digestive diseases	{ M. F. }	8 11	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Acute and chronic nephritis	{ M. F. }	14 13	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other diseases of genito-urinary system	{ M. F. }	10 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Puerperal sepsis	F.	3	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	F.	2	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and locomotor system	{ M. F. }	7 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	38 33	37 32	1 1	1 1	1 1	1 1	1 1	1 1	1 1	10 10	1 1	1 1
39	Old age	{ M. F. }	20 16	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 15	2 6	1 1
40	Suicide	{ M. F. }	5 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	4 1	1 1	1 1
42	Other violence (41)	{ M. F. }	47 10	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	10 8	1 1	1 1
43	Causes ill-defined or unknown	{ M. F. }	5 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	5 1	1 1	1 1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. }	38 24	2 4	17 9	18 8	17 9	2 3
25	Other circulatory diseases	{ M. F. }	3 4	1 3	1 1
26	Bronchitis	{ M. F. }	9 10	1 1	6 3	1 1	6 3	1 3
27	Pneumonia (all forms)	{ M. F. }	4 7	2	.	1 3	1 2	1 3	.
28	Other respiratory diseases	{ M. F. }	4 3	1	.	.	.	4 1	.	4 1	.
32 (1)	Gastric and duodenal ulcer	{ M. F. }	2	1 .	.	1 .	.
29	Diarrhoea, &c. (all ages)	{ M. F. }
30	Appendicitis	{ M. F. }	4 1	.	1	.	.	1	.	.	1
31 (1)	Cirrhosis of liver	{ M. F. }
31 (2)	Other diseases of liver, &c.	{ M. F. }	1 1	1	.
32 (2)	Other digestive diseases	{ M. F. }	3 3	1	1	1	.	.	.	1	.
33	Acute and chronic nephritis	{ M. F. }	5 6	2 2	1 2	1
34	Other diseases of genito-urinary system	{ M. F. }	6 1	1	.	3	3	.
35	Puerperal sepsis	F.
36	Other puerperal causes	F.	5	4	1
37	Diseases of skin and locomotor system	{ M. F. }	1	1
38	Congenital debility, premature birth, mal-formation, &c.	{ M. F. }	5 2	5
39	Old age	{ M. F. }	18 29	1 1	10 14	7 14
40	Suicide	{ M. F. }	1
42	Other violence (41)	{ M. F. }	6 6	1	1	.	.	2	1 2	1 2
43	Causes ill-defined or unknown	{ M. F. }	5 5	3	2 3	1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

International Nos. Short List.		SCOTLAND.	ABERDEEN COUNTY.					Marginal Index Numbers.
			Aberdeen County.†	Aberdeen B.	Ballater B.	Ellon B.	Fraserburgh B.	
	Population (Estimated) - - -	4,976,610	324,229	177,317	1,251	1,383	10,383	1
	Total Births Registered (including Illegitimate)	87,810	5,704	3,212	12	23	192	2
	" " Corrected for Transfers	87,810	5,655	3,026	13	26	204	3
	" " Male - - -	45,035	2,933	1,563	7	12	110	4
	" " Female - - -	42,775	2,722	1,463	6	14	94	5
	" " Illegitimate	5,404	541	194	2	3	10	6
	" Marriages Registered - - -	38,351	2,592	1,721	12	23	78	7
	" Deaths Registered - - -	68,942	4,266	2,692	12	6	119	8
	" " Corrected for Transfers	68,942	4,138	2,298	16	13	126	9
	" " Male - - -	34,964	2,081	1,155	8	8	66	10
	" " Female - - -	33,978	2,057	1,143	8	5	60	11
	CAUSES OF DEATH.							
1	Typhoid fever (including Paratyphoid)	16	2	1	-	-	-	12
4	Measles - - - - -	119	-	-	-	-	-	13
5	Scarlet fever - - - - -	123	15	2	-	-	4	14
6	Whooping-cough - - - - -	717	25	18	-	-	1	15
7	Diphtheria - - - - -	426	25	18	-	-	-	16
8	Influenza - - - - -	2,693	142	65	1	-	3	17
14 (1)	Cerebro-spinal fever - - - - -	144	4	4	-	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	230	10	6	-	-	-	19
10	Tuberculosis of respiratory system - -	2,791	121	71	1	-	6	20
11	Other tuberculous diseases - - - - -	872	49	26	1	-	3	21
14 (3)	Other infectious and parasitic dis. (12, 13)	246	26	15	-	-	1	22
15	Cancer, malignant disease - - - - -	7,810	492	290	1	2	12	23
18	Diabetes mellitus - - - - -	867	51	30	-	1	-	24
20	Other general dis., chronic poisonings (16, 17, 19)	1,551	79	34	1	-	1	25
22	Cerebral hemorrhage, &c. - - - - -	6,411	437	247	2	1	14	26
23	Other dis. of nerv. syst. and sense org. (21)	1,588	106	59	-	-	-	27
24	Heart disease - - - - -	14,360	951	527	6	3	20	28
25	Other circulatory diseases - - - - -	1,372	118	74	-	-	7	29
26	Bronchitis - - - - -	3,273	151	82	-	-	10	30
27	Pneumonia (all forms) - - - - -	4,858	261	158	1	-	7	31
28	Other respiratory diseases - - - - -	956	43	24	-	1	1	32
32 (1)	Gastric and duodenal ulcer - - - - -	694	43	23	-	-	2	33
29	Diarrhoea, &c. (all ages) - - - - -	1,074	29	17	-	-	2	34
30	Appendicitis - - - - -	452	27	14	-	-	1	35
31 (1)	Cirrhosis of liver - - - - -	196	15	8	-	-	-	36
31 (2)	Other diseases of liver, &c. - - - - -	388	22	12	-	-	2	37
32 (2)	Other digestive diseases - - - - -	977	65	31	-	1	4	38
33	Acute and chronic nephritis - - - - -	1,835	137	81	-	-	3	39
34	Other dis. of genito-urinary system - -	1,036	84	42	-	-	2	40
35	Puerperal sepsis - - - - -	144	9	7	-	-	-	41
36	Other puerperal causes - - - - -	280	11	5	-	-	-	42
37	Diseases of skin and locomotor system -	460	28	16	-	2	-	43
38	Congen. debil., prem. birth, malform., &c.	3,409	209	114	-	-	8	44
39	Old age - - - - -	2,494	110	51	-	-	1	45
40	Suicide - - - - -	453	39	24	-	-	4	46
42	Other violence (41) - - - - -	2,567	161	80	2	2	6	47
43	Causes ill-defined or unknown - - -	1,010	41	22	-	-	1	48
	ALL CAUSES - - -	68,942	4,138	2,298	16	13	126	49
	AGES AT DEATH.							
	Under 1 - - - - -	7,050	386	219	-	2	14	50
	1-4 - - - - -	2,195	119	62	-	-	8	51
	5-9 - - - - -	851	53	28	-	-	3	52
	10-14 - - - - -	603	33	19	-	-	-	53
	15-24 - - - - -	2,362	119	57	1	-	4	54
	25-34 - - - - -	2,862	160	99	2	1	8	55
	35-44 - - - - -	3,656	200	121	1	3	6	56
	45-54 - - - - -	5,951	303	209	1	1	9	57
	55-64 - - - - -	10,514	565	340	4	1	12	58
	65-74 - - - - -	15,861	1,018	558	-	3	35	59
	75-84 - - - - -	13,353	890	458	6	1	19	60
	85 and over - - - - -	3,682	292	128	1	1	8	61
	Not stated - - - - -	2	-	-	-	-	-	62
	ALL AGES - - -	63,942	4,138	2,298	16	13	126	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

† Including portion of Aberdeen Burgh in Kincardine County.

Marginal Index Numbers.	ABERDEEN COUNTY—(continued).								ANGUS COUNTY.				
	Huntly B.	Inverurie B.	Kintore B.	Old Meldrum B.	Peterhead B.	Rosehearty B.	Turriff B.	Landward.	Angus County.	Arbroath B.	Brechin B.	Carnoustie B.	Dundee B.
1	3,979	4,693	792	1,017	13,051	1,147	2,486	106,730	272,763	18,049	6,670	4,748	177,711
2	62	65	11	23	246	19	95	1,744	4,574	274	78	30	3,363
3	58	80	13	23	258	17	46	1,891	4,480	283	81	38	3,125
4	35	44	8	13	128	13	24	976	2,275	142	45	18	1,576
5	23	36	5	10	130	4	22	915	2,205	141	36	20	1,549
6	8	10	2	3	19	-	6	284	289	11	7	2	185
7	37	49	6	13	87	7	23	536	2,141	148	61	33	1,521
8	70	58	5	11	122	16	46	1,109	4,229	304	145	58	2,819
9	70	70	8	15	135	20	46	1,321	4,096	302	135	77	2,672
10	31	33	6	8	70	9	19	668	1,894	139	59	28	1,240
11	39	37	2	7	65	11	27	653	2,202	163	76	49	1,432
12	1	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	1	-	-	-	1
14	1	-	-	-	-	-	-	8	8	-	-	-	5
15	-	-	-	-	-	-	-	6	58	2	-	-	51
16	1	-	-	-	2	-	-	4	10	-	-	-	9
17	4	3	-	-	3	1	1	61	177	4	7	4	113
18	-	-	-	-	-	-	-	-	5	-	-	-	5
19	-	-	-	-	-	-	-	4	6	1	-	-	4
20	-	1	-	-	2	1	-	39	141	6	8	5	102
21	1	-	-	-	2	1	-	15	50	3	1	-	43
22	-	1	-	-	-	-	-	9	17	1	-	-	15
23	9	3	1	2	17	3	10	142	474	27	19	10	307
24	1	2	1	-	3	-	-	13	45	5	2	1	27
25	3	2	-	-	6	1	-	31	83	3	3	6	48
26	14	6	-	1	14	3	4	131	410	42	12	8	237
27	-	5	1	-	5	-	-	36	109	4	1	-	78
28	12	19	2	8	22	3	11	318	974	112	31	14	606
29	2	1	-	-	-	2	-	32	64	2	4	1	44
30	2	5	-	1	8	1	4	38	161	15	5	2	110
31	2	5	-	-	6	2	3	77	309	14	8	2	242
32	-	-	-	-	3	-	1	13	54	2	-	-	41
33	2	2	-	-	1	-	-	13	35	7	-	2	20
34	-	1	-	-	3	-	-	6	32	2	2	-	24
35	-	1	-	-	-	-	-	11	29	1	-	1	13
36	-	-	-	-	2	-	-	5	8	-	-	-	5
37	-	-	-	-	1	-	-	7	20	1	1	-	13
38	1	-	-	-	2	-	-	26	55	5	1	-	32
39	-	4	-	1	1	-	3	44	104	8	5	2	72
40	4	2	1	-	1	-	-	32	73	4	6	2	41
41	-	-	-	-	-	-	-	2	9	-	-	-	6
42	-	1	-	-	1	-	-	4	14	-	-	1	10
43	-	-	-	-	-	-	-	10	27	2	1	-	17
44	3	2	-	1	14	2	3	62	188	16	9	1	116
45	3	1	-	-	11	-	4	39	149	4	3	12	79
46	1	-	-	-	-	-	-	10	39	-	1	1	30
47	3	3	1	-	3	-	2	59	141	8	5	2	98
48	-	-	1	1	2	-	-	14	17	1	-	-	8
49	70	70	8	15	135	20	46	1,321	4,096	302	135	77	2,672
50	4	6	-	1	23	3	3	111	371	20	9	1	272
51	2	2	-	-	5	-	-	40	115	6	1	-	100
52	-	1	1	-	3	-	-	17	40	1	-	1	29
53	1	1	-	-	2	-	-	10	31	1	-	2	24
54	1	3	-	-	5	1	1	46	141	8	2	1	102
55	3	3	-	-	2	3	1	38	147	6	3	1	108
56	1	1	-	-	2	-	2	63	233	9	9	4	171
57	3	2	-	2	12	1	2	61	348	22	7	7	240
58	7	10	1	1	18	5	3	163	606	48	24	9	387
59	20	20	5	6	26	4	18	323	969	83	38	23	600
60	22	18	1	3	27	2	10	323	846	77	36	21	498
61	6	3	-	2	10	1	6	126	249	21	6	7	141
62	-	-	-	-	-	-	-	-	-	-	-	-	-
63	70	70	8	15	135	20	46	1,321	4,096	302	135	77	2,672

International Nos. Short List.		ANGUS COUNTY—(continued).					ARGYLL COUNTY.		Marginal Index Numbers.
		Forfar B.	Kirriemuir B.	Monifieth B.	Montrose B.	Landward.	Argyll County.	Campbeltown B.	
	Population (Estimated) - - -	9,865	3,407	3,154	10,778	38,381	61,800	6,442	1
	Total Births Registered (including Illegitimate)	116	40	20	148	505	759	140	2
	" Corrected for Transfers	130	45	33	164	581	835	141	3
	" " Male - -	62	19	21	81	311	415	74	4
	" " Female - -	68	26	12	83	270	420	67	5
	" " Illegitimate	7	3	-	12	62	75	19	6
	Marriages Registered - -	84	34	19	67	174	309	50	7
	Deaths Registered - - -	123	54	43	173	510	995	112	8
	" Corrected for Transfers	123	58	52	186	491	1,041	115	9
	" " Male - -	54	21	19	85	249	530	63	10
	" " Female - -	69	37	33	101	242	511	52	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	1	-	12
4	Measles - - - - -	-	-	-	-	-	-	-	13
5	Scarlet fever - - - - -	-	1	-	1	-	1	-	14
6	Whooping-cough - - - - -	-	-	1	-	4	-	-	15
7	Diphtheria - - - - -	-	-	1	-	-	1	-	16
8	Influenza - - - - -	2	1	3	10	33	55	6	17
14 (1)	Cerebro-spinal fever - - - - -	-	-	-	-	-	1	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	-	-	-	1	-	1	-	19
10	Tuberculosis of respiratory system - -	2	-	1	3	14	29	6	20
11	Other tuberculous diseases - - - - -	-	-	-	-	3	9	-	21
14 (3)	Other infectious and parasitic dis. (12, 13)	-	-	-	-	1	2	-	22
15	Cancer, malignant disease - - - - -	17	8	6	22	58	129	18	23
18	Diabetes mellitus - - - - -	2	-	1	1	6	17	2	24
20	Other general dis., chronic poisonings (16, 17, 19)	2	2	1	6	12	26	2	25
22	Cerebral hæmorrhage, &c. - - - - -	18	10	7	22	54	100	11	26
23	Oth. dis. of nerv. syst. and sense org. (21)	4	-	1	8	15	22	3	27
24	Heart disease - - - - -	30	17	10	37	117	243	30	28
25	Other circulatory diseases - - - - -	1	-	2	5	5	25	-	29
26	Bronchitis - - - - -	3	1	1	14	10	29	4	30
27	Pneumonia (all forms) - - - - -	5	5	-	11	22	37	7	31
28	Other respiratory diseases - - - - -	1	3	-	2	5	18	1	32
32 (1)	Gastric and duodenal ulcer - - - - -	2	1	-	1	2	12	-	33
29	Diarrhœa, &c. (all ages) - - - - -	1	-	-	-	3	6	1	34
30	Appendicitis - - - - -	2	1	-	1	10	8	-	35
31 (1)	Cirrhosis of liver - - - - -	-	-	-	-	3	-	-	36
31 (2)	Other diseases of liver, &c. - - - - -	-	-	-	1	4	3	1	37
32 (2)	Other digestive diseases - - - - -	3	-	4	3	7	9	1	38
33	Acute and chronic nephritis - - - - -	1	1	1	4	10	46	1	39
34	Other dis. of genito-urinary system - -	5	3	-	4	8	16	2	40
35	Puerperal sepsis - - - - -	1	-	-	2	-	-	-	41
36	Other puerperal causes - - - - -	1	-	-	-	2	2	1	42
37	Diseases of skin and locomotor system	1	1	2	2	1	7	1	43
38	Congen. debil., prem. birth, malform., &c.	4	-	3	5	34	25	9	44
39	Old age - - - - -	8	-	7	14	22	77	3	45
40	Suicide - - - - -	2	-	-	-	5	7	1	46
42	Other violence (41) - - - - -	4	2	-	8	14	55	1	47
43	Causes ill-defined or unknown - - -	1	1	-	-	6	22	3	48
	ALL CAUSES - - -	123	58	52	186	491	1,041	115	49
	AGES AT DEATH.								
	Under 1 - - - - -	4	-	6	11	48	44	16	50
	1-4 - - - - -	1	-	-	1	6	8	2	51
	5-9 - - - - -	-	1	1	-	7	4	-	52
	10-14 - - - - -	1	-	-	-	3	1	-	53
	15-24 - - - - -	3	-	-	9	16	28	3	54
	25-34 - - - - -	4	2	-	8	15	36	4	55
	35-44 - - - - -	9	1	1	9	20	41	7	56
	45-54 - - - - -	9	5	5	17	36	71	6	57
	55-64 - - - - -	17	5	7	22	87	161	11	58
	65-74 - - - - -	33	17	16	44	115	253	24	59
	75-84 - - - - -	33	23	12	49	97	291	33	60
	85 and over - - - - -	9	4	4	16	41	103	9	61
	Not stated - - - - -	-	-	-	-	-	-	-	62
	ALL AGES - - -	123	58	52	186	491	1,041	115	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	ARGYLL COUNTY—(continued).						AYR COUNTY.						
	Dunoon B.	Inveraray B.	Lochgilphead B.	Oban B.	Tobermory B.	Landward.	Ayr County.	Ardrossan B.	Ayr B.	Cumnock and Holmhead B.	Darvel B.	Galston B.	Girvan B.
1	8,091	463	1,089	5,774	752	39,189	292,200	7,441	40,419	4,008	3,324	4,823	5,328
2	86	1	11	101	10	410	5,160	85	963	70	23	71	87
3	92	4	13	93	10	482	5,211	146	687	77	39	88	85
4	44	4	7	49	4	233	2,681	83	361	37	20	46	33
5	48	-	6	44	6	249	2,530	63	326	40	19	42	52
6	6	-	1	3	-	46	266	3	30	5	1	2	8
7	63	1	6	54	1	134	2,181	44	393	43	21	59	37
8	167	5	15	115	9	572	3,970	74	859	41	43	54	65
9	178	9	15	69	9	646	4,131	111	623	59	51	73	81
10	84	6	5	38	5	329	2,146	63	328	28	22	39	40
11	94	3	10	31	4	317	1,985	48	295	31	29	34	41
12	1	-	-	-	-	-	1	-	-	-	-	-	-
13	-	-	-	-	-	-	26	1	2	-	-	-	-
14	-	-	-	-	-	1	13	1	3	-	-	-	1
15	-	-	-	-	-	-	43	1	8	-	-	1	-
16	1	-	-	-	-	-	49	1	8	-	-	1	1
17	11	-	1	4	-	33	157	4	11	2	1	4	2
18	1	-	-	-	-	-	16	-	3	1	-	-	-
19	-	-	-	1	-	-	15	-	1	-	-	-	-
20	4	1	-	3	-	15	143	3	36	3	2	3	4
21	-	-	-	2	-	7	41	1	7	2	-	1	-
22	1	-	-	-	-	1	14	-	2	-	1	-	-
23	19	1	2	10	2	77	419	12	57	5	5	4	4
24	4	-	-	-	-	11	57	3	10	1	2	-	1
25	2	-	-	2	-	20	84	1	14	1	1	2	1
26	9	1	3	5	2	69	447	12	59	5	7	3	10
27	2	-	-	3	-	14	103	3	12	1	3	-	1
28	60	3	3	11	3	133	823	17	121	14	14	16	14
29	3	-	-	-	-	22	67	1	12	1	-	1	-
30	3	-	-	1	-	21	153	3	24	1	1	5	2
31	9	-	1	5	-	15	261	7	47	4	1	5	7
32	4	-	2	2	-	9	59	2	12	1	1	3	1
33	2	-	-	-	-	10	39	1	8	2	2	2	-
34	-	-	-	-	-	5	69	3	4	1	1	2	-
35	-	-	-	3	-	5	31	2	5	-	-	-	1
36	-	-	-	-	-	-	19	1	6	-	-	-	-
37	1	-	-	-	-	1	27	2	2	-	-	2	-
38	-	-	-	1	-	7	45	1	7	-	1	2	2
39	11	-	2	4	-	28	138	4	20	-	-	2	1
40	1	-	-	2	-	11	55	2	4	-	-	-	4
41	-	-	-	-	-	-	7	-	1	-	-	-	-
42	-	-	-	-	-	1	19	2	6	-	-	-	-
43	-	-	-	1	-	5	17	-	3	-	1	-	-
44	4	-	-	2	-	10	238	10	37	3	2	7	6
45	15	1	-	3	2	53	157	2	28	1	4	2	11
46	1	-	-	1	-	4	28	1	4	3	-	-	-
47	4	2	1	3	-	44	166	7	26	6	1	3	2
48	5	-	-	-	-	14	85	-	13	1	-	2	5
49	178	9	15	69	9	646	4,131	111	623	59	51	73	81
50	6	-	-	4	-	18	463	16	69	4	4	9	8
51	2	-	-	1	-	3	167	6	27	4	1	1	4
52	2	-	-	1	-	1	61	2	8	-	-	1	2
53	-	-	-	-	-	1	43	1	3	-	-	1	1
54	3	1	1	1	-	19	148	7	22	5	-	-	3
55	5	-	-	1	-	26	151	4	22	3	3	1	2
56	5	-	1	7	-	21	212	11	33	1	1	10	3
57	10	-	1	8	-	46	293	8	67	4	3	3	4
58	31	4	1	13	1	100	664	13	108	10	7	15	6
59	53	3	2	18	2	151	947	21	123	16	14	16	15
60	49	1	7	11	5	185	787	17	117	9	15	11	23
61	12	-	2	4	1	75	195	5	24	3	3	5	10
62	-	-	-	-	-	-	-	-	-	-	-	-	-
63	178	9	15	69	9	646	4,131	111	623	59	51	73	81

International Nos. Short List.		AYR COUNTY—(continued).							Marginal Index Numbers.
		Irvine B.	Kilmarnock B.	Kilwinning B.	Largs B.	Maybole B.	Newmilns and Greenholm B.	Prestwick B.	
	Population (Estimated) - - -	12,720	39,847	5,468	5,984	4,406	3,886	9,484	1
	Total Births Registered (including Illegitimate)	178	858	523	41	72	33	99	2
	„ „ Corrected for Transfers	266	739	110	56	83	45	126	3
	„ „ „ Male - -	146	377	68	32	37	30	64	4
	„ „ „ Female - -	120	362	42	24	46	15	62	5
	„ „ „ Illegitimate	8	31	4	1	9	1	7	6
	„ Marriages Registered - -	91	313	64	40	38	23	46	7
	„ Deaths Registered - -	137	617	64	84	54	47	113	8
	„ „ Corrected for Transfers	171	565	72	110	75	57	165	9
	„ „ „ Male - -	97	291	41	47	38	31	77	10
	„ „ „ Female - -	74	274	31	63	37	26	88	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	1	-	-	-	12
4	Measles - - - - -	-	11	-	-	-	-	1	13
5	Scarlet fever - - - - -	1	1	-	-	-	-	-	14
6	Whooping-cough - - - - -	-	7	-	-	1	1	2	15
7	Diphtheria - - - - -	3	4	1	-	1	1	5	16
8	Influenza - - - - -	6	25	1	4	1	4	6	17
14 (1)	Cerebro-spinal fever - - - - -	-	5	-	-	-	-	1	18
14 (2)	Other epidemic diseases (2, 3, 9) *	2	4	-	-	-	-	1	19
10	Tuberculosis of respiratory system - -	7	16	5	3	1	-	2	20
11	Other tuberculous diseases - - - - -	1	5	2	-	-	1	-	21
14 (3)	Other infectious and parasitic dis. (12, 13)	-	2	-	2	1	-	1	22
15	Cancer, malignant disease - - - - -	23	43	4	19	9	6	16	23
18	Diabetes mellitus - - - - -	1	8	-	1	2	-	3	24
20	Other general dis., chronic poisonings (16, 17, 19)	3	11	2	2	1	3	3	25
22	Cerebral hæmorrhage, &c. - - - - -	23	69	11	17	9	8	17	26
23	Oth. dis. of nerv. syst. and sense org. (21)	4	22	2	3	-	1	3	27
24	Heart disease - - - - -	25	115	8	20	17	10	51	28
25	Other circulatory diseases - - - - -	-	10	-	2	-	3	5	29
26	Bronchitis - - - - -	2	27	2	4	-	6	7	30
27	Pneumonia (all forms) - - - - -	18	42	2	3	7	2	5	31
28	Other respiratory diseases - - - - -	4	4	1	2	4	1	2	32
32 (1)	Gastric and duodenal ulcer - - - - -	2	5	-	-	-	-	2	33
29	Diarrhœa, &c. (all ages) - - - - -	6	17	4	3	1	-	-	34
30	Appendicitis - - - - -	1	2	-	-	-	-	-	35
31 (1)	Cirrhosis of liver - - - - -	1	1	1	-	-	2	2	36
31 (2)	Other diseases of liver, &c. - - - - -	-	2	1	-	-	-	-	37
32 (2)	Other digestive diseases - - - - -	1	4	2	2	1	-	1	38
33	Acute and chronic nephritis - - - - -	7	12	3	4	2	-	5	39
34	Other dis. of genito-urinary system - -	2	4	-	2	1	-	7	40
35	Puerperal sepsis - - - - -	-	-	-	-	1	-	1	41
36	Other puerperal causes - - - - -	1	1	-	1	-	-	-	42
37	Diseases of skin and locomotor system -	-	1	1	-	-	-	-	43
38	Congen. debil., prem. birth, malform. &c.	11	38	5	2	3	4	3	44
39	Old age - - - - -	9	13	6	6	3	2	3	45
40	Suicide - - - - -	1	7	-	-	-	2	1	46
42	Other violence (41) - - - - -	3	18	3	6	3	-	5	47
43	Causes ill-defined or unknown - - - -	3	9	5	1	6	-	4	48
	ALL CAUSES - - - - -	171	565	72	110	75	57	165	49
	AGES AT DEATH.								
	Under 1 - - - - -	26	84	11	3	8	4	6	50
	1-4 - - - - -	7	28	2	3	2	1	5	51
	5-9 - - - - -	3	8	3	1	-	3	3	52
	10-14 - - - - -	3	6	-	1	1	-	1	53
	15-24 - - - - -	6	21	3	1	-	1	3	54
	25-34 - - - - -	5	14	4	2	3	2	7	55
	35-44 - - - - -	16	32	5	4	3	1	5	56
	45-54 - - - - -	8	39	-	5	4	7	15	57
	55-64 - - - - -	27	82	10	23	15	11	25	58
	65-74 - - - - -	31	125	21	36	20	17	43	59
	75-84 - - - - -	30	111	11	25	15	8	41	60
	85 and over - - - - -	9	15	2	6	4	2	11	61
	Not stated - - - - -	-	-	-	-	-	-	-	62
	ALL AGES - - - - -	171	565	72	110	75	57	165	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	AYR COUNTY—(continued).				BANFF COUNTY.									
	Saltertons B.	Stewarton B.	Troon B.	Landward.	Banff County.	Aberchirder B.	Banff B.	Buckie B.	Charlestown of Aberlour B.	Cullen B.	Dufftown B.	Findochty B.	Keith B.	Macduff B.
1	10,309	2,788	8,658	123,304	53,886	889	3,381	8,652	1,187	1,763	1,424	1,746	4,440	3,313
2	105	33	75	1,844	917	14	84	168	20	23	25	44	64	47
3	182	42	101	2,339	955	18	61	164	18	24	24	42	76	55
4	82	24	50	1,191	505	9	35	86	11	14	16	18	40	35
5	100	18	51	1,148	450	9	26	78	7	10	8	24	36	20
6	6	1	4	145	105	5	5	14	1	1	-	4	9	6
7	97	17	59	796	330	8	41	59	5	1	7	10	46	14
8	89	31	92	1,506	642	23	94	96	15	17	20	9	67	30
9	127	37	113	1,641	677	18	54	107	15	22	23	12	73	45
10	67	18	61	858	324	6	22	47	5	13	10	6	38	19
11	60	19	52	783	353	12	32	60	10	9	13	6	35	26
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	1	10	1	-	-	-	-	-	-	-	-	-
14	-	-	-	6	1	-	-	1	-	-	-	-	-	-
15	2	-	3	17	7	-	-	1	-	1	-	1	-	1
16	2	-	-	21	5	-	-	3	-	-	-	-	-	-
17	3	-	7	76	44	-	5	10	-	-	-	1	2	1
18	-	-	-	6	-	-	-	-	-	-	-	-	-	-
19	1	-	-	6	-	-	-	-	-	-	-	-	-	-
20	7	2	4	45	20	-	3	4	1	-	-	2	6	1
21	1	-	-	20	6	-	-	2	1	-	-	-	2	-
22	-	-	-	5	4	-	1	1	-	-	-	-	-	1
23	14	2	10	186	74	-	5	15	5	2	1	1	7	5
24	2	-	2	21	9	-	1	-	-	-	-	-	1	1
25	4	1	4	30	16	-	4	-	-	1	-	-	-	1
26	8	5	15	169	49	-	3	7	-	2	4	-	5	2
27	5	1	-	42	16	1	1	2	-	-	1	-	2	3
28	24	11	27	319	176	7	14	21	2	9	6	4	20	11
29	2	2	2	26	19	-	2	3	-	2	-	-	1	1
30	3	1	3	62	35	6	2	3	3	-	3	1	2	1
31	11	2	3	95	42	3	1	8	-	1	2	-	3	4
32	1	-	2	18	7	1	1	-	-	-	1	-	-	-
33	-	-	2	13	7	-	-	2	-	1	-	-	1	-
34	2	-	2	23	3	-	-	1	-	-	-	-	-	1
35	1	-	1	18	4	-	-	1	1	-	-	-	-	1
36	-	-	-	5	2	-	-	-	-	1	-	-	1	-
37	1	2	1	14	-	-	-	-	-	-	-	-	-	-
38	-	-	3	18	7	-	1	1	-	-	-	-	-	2
39	3	4	1	70	23	-	2	1	-	-	3	1	7	-
40	4	1	1	23	8	-	-	1	-	1	1	-	2	-
41	1	-	-	3	1	-	-	-	-	-	-	-	-	-
42	1	-	-	7	3	-	-	-	-	-	-	-	-	1
43	1	-	1	9	-	-	-	-	-	-	-	-	-	-
44	4	1	6	96	48	-	5	11	1	-	1	-	8	3
45	8	-	5	54	16	-	-	5	-	1	-	-	1	2
46	3	-	-	6	3	-	-	-	-	-	-	-	-	-
47	6	2	3	72	14	-	2	1	1	-	-	-	2	2
48	2	-	4	30	7	-	1	2	-	-	-	1	-	-
49	127	37	113	1,641	677	18	54	107	15	22	23	12	73	45
50	7	2	8	194	78	2	7	18	1	1	2	1	10	6
51	7	-	2	67	21	-	1	6	-	1	-	-	3	1
52	-	-	2	25	7	-	-	4	-	-	-	-	-	-
53	1	-	1	23	6	-	-	1	-	-	-	-	1	-
54	7	4	2	63	15	-	1	4	-	-	1	1	4	2
55	6	2	4	67	18	-	2	2	1	-	-	1	2	2
56	9	1	5	72	29	-	4	6	-	2	1	-	2	2
57	9	3	7	107	41	1	5	8	2	1	1	-	3	1
58	14	5	23	270	87	3	5	11	3	3	5	1	6	8
59	32	11	26	380	142	1	7	23	2	6	3	6	12	10
60	29	7	23	295	176	8	15	20	5	7	6	2	22	8
61	6	2	10	78	57	3	7	4	1	1	4	-	8	5
62	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	127	37	113	1,641	677	18	54	107	15	22	23	12	73	45

International Nos. Short List.		BANFF COUNTY— (continued).			BERWICK COUNTY.				Marginal Index Numbers.
		Portknockie B.	Portsoy B.	Landward.	Berwick County.	Coldstream B.	Duns B.	Eyemouth B.	
	Population (Estimated) - - -	1,624	1,747	23,720	26,402	1,222	1,852	2,197	1
	Total Births Registered (including Illegitimate)	19	26	383	288	7	28	21	2
	„ „ Corrected for Transfers	20	28	425	332	10	18	19	3
	„ „ „ Male - -	7	12	222	163	3	10	7	4
	„ „ „ Female - -	13	16	203	169	7	8	12	5
	„ „ „ Illegitimate	3	4	53	27	2	-	1	6
	„ Marriages Registered - -	1	18	120	128	8	12	10	7
	„ Deaths Registered - -	10	18	243	288	16	25	26	8
	„ „ Corrected for Transfers	13	18	277	373	15	28	32	9
	„ „ „ Male - -	5	8	145	181	10	12	15	10
	„ „ „ Female - -	8	10	132	192	5	16	17	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	12
4	Measles - - - - -	-	-	1	-	-	-	-	13
5	Scarlet fever - - - - -	-	-	-	1	-	-	-	14
6	Whooping-cough - - - - -	-	1	2	3	-	-	2	15
7	Diphtheria - - - - -	-	-	2	1	-	-	-	16
8	Influenza - - - - -	2	-	23	11	1	-	-	17
14 (1)	Cerebro-spinal fever - - - - -	-	-	-	-	-	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	-	-	-	1	-	-	-	19
10	Tuberculosis of respiratory system	1	-	2	5	1	-	-	20
11	Other tuberculous diseases - - -	-	-	1	1	-	-	-	21
14 (3)	Other infectious and parasitic dis. (12, 13)	-	-	1	1	-	1	-	22
15	Cancer, malignant disease - - -	2	2	29	58	2	5	6	23
18	Diabetes mellitus - - - - -	-	-	6	5	-	-	-	24
20	Other general dis., chronic poisonings (16, 17, 19)	2	-	8	5	-	1	-	25
22	Cerebral hæmorrhage, &c. - - -	1	1	24	41	2	4	2	26
23	Oth. dis. of nerv. syst. and sense org. (21)	-	-	6	5	-	1	-	27
24	Heart disease - - - - -	2	6	74	106	4	10	10	28
25	Other circulatory diseases - - -	-	-	10	8	1	-	1	29
26	Bronchitis - - - - -	1	2	11	13	-	-	2	30
27	Pneumonia (all forms) - - - -	-	1	19	11	1	1	-	31
28	Other respiratory diseases - - -	-	-	4	8	-	-	2	32
32 (1)	Gastric and duodenal ulcer - - -	-	-	3	-	-	-	-	33
29	Diarrhoea, &c. (all ages) - - -	-	-	1	2	1	-	-	34
30	Appendicitis - - - - -	-	-	1	-	-	-	-	35
31 (1)	Cirrhosis of liver - - - - -	-	-	-	-	-	-	-	36
31 (2)	Other diseases of liver, &c. - - -	-	-	-	1	-	-	-	37
32 (2)	Other digestive diseases - - - -	-	-	3	7	-	1	1	38
33	Acute and chronic nephritis - - -	-	-	9	14	-	-	1	39
34	Other dis. of genito-urinary system	-	-	3	7	-	1	-	40
35	Puerperal sepsis - - - - -	-	-	1	-	-	-	-	41
36	Other puerperal causes - - - -	-	-	2	2	-	-	-	42
37	Diseases of skin and locomotor system	-	-	-	5	1	-	-	43
38	Congen. debil., prem. birth, malform. &c.	-	1	18	12	-	-	-	44
39	Old age - - - - -	1	3	3	18	-	3	4	45
40	Suicide - - - - -	1	-	2	3	-	-	-	46
42	Other violence (41) - - - - -	-	1	5	12	1	-	1	47
43	Causes ill-defined or Unknown - -	-	-	3	6	-	-	-	48
	ALL CAUSES - - -	13	18	277	373	15	28	32	49
	AGES AT DEATH.								
	Under 1 - - - - -	1	1	28	18	1	-	1	50
	1-4 - - - - -	-	-	9	4	-	-	1	51
	5-9 - - - - -	-	1	2	2	-	-	-	52
	10-14 - - - - -	-	-	4	3	-	-	-	53
	15-24 - - - - -	-	-	2	5	-	-	-	54
	25-34 - - - - -	-	1	7	15	1	1	1	55
	35-44 - - - - -	3	-	9	11	-	1	2	56
	45-54 - - - - -	2	-	17	20	4	1	2	57
	55-64 - - - - -	1	3	38	55	3	5	1	58
	65-74 - - - - -	2	2	68	112	1	9	10	59
	75-84 - - - - -	3	6	74	102	3	7	11	60
	85 and over - - - - -	1	4	19	26	2	4	3	61
	Not stated - - - - -	-	-	-	-	-	-	-	62
	ALL AGES - - -	13	18	277	373	15	28	32	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	BERWICK COUNTY— (continued).		BUTE COUNTY.				CAITHNESS COUNTY.				CLACKMANNAN COUNTY.		
	Lauder B.	Landward.	Bute County.	Millport B.	Rothsay B.	Landward.	Caithness County.	Thurso B.	Wick B.	Landward.	Clackmannan County.	Alloa B.	Alva B.
1	620	20,511	16,231	1,541	7,986	6,704	25,889	3,102	7,588	15,199	32,807	13,436	3,894
2	5	227	204	12	131	61	428	42	177	209	486	198	51
3	5	280	214	15	128	71	418	52	140	226	534	205	70
4	4	139	100	4	63	33	204	27	67	110	283	106	37
5	1	141	114	11	65	38	214	25	73	116	251	99	33
6	1	23	16	2	11	3	47	2	18	27	21	10	4
7	-	98	79	6	45	28	149	29	70	50	212	88	33
8	9	212	295	39	154	102	411	36	109	266	327	124	41
9	12	286	296	29	155	112	430	49	125	256	409	157	56
10	5	139	139	8	73	58	206	26	63	117	206	77	26
11	7	147	157	21	82	54	224	23	62	139	203	80	30
12	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	3	-	2	1	2	2	-
14	-	1	-	-	-	-	-	-	-	-	1	1	-
15	-	1	-	-	-	-	3	1	1	1	2	2	-
16	-	1	-	-	-	-	-	-	-	-	1	-	-
17	1	9	15	1	11	3	23	3	5	15	7	2	1
18	-	-	-	-	-	-	-	-	-	-	-	-	-
19	-	1	1	-	1	-	-	-	-	-	1	-	-
20	-	4	10	-	5	5	13	3	2	8	10	5	2
21	-	1	4	-	2	2	4	-	-	4	2	-	-
22	-	-	2	-	-	2	-	-	-	-	3	-	-
23	-	45	38	7	18	13	47	3	12	32	57	26	7
24	-	5	7	1	5	1	5	-	2	3	7	-	1
25	1	3	9	1	5	3	10	1	4	5	12	4	3
26	-	33	31	4	18	9	36	5	12	19	38	8	5
27	-	4	13	-	2	11	14	1	6	7	10	3	-
28	4	78	65	5	33	27	87	11	18	58	86	39	10
29	-	6	11	2	6	3	17	2	4	11	7	3	-
30	1	10	8	1	5	2	11	-	5	6	17	3	7
31	-	9	13	-	8	5	20	3	6	11	15	7	2
32	-	6	3	-	2	1	3	-	2	1	6	3	1
33	-	-	3	1	1	1	5	1	2	2	4	1	1
34	-	1	1	-	-	1	4	-	2	2	2	2	-
35	-	-	1	-	-	1	3	-	1	2	6	2	1
36	-	-	-	-	-	-	-	-	-	-	-	-	-
37	-	1	2	-	2	-	2	-	1	1	3	2	-
38	-	5	1	-	1	-	9	1	2	6	5	1	1
39	-	13	10	1	6	3	12	1	6	5	14	4	3
40	1	5	6	1	4	1	10	-	4	6	5	4	-
41	-	-	-	-	-	-	-	-	-	-	1	1	-
42	-	2	1	-	1	-	4	1	2	1	5	1	2
43	+	4	3	-	2	1	5	-	-	5	4	2	-
44	-	12	6	2	2	2	14	3	6	5	21	6	6
45	3	8	15	-	4	11	33	2	9	22	18	5	1
46	-	3	1	1	-	-	3	-	2	1	5	3	1
47	-	10	9	-	7	2	16	5	3	8	21	9	1
48	1	5	7	1	4	2	14	2	4	8	11	6	-
49	12	286	296	29	155	112	430	49	125	256	409	157	56
50	-	16	10	2	5	3	31	5	15	11	34	15	7
51	-	3	3	-	2	1	8	2	2	4	11	3	2
52	-	2	1	-	1	-	3	-	2	1	2	-	-
53	-	3	1	-	1	-	4	-	2	2	4	2	-
54	-	5	3	-	3	-	9	-	3	6	12	6	1
55	-	12	11	-	4	7	21	5	9	7	24	10	4
56	-	8	11	1	7	3	19	2	6	10	16	5	2
57	-	13	26	3	16	7	27	6	7	14	33	12	2
58	1	45	30	3	13	14	51	3	18	30	62	26	10
59	3	89	85	10	46	29	98	11	28	59	112	43	14
60	7	74	93	10	48	35	106	11	22	73	79	26	11
61	1	16	22	-	9	13	53	3	11	39	20	9	3
62	-	-	-	-	-	-	-	-	-	-	-	-	-
63	12	286	296	29	155	112	430	49	125	256	409	157	56

International Nos. Short List.				CLACKMANNAN COUNTY—(contd.).			DUNBARTON COUNTY.				Marginal Index Numbers.
				Dollar B.	Tillicoultry B.	Landward.	Dunbarton County.	Clydebank B.	Cove and Kil- creggan B.	Dumbarton B.	
	Population (Estimated) - - -			1,446	3,107	10,924	156,073	47,751	858	21,813	1
	Total	Births	Registered (including Illegitimate)	8	44	185	2,206	690	1	366	2
	"	"	Corrected for Transfers	14	45	200	2,596	854	7	390	3
	"	"	Male - -	7	19	114	1,330	421	6	191	4
	"	"	Female - -	7	26	86	1,266	433	1	199	5
	"	"	Illegitimate	1	-	6	120	41	-	21	6
	"	Marriages	Registered - -	7	31	53	963	334	2	131	7
	"	Deaths	Registered - -	21	24	117	1,643	339	9	308	8
	"	"	Corrected for Transfers	33	35	128	2,054	604	12	286	9
	"	"	Male - -	15	20	68	1,111	343	5	178	10
	"	"	Female - -	18	15	60	943	261	7	108	11
	CAUSES OF DEATH.										
1	Typhoid fever (including Paratyphoid)			-	-	-	-	-	-	-	12
4	Measles - - - - -			-	-	-	-	-	-	-	13
5	Scarlet fever - - - - -			-	-	-	6	3	-	-	14
6	Whooping-cough - - - - -			-	-	-	10	3	-	1	15
7	Diphtheria - - - - -			-	-	1	13	8	-	-	16
8	Influenza - - - - -			-	1	3	56	11	1	8	17
14 (1)	Cerebro-spinal fever - - - - -			-	-	-	2	-	-	1	18
14 (2)	Other epidemic diseases (2, 3, 9) *			-	1	-	2	1	-	-	19
10	Tuberculosis of respiratory system - - -			-	-	3	78	29	-	14	20
11	Other tuberculous diseases - - - - -			1	-	1	27	10	-	4	21
14 (3)	Other infectious and parasitic dis. (12, 13)			1	1	1	4	2	-	-	22
15	Cancer, malignant disease - - - - -			3	6	15	242	67	4	32	23
18	Diabetes mellitus - - - - -			2	-	4	27	9	-	1	24
20	Other general dis., chronic poisonings (16, 17, 19)			1	2	2	48	11	1	10	25
22	Cerebral hæmorrhage, &c. - - - - -			5	3	17	223	60	2	28	26
23	Oth. dis. of nerv. syst. and sense org. (21)			1	-	6	43	15	-	10	27
24	Heart disease - - - - -			10	7	20	426	109	1	67	28
25	Other circulatory diseases - - - - -			-	1	3	36	6	1	2	29
26	Bronchitis - - - - -			-	-	7	77	24	-	13	30
27	Pneumonia (all forms) - - - - -			-	2	4	203	84	-	25	31
28	Other respiratory diseases - - - - -			-	-	2	18	6	-	3	32
32 (1)	Gastric and duodenal ulcer - - - - -			-	-	2	29	7	-	6	33
29	Diarrhœa &c. (all ages) - - - - -			-	-	-	30	13	1	4	34
30	Appendicitis - - - - -			-	-	3	15	5	-	2	35
31 (1)	Cirrhosis of liver - - - - -			-	-	-	9	3	-	1	36
31 (2)	Other diseases of liver, &c. - - - - -			-	-	1	15	5	-	2	37
32 (2)	Other digestive diseases - - - - -			-	-	3	32	7	1	5	38
33	Acute and chronic nephritis - - - - -			1	1	5	54	15	-	7	39
34	Other dis. of genito-urinary system - - -			-	-	1	20	7	-	3	40
35	Puerperal sepsis - - - - -			-	-	-	12	7	-	1	41
36	Other puerperal causes - - - - -			1	1	-	7	3	-	2	42
37	Diseases of skin and locomotor system - -			-	-	2	20	2	-	3	43
38	Congen. debil., prem. birth, malform. &c.			1	1	7	93	37	-	12	44
39	Old age - - - - -			5	5	2	59	12	-	4	45
40	Suicide - - - - -			-	-	1	6	2	-	2	46
42	Other violence (41) - - - - -			1	1	9	85	19	-	12	47
43	Causes ill-defined or unknown - - - - -			-	2	3	22	2	-	1	48
	ALL CAUSES - - -			33	35	128	2,054	604	12	286	49
	AGES AT DEATH.										
	Under 1	-	-	1	2	9	189	70	-	27	50
	1-4	-	-	-	1	5	59	22	-	7	51
	5-9	-	-	-	-	2	29	17	-	2	52
	10-14	-	-	-	-	2	16	1	-	4	53
	15-24	-	-	-	-	5	76	23	-	5	54
	25-34	-	-	-	2	8	84	22	-	11	55
	35-44	-	-	-	3	4	134	50	-	20	56
	45-54	-	-	-	2	15	200	74	1	28	57
	55-64	-	-	-	5	16	327	114	1	39	58
	65-74	-	-	-	10	35	460	111	5	74	59
	75-84	-	-	-	10	24	403	87	4	60	60
	85 and over	-	-	-	3	3	77	13	1	9	61
	Not stated	-	-	-	-	-	-	-	-	-	62
	ALL AGES - - -			33	35	128	2,054	604	12	286	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	DUNBARTON COUNTY— (continued).				DUMFRIES COUNTY.								
	Helensburgh B.	Kirkintilloch B.	Milngavie B.	Landward.	Dumfries County.	Annan B.	Dumfries B.	Langholm B.	Lochmaben B.	Lockerbie B.	Moffat B.	Sanquhar B.	Landward.
1	8,736	12,637	6,202	58,026	81,973	3,908	23,696	2,400	1,077	2,618	1,976	1,889	44,409
2	80	230	48	791	1,314	45	514	22	19	28	51	24	611
3	101	266	63	915	1,288	43	412	26	23	29	24	26	705
4	57	150	34	471	676	22	209	16	13	17	11	13	375
5	44	116	29	444	612	21	203	10	10	12	13	13	330
6	2	8	3	45	128	2	43	4	2	1	4	1	71
7	44	96	33	323	681	38	254	10	10	16	6	21	326
8	146	140	53	648	1,270	33	455	46	20	34	44	26	612
9	164	159	82	747	1,204	44	352	45	24	41	38	26	634
10	74	88	38	385	563	16	168	23	8	16	17	17	298
11	90	71	44	362	641	28	184	22	16	25	21	9	336
12	-	-	-	-	1	-	1	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	1	-	2	2	-	-	-	-	-	-	-	2
15	-	1	1	4	1	-	-	-	-	-	-	-	1
16	-	1	-	4	4	-	1	-	-	-	-	-	3
17	3	2	1	30	62	1	17	3	2	3	3	-	33
18	-	-	-	1	8	-	2	-	1	-	-	-	5
19	1	-	-	-	2	-	1	-	-	-	-	-	1
20	3	8	5	19	34	2	12	-	1	2	1	-	16
21	1	2	-	10	12	-	7	-	-	1	-	-	4
22	1	-	-	1	6	-	1	-	-	-	-	-	5
23	28	13	15	83	161	11	46	8	1	10	4	4	77
24	4	1	-	12	16	-	3	-	1	1	-	1	10
25	4	3	2	17	40	-	12	2	-	1	3	2	20
26	22	14	8	89	122	2	25	6	3	5	3	2	76
27	5	7	1	10	23	-	6	2	1	-	-	-	14
28	35	29	21	164	340	10	92	14	3	6	13	10	192
29	4	4	3	16	14	2	3	-	1	-	-	-	8
30	7	5	3	25	40	1	14	1	3	1	1	3	16
31	7	16	3	68	37	1	15	2	1	1	-	-	17
32	2	1	-	6	15	2	2	3	-	1	-	-	7
33	4	1	-	11	15	1	6	-	-	-	-	-	8
34	-	2	1	9	13	-	6	1	-	1	-	1	4
35	2	1	-	5	7	1	1	-	1	-	1	-	3
36	-	-	2	3	1	-	-	-	-	-	-	-	1
37	1	-	-	7	8	-	2	-	-	1	1	-	4
38	3	2	3	11	5	1	2	-	-	-	-	-	2
39	3	3	4	22	38	5	15	-	-	1	2	-	15
40	2	3	-	5	7	-	3	-	-	1	-	-	3
41	-	1	-	3	1	-	-	-	-	-	-	-	1
42	-	-	-	2	10	1	3	-	-	-	-	-	6
43	4	4	-	7	7	-	1	-	1	-	-	-	5
44	7	6	2	29	45	1	19	2	1	2	3	-	17
45	3	11	2	27	43	1	16	1	2	2	1	-	20
46	-	-	1	1	3	-	-	-	-	-	-	-	3
47	4	17	3	30	45	-	11	-	1	-	2	1	30
48	4	-	1	14	16	1	7	-	-	1	-	2	5
49	164	159	82	747	1,204	44	352	45	24	41	38	26	634
50	11	19	3	59	93	2	37	3	2	2	3	5	39
51	-	5	2	23	25	1	6	-	3	1	-	1	13
52	-	5	-	5	10	-	5	-	-	-	-	-	5
53	1	2	-	8	6	-	-	-	-	1	-	-	5
54	4	20	2	22	31	1	8	-	1	-	1	-	20
55	9	6	5	31	35	2	8	-	-	3	-	1	21
56	5	12	6	41	51	3	18	-	1	-	3	-	26
57	10	15	7	65	87	4	31	3	-	5	2	3	39
58	26	26	12	109	191	5	51	10	3	7	7	2	106
59	45	24	17	184	314	12	86	12	8	10	8	5	173
60	43	19	21	169	277	14	82	14	4	9	10	8	136
61	10	6	7	31	84	-	20	3	2	3	4	1	51
62	-	-	-	-	-	-	-	-	-	-	-	-	-
63	164	159	82	747	1,204	44	352	45	24	41	38	26	634

International Nos. Short List.		EAST LoTHIAN COUNTY.							Marginal Index Numbers.
		East Lothian County.	Cockenzie and Port Seton B.	Dunbar B.	East Linton B.	Haddington B.	North Ber- wick B.	Prestonpans B.	
	Population (Estimated) - - -	47,644	2,683	3,789	899	4,680	3,237	2,637	1
	Total Births Registered (including Illegitimate)	690	40	52	8	114	15	53	2
	„ „ Corrected for Transfers	810	52	50	9	77	24	68	3
	„ „ „ Male - -	415	30	18	6	47	12	37	4
	„ „ „ Female - -	395	22	32	3	30	12	31	5
	„ „ „ Illegitimate	44	2	1	-	5	-	6	6
	„ Marriages Registered - -	303	27	22	2	37	20	23	7
	„ Deaths Registered - - -	490	16	63	17	72	36	17	8
	„ „ Corrected for Transfers	554	23	54	17	67	43	30	9
	„ „ „ Male - -	277	10	26	7	35	17	18	10
	„ „ „ Female - -	277	13	28	10	32	26	12	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	12
4	Measles - - - - -	1	-	1	-	-	-	-	13
5	Scarlet fever - - - - -	2	1	-	-	-	-	-	14
6	Whooping cough - - - - -	4	-	1	-	1	-	-	15
7	Diphtheria - - - - -	-	-	-	-	-	-	-	16
8	Influenza - - - - -	20	4	-	1	2	3	1	17
14 (1)	Cerebro-spinal fever - - - -	1	-	-	-	-	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	3	-	-	-	-	-	1	19
10	Tuberculosis of respiratory system -	15	-	-	-	1	1	1	20
11	Other tuberculous diseases - - -	4	1	-	-	-	-	-	21
14 (3)	Other infectious and parasitic dis. (12, 13)	-	-	-	-	-	-	-	22
15	Cancer, malignant disease - - -	73	1	12	1	8	7	2	23
18	Diabetes mellitus - - - - -	11	-	2	-	3	1	3	24
20	Other general dis., chronic poisonings (16, 17, 19)	12	-	1	-	3	-	3	25
22	Cerebral hæmorrhage, &c. - - -	62	1	12	1	5	5	6	26
23	Oth. dis. of nerv. syst. and sense org. (21)	12	1	1	-	1	1	-	27
24	Heart disease - - - - -	136	8	12	6	14	15	6	28
25	Other circulatory diseases - - -	17	-	1	1	4	-	-	29
26	Bronchitis - - - - -	17	1	-	1	4	1	1	30
27	Pneumonia (all forms) - - - -	19	1	-	1	8	1	-	31
28	Other respiratory diseases - - -	13	-	-	1	1	-	1	32
32 (1)	Gastric and duodenal ulcer - - -	9	1	-	-	1	1	-	33
29	Diarrhœa, &c. (all ages) - - -	4	-	-	-	-	-	1	34
30	Appendicitis - - - - -	2	-	1	1	-	-	-	35
31 (1)	Cirrhosis of liver - - - - -	1	-	-	-	-	-	-	36
31 (2)	Other diseases of liver, &c. - - -	3	-	-	-	-	-	-	37
32 (2)	Other digestive diseases - - - -	5	-	-	-	1	-	-	38
33	Acute and chronic nephritis - - -	15	-	-	-	2	3	-	39
34	Other dis. of genito-urinary system -	4	-	1	-	-	-	-	40
35	Puerperal sepsis - - - - -	-	-	-	-	-	-	-	41
36	Other puerperal causes - - - -	2	-	-	-	-	-	-	42
37	Diseases of skin and locomotor system	4	1	-	-	-	-	1	43
38	Congen. debil., prem. birth, malform., &c.	24	-	-	-	5	-	1	44
39	Old age - - - - -	26	-	6	2	3	3	1	45
40	Suicide - - - - -	1	-	1	-	-	-	-	46
42	Other violence (41) - - - - -	24	1	1	1	-	1	1	47
43	Causes ill-defined or unknown - -	8	1	1	-	-	-	-	48
	ALL CAUSES - - -	554	23	54	17	67	43	30	49
	AGES AT DEATH.								
	Under 1 - - - - -	41	2	3	-	5	-	3	50
	1-4 - - - - -	10	-	-	-	2	-	2	51
	5-9 - - - - -	5	1	-	1	-	-	-	52
	10-14 - - - - -	5	-	-	-	-	-	1	53
	15-24 - - - - -	11	1	1	-	-	1	1	54
	25-34 - - - - -	17	-	2	-	2	-	2	55
	35-44 - - - - -	23	1	1	-	6	-	-	56
	45-54 - - - - -	43	2	4	1	3	1	2	57
	55-64 - - - - -	96	4	12	4	10	6	6	58
	65-74 - - - - -	128	7	12	4	15	10	7	59
	75-84 - - - - -	139	5	14	3	20	19	5	60
	85 and over - - - - -	36	-	5	4	4	6	1	61
	Not stated - - - - -	-	-	-	-	-	-	-	62
	ALL AGES - - -	554	23	54	17	67	43	30	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	EAST LOTHIAN Co.—(contd.).		FIFE COUNTY.											
	Tranent B.	Landward.	Fife County.	Auchtermuchty B.	Buckhaven and Methil B.	Burntisland B.	Cowdenbeath B.	Crail B.	Culross B.	Cupar B.	Dunfermline B.	Elie and Earlsferry B.	Falkland B.	Inverkeithing B.
1	4,949	24,770	283,194	1,222	19,125	5,596	12,392	1,034	539	4,864	36,771	965	915	3,412
2	95	313	4,496	10	313	61	187	9	3	75	729	3	15	52
3	125	405	4,656	16	361	81	215	7	7	85	573	5	17	63
4	63	197	2,374	12	188	42	111	6	3	38	267	4	6	33
5	57	208	2,282	4	173	39	104	1	4	47	306	1	11	30
6	7	23	223	2	16	2	6	1	1	2	19	1	1	3
7	41	131	1,991	4	121	29	78	12	20	48	313	5	10	17
8	32	237	3,289	29	183	58	92	19	2	67	569	18	9	27
9	53	267	3,601	31	228	81	139	22	8	74	489	22	15	50
10	27	137	1,777	16	130	43	80	10	4	39	234	11	7	30
11	26	130	1,824	15	98	38	59	12	4	35	255	11	8	20
12	-	-	2	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	1	5	-	1	1	-	-	-	-	1	-	-	-
15	-	2	24	-	-	-	3	-	-	-	-	-	-	-
16	-	-	8	-	1	-	2	-	-	1	1	-	-	-
17	2	7	184	2	11	-	5	-	-	1	41	-	-	1
18	1	-	8	-	-	-	-	-	-	-	1	1	-	-
19	1	1	16	-	1	-	1	-	-	-	1	-	-	-
20	3	9	92	-	6	2	9	-	-	1	17	-	1	6
21	-	3	32	-	-	1	2	-	-	-	2	-	2	1
22	-	-	12	-	-	1	-	-	-	-	-	-	-	-
23	6	36	405	6	22	7	11	3	-	11	47	5	-	1
24	-	2	61	-	5	1	2	-	-	1	4	-	1	1
25	-	5	78	-	5	2	5	-	-	3	8	-	-	1
26	6	26	395	4	21	8	12	5	1	7	53	6	-	7
27	2	6	79	1	2	3	1	-	-	-	18	-	1	-
28	11	64	800	10	40	22	25	6	-	20	113	5	6	5
29	-	11	80	1	3	3	4	-	-	1	4	1	-	-
30	1	8	166	-	8	4	15	2	1	3	24	-	1	1
31	1	7	163	1	13	-	6	1	2	5	32	1	1	4
32	2	8	37	-	5	-	-	-	-	-	6	1	1	1
33	2	4	34	-	1	2	2	-	-	2	7	-	-	2
34	1	2	30	-	1	-	1	-	-	-	4	-	-	1
35	-	-	27	-	1	1	1	1	1	1	5	-	-	-
36	-	1	9	-	1	-	-	-	-	-	2	-	-	-
37	1	2	33	-	4	3	-	-	-	1	4	-	-	1
38	-	4	50	-	3	2	1	-	-	2	6	1	-	2
39	1	9	86	2	4	1	8	1	-	1	15	1	-	1
40	2	1	49	-	3	2	1	1	-	-	4	-	-	1
41	-	-	7	-	-	-	-	-	-	-	2	-	-	-
42	2	-	19	-	-	-	1	-	-	1	1	-	-	-
43	1	1	26	-	1	-	1	-	-	2	3	-	-	1
44	3	15	195	3	22	1	7	-	2	3	17	-	-	3
45	-	11	154	1	24	5	4	-	-	-	16	-	-	5
46	-	-	24	-	1	3	1	-	-	2	1	-	-	-
47	4	15	159	-	11	4	5	2	1	4	22	-	1	2
48	-	6	47	-	7	2	3	-	-	1	7	-	-	2
49	53	267	3,601	31	228	81	139	22	8	74	489	22	15	50
50	6	22	307	2	26	3	13	-	2	3	34	-	-	9
51	4	2	89	-	5	2	7	1	-	1	8	-	1	2
52	1	2	41	-	1	1	3	-	-	1	10	-	-	2
53	1	3	29	-	3	-	1	-	-	-	4	-	-	1
54	2	5	105	1	9	1	4	-	-	1	11	-	4	2
55	1	10	140	-	10	2	5	-	1	5	25	-	-	4
56	2	13	192	2	12	2	9	1	2	3	33	2	1	5
57	2	28	313	4	27	7	13	-	-	5	42	1	1	3
58	7	47	535	3	25	14	28	4	1	12	71	3	-	6
59	15	58	889	5	53	19	35	8	-	17	130	4	1	9
60	11	62	738	10	44	21	18	7	1	22	91	10	6	5
61	1	15	223	4	13	9	3	1	1	4	30	2	1	2
62	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	53	267	3,601	31	228	81	139	22	8	74	489	22	15	50

International Nos. Short List.		FIFE COUNTY—(continued).							Marginal Index Numbers.
		Kilrenny and Anstruther B.	Kinghorn B.	Kirkcaldy B.	Ladybank and Monkston B.	Leslie B.	Leven B.	Lochgelly B.	
	Population (Estimated) - - -	3,322	2,007	44,947	1,194	2,683	8,167	9,243	1
	Total Births Registered (including Illegitimate)	36	22	955	15	40	110	141	2
	„ „ Corrected for Transfers	43	29	715	17	44	149	157	3
	„ „ „ Male - -	22	12	390	9	22	82	80	4
	„ „ „ Female - -	21	17	325	8	22	67	77	5
	„ „ „ Illegitimate	-	1	31	1	-	7	4	6
	„ Marriages Registered - -	13	7	420	8	17	59	71	7
	„ Deaths Registered - - -	36	19	543	13	31	78	70	8
	„ „ Corrected for Transfers	46	24	553	18	37	111	102	9
	„ „ „ Male - -	22	11	276	6	18	54	54	10
	„ „ „ Female - -	24	13	277	12	19	57	48	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	1	-	-	-	-	12
4	Measles - - - - -	-	-	-	-	-	-	-	13
5	Scarlet fever - - - -	-	-	-	-	-	-	-	14
6	Whooping-cough - - -	-	1	2	-	-	1	2	15
7	Diphtheria - - - - -	-	-	-	-	-	1	-	16
8	Influenza - - - - -	3	-	23	1	3	12	-	17
14 (1)	Cerebro-spinal fever - -	-	1	1	-	-	-	1	18
14 (2)	Other epidemic diseases (2, 3, 9) *	-	-	2	-	1	-	2	19
10	Tuberculosis of respiratory system -	1	1	10	1	1	3	-	20
11	Other tuberculous diseases - - -	-	1	7	-	1	-	1	21
14 (3)	Other infectious and parasitic dis. (12, 13)	-	-	-	-	1	2	-	22
15	Cancer, malignant disease - - -	13	4	64	2	3	11	11	23
18	Diabetes mellitus - - - -	-	-	10	-	1	3	4	24
20	Other general dis., chronic poisonings (16, 17, 19)	1	-	14	1	1	2	3	25
22	Cerebral hæmorrhage, &c. - - -	4	6	65	2	2	7	11	26
23	Oth. dis. of nerv. syst. and sense org. (21)	1	1	11	-	-	6	4	27
24	Heart disease - - - - -	13	4	128	4	10	21	15	28
25	Other circulatory diseases - - -	-	-	12	1	-	3	5	29
26	Bronchitis - - - - -	-	2	29	-	-	10	3	30
27	Pneumonia (all forms) - - -	1	2	23	-	2	1	6	31
28	Other respiratory diseases - - -	1	-	3	-	2	1	3	32
32 (1)	Gastric and duodenal ulcer - - -	-	-	2	-	-	3	-	33
29	Diarrhœa, &c. (all ages) - - -	-	-	4	-	-	2	3	34
30	Appendicitis - - - - -	-	-	1	-	-	1	2	35
31 (1)	Cirrhosis of liver - - - - -	-	-	3	-	-	-	-	36
31 (2)	Other diseases of liver, &c. - - -	-	1	4	1	-	-	-	37
32 (2)	Other digestive diseases - - -	-	-	8	-	1	-	2	38
33	Acute and chronic nephritis - - -	1	-	4	1	-	1	5	39
34	Other dis. of genito-urinary system -	1	-	6	1	-	5	1	40
35	Puerperal sepsis - - - - -	-	-	2	-	-	-	-	41
36	Other puerperal causes - - - -	-	-	6	-	1	-	1	42
37	Diseases of skin and locomotor system	-	-	3	-	-	-	2	43
38	Congen. debil., prem. birth, malform. &c.	2	-	30	1	4	7	5	44
39	Old age - - - - -	2	-	33	2	1	2	5	45
40	Suicide - - - - -	-	-	9	-	1	1	-	46
42	Other violence (41) - - - -	2	-	24	-	-	4	3	47
43	Causes ill-defined or unknown - -	-	-	9	-	1	1	2	48
	ALL CAUSES - - -	46	24	553	18	37	111	102	49
	AGES AT DEATH.								
	Under 1 - - - - -	2	2	48	1	6	11	10	50
	1-4 - - - - -	-	2	10	-	-	2	4	51
	5-9 - - - - -	-	-	3	-	1	2	1	52
	10-14 - - - - -	-	-	2	-	1	-	1	53
	15-24 - - - - -	2	-	12	-	-	2	4	54
	25-34 - - - - -	2	-	23	2	2	4	3	55
	35-44 - - - - -	-	2	25	-	3	10	6	56
	45-54 - - - - -	3	4	44	2	3	8	13	57
	55-64 - - - - -	8	3	91	2	6	19	18	58
	65-74 - - - - -	17	4	155	5	9	22	20	59
	75-84 - - - - -	11	7	112	5	6	21	20	60
	85 and over - - - - -	1	-	28	1	-	10	2	61
	Not stated - - - - -	-	-	-	-	-	-	-	62
	ALL AGES - - -	46	24	553	18	37	111	102	63

* Including typhus fever, smallpox dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	FIFE COUNTY—(continued).								INVERNESS COUNTY.				
	Markinch B.	Newburgh B.	Newport B.	Pittenweem B.	St. Andrews B.	St. Monance B.	Tayport B.	Landward.	Inverness County.	Fort-William B.	Inverness B.	Kingussie B.	Landward.
1	2,216	2,271	3,157	1,694	8,493	1,701	3,273	101,991	81,472	2,858	23,294	1,000	54,320
2	19	17	29	26	119	24	35	1,451	1,145	30	447	14	654
3	30	36	26	30	104	22	47	1,777	1,169	39	349	19	762
4	15	17	9	18	55	13	25	895	572	17	158	10	387
5	15	19	17	12	49	9	22	882	597	22	191	9	375
6	-	2	1	2	7	-	-	113	94	40	20	20	74
7	26	13	13	9	56	4	30	588	538	18	375	3	142
8	26	21	37	17	113	21	31	1,160	1,248	40	439	20	749
9	30	30	47	17	113	25	50	1,239	1,163	33	327	17	786
10	18	15	11	6	38	10	22	612	546	19	148	8	371
11	12	15	36	11	75	15	28	627	617	14	179	9	415
12	-	-	-	-	-	-	-	1	1	-	-	-	1
13	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	2	2	1	1	-	-
15	-	-	-	-	-	-	-	15	14	-	4	-	10
16	-	-	-	-	-	-	-	2	3	-	1	-	2
17	-	-	-	2	6	-	1	72	57	3	17	-	37
18	-	-	-	-	-	-	-	3	-	-	-	-	-
19	-	-	-	-	2	-	-	6	6	-	2	1	3
20	-	-	1	-	2	-	1	29	44	2	13	-	29
21	1	-	1	-	-	1	-	11	6	-	2	-	4
22	-	-	-	-	1	-	-	7	4	-	2	-	2
23	3	-	12	2	15	3	7	142	129	-	36	3	90
24	2	1	-	-	2	-	1	22	11	-	4	1	6
25	-	-	1	3	-	1	-	27	27	1	9	1	16
26	4	-	6	2	12	3	5	142	128	1	36	3	88
27	-	-	2	-	3	-	2	23	42	2	11	-	29
28	10	13	13	7	32	10	15	253	218	9	78	3	128
29	1	2	1	-	6	1	-	31	14	-	4	1	9
30	-	1	1	-	4	1	3	53	25	1	11	-	13
31	3	1	1	-	5	-	-	57	40	2	12	-	26
32	-	-	-	-	1	-	-	12	18	-	5	-	13
33	-	1	-	-	2	-	1	9	15	-	5	-	10
34	-	1	-	-	2	-	-	11	5	-	1	-	4
35	-	-	-	-	-	1	-	11	5	-	3	-	2
36	-	-	1	-	-	1	-	1	3	-	1	-	2
37	-	1	1	-	1	1	-	10	6	-	3	-	3
38	-	-	1	-	1	-	2	18	19	-	4	-	15
39	-	1	1	-	3	1	4	30	30	4	6	-	20
40	-	1	1	-	2	1	5	13	24	2	6	-	16
41	-	-	-	-	-	-	-	3	-	-	-	-	-
42	-	1	-	-	-	-	-	7	3	-	-	-	3
43	-	-	-	-	-	-	-	13	2	-	1	-	1
44	1	3	-	-	5	-	1	78	43	1	13	-	29
45	1	-	1	1	-	-	1	50	129	1	14	3	111
46	2	-	-	-	-	-	-	3	3	-	1	-	2
47	2	2	2	-	6	-	1	61	43	2	8	1	32
48	-	1	-	-	-	-	-	11	44	1	13	-	30
49	30	30	47	17	113	25	50	1,239	1,163	33	327	17	786
50	2	3	-	-	5	-	1	124	81	1	25	-	55
51	-	1	-	-	2	-	-	41	17	-	6	1	10
52	1	-	-	-	-	-	-	15	14	1	4	-	9
53	-	-	-	-	2	1	-	13	9	-	2	1	6
54	2	1	-	-	2	-	1	46	26	1	5	1	19
55	-	1	-	-	1	1	-	49	34	-	11	-	23
56	1	-	1	1	3	1	1	66	34	1	10	-	23
57	2	1	6	6	7	1	4	106	64	3	21	-	40
58	4	2	4	1	17	4	7	182	135	6	39	1	89
59	9	8	13	2	28	9	15	292	255	8	89	3	155
60	7	9	16	6	33	5	16	229	338	7	83	7	241
61	2	4	7	1	13	3	5	76	156	5	32	3	116
62	-	-	-	-	-	-	-	-	-	-	-	-	-
63	30	30	47	17	113	25	50	1,239	1,163	33	327	17	786

International Nos. Short List.		KINCARDINE COUNTY.						Marginal Index Numbers.
		Kincardine County.†	Banchory B.	Inverbervie B.	Laurencekirk B.	Stonehaven B.	Landward.	
	Population (Estimated) - - -	26,455	1,766	956	1,325	4,160	18,248	1
	Total Births Registered (including Illegitimate)	408	19	13	13	64	299	2
	„ „ Corrected for Transfers	453	26	14	15	63	335	3
	„ „ „ Male - -	242	17	7	8	27	183	4
	„ „ „ Female - -	211	9	7	7	36	152	5
	„ „ „ Illegitimate	43	4	-	1	2	36	6
	„ Marriages Registered - -	171	17	13	11	40	90	7
	„ Deaths Registered - - -	313	18	13	23	99	160	8
	„ „ Corrected for Transfers	376	20	17	25	89	225	9
	„ „ „ Male - -	179	8	9	11	32	119	10
	„ „ „ Female - -	197	12	8	14	57	106	11
	CAUSES OF DEATH.							
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	12
4	Measles - - - - -	-	-	-	-	-	-	13
5	Scarlet fever - - - - -	-	-	-	-	-	-	14
6	Whooping-cough - - - - -	-	-	-	-	-	-	15
7	Diphtheria - - - - -	-	-	-	-	-	-	16
8	Influenza - - - - -	14	1	-	1	5	7	17
14 (1)	Cerebro-spinal fever - - - - -	-	-	-	-	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	-	-	-	-	-	-	19
10	Tuberculosis of respiratory system - -	8	-	-	-	2	6	20
11	Other tuberculous diseases - - - -	4	1	-	-	1	2	21
14 (3)	Other infectious and parasitic dis. (12, 13)	3	-	-	-	-	3	22
15	Cancer, malignant disease - - - -	50	3	2	2	15	28	23
18	Diabetes mellitus - - - - -	4	-	-	-	2	2	24
20	Other general dis., chronic poisonings (16, 17, 19)	6	-	2	-	1	3	25
22	Cerebral hæmorrhage, &c. - - - -	45	1	-	3	17	24	26
23	Oth. dis. of nerv. syst. and sense org. (21)	8	-	2	-	-	6	27
24	Heart disease - - - - -	87	4	6	11	18	48	28
25	Other circulatory diseases - - - -	9	-	-	4	-	5	29
26	Bronchitis - - - - -	12	1	-	1	3	7	30
27	Pneumonia (all forms) - - - - -	20	-	2	1	5	12	31
28	Other respiratory diseases - - - -	4	-	1	-	-	3	32
32 (1)	Gastric and duodenal ulcer - - - -	3	-	-	-	-	3	33
29	Diarrhoea, &c. (all ages) - - - -	3	-	-	-	2	1	34
30	Appendicitis - - - - -	4	-	-	-	-	4	35
31 (1)	Cirrhosis of liver - - - - -	2	-	-	-	2	-	36
31 (2)	Other diseases of liver, &c. - - - -	4	-	-	-	3	1	37
32 (2)	Other digestive diseases - - - - -	4	-	-	-	2	2	38
33	Acute and chronic nephritis - - - -	11	3	-	-	1	7	39
34	Other dis. of genito-urinary system -	2	1	-	-	-	1	40
35	Puerperal sepsis - - - - -	-	-	-	-	-	-	41
36	Other puerperal causes - - - - -	-	-	-	-	-	-	42
37	Diseases of skin and locomotor system	2	-	-	-	-	2	43
38	Congen. debil., prem. birth, malform., &c.	14	2	2	1	1	8	44
39	Old age - - - - -	21	3	-	-	3	15	45
40	Suicide - - - - -	6	-	-	-	3	3	46
42	Other violence (41) - - - - -	14	-	-	-	3	11	47
43	Causes ill-defined or unknown - - -	12	-	-	1	-	11	48
	ALL CAUSES - - - - -	376	20	17	25	89	225	49
	AGES AT DEATH.							
	Under 1 - - - - -	27	2	2	1	4	18	50
	1-4 - - - - -	5	1	-	-	1	3	51
	5-9 - - - - -	4	-	-	-	1	3	52
	10-14 - - - - -	4	1	-	-	1	2	53
	15-24 - - - - -	7	-	-	-	-	7	54
	25-34 - - - - -	8	-	1	-	1	6	55
	35-44 - - - - -	14	-	1	1	7	5	56
	45-54 - - - - -	26	1	3	2	6	14	57
	55-64 - - - - -	45	-	-	3	12	30	58
	65-74 - - - - -	78	6	3	8	18	43	59
	75-84 - - - - -	113	7	6	8	24	68	60
	85 and over - - - - -	45	2	1	2	14	26	61
	Not stated - - - - -	-	-	-	-	-	-	62
	ALL AGES - - - - -	376	20	17	25	89	225	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

† Excluding portion of Aberdeen Burgh in Kincardine County.

Marginal Index Numbers.	KINROSS COUNTY.			KIRKCUDBRIGHT COUNTY.							LANARK COUNTY.		
	Kinross County.	Kinross B.	Landward.	Kirkcud- bright County.	Castle- Douglas B.	Dalbeattie B.	Gatehouse B.	Kirkcudbright B.	New Galloway B.	Landward.	Lanark County.	Airdrie B.	Biggar B.
1	7,079	2,419	4,660	30,358	3,134	3,211	892	2,291	321	20,509	1,627,803	27,832	1,297
2	91	30	61	473	43	61	9	29	2	329	33,101	830	8
3	104	31	73	525	41	66	12	30	2	374	32,284	602	19
4	57	19	38	283	17	35	5	17	2	207	16,549	312	9
5	47	12	35	242	24	31	7	13	-	167	15,735	290	10
6	5	2	3	70	1	13	2	-	-	54	1,777	38	3
7	39	17	22	178	27	12	3	14	2	120	14,115	197	7
8	121	25	96	422	63	38	11	43	1	266	23,429	293	11
9	113	42	71	466	52	52	14	45	3	300	22,718	334	18
10	51	18	33	220	17	23	7	20	1	152	11,992	176	13
11	62	24	38	246	35	29	7	25	2	148	10,726	158	5
12	-	-	-	-	-	-	-	-	-	-	6	-	-
13	-	-	-	-	-	-	-	-	-	-	45	-	-
14	-	-	-	-	-	-	-	-	-	-	38	-	1
15	-	-	-	1	-	-	-	1	-	-	345	7	-
16	-	-	-	9	1	1	1	-	-	6	168	3	-
17	5	2	3	22	1	1	2	4	-	14	756	19	-
18	-	-	-	3	-	1	-	-	-	2	64	-	-
19	-	-	-	2	-	-	-	-	-	2	90	1	-
20	-	-	-	10	1	-	1	2	-	6	1,200	11	-
21	1	-	1	2	1	-	-	-	-	1	338	1	-
22	1	-	1	1	1	-	-	-	-	-	81	-	-
23	16	4	12	66	6	11	2	6	1	40	2,325	38	2
24	2	1	1	3	-	1	-	1	-	1	273	5	-
25	2	1	1	6	1	-	-	1	-	4	519	4	1
26	13	3	10	42	1	6	2	4	1	28	1,750	31	1
27	1	1	-	10	1	2	1	1	-	5	494	7	1
28	25	10	15	127	23	8	2	13	1	80	4,278	51	6
29	1	1	-	15	1	2	-	-	-	12	370	5	3
30	7	5	2	20	-	2	1	1	-	16	1,385	23	1
31	6	4	2	23	1	5	-	5	-	12	2,134	22	-
32	4	1	3	4	-	1	-	-	-	3	295	8	-
33	-	-	-	2	1	-	-	-	-	1	192	5	-
34	1	1	-	-	-	-	-	-	-	-	589	3	-
35	1	-	1	4	1	-	-	-	-	3	143	3	-
36	2	2	-	1	-	-	-	-	-	1	70	-	-
37	-	-	-	4	2	-	-	-	-	2	109	1	-
38	1	-	1	3	1	1	-	-	-	1	345	1	-
39	10	1	9	7	1	1	-	1	-	4	531	9	2
40	1	1	-	14	1	-	1	-	-	12	307	5	-
41	-	-	-	-	-	-	-	-	-	-	61	1	-
42	-	-	-	2	-	-	-	-	-	2	89	2	-
43	-	-	-	3	2	-	-	-	-	1	176	3	-
44	4	1	3	19	-	5	-	2	-	12	1,293	26	-
45	1	-	1	12	1	2	-	-	-	9	590	15	-
46	-	-	-	1	-	-	-	-	-	1	128	2	-
47	7	3	4	26	2	2	-	3	-	19	757	10	-
48	1	-	1	2	1	-	1	-	-	-	379	12	-
49	113	42	71	466	52	52	14	45	3	300	22,718	334	18
50	4	1	3	31	-	8	-	3	-	20	3,063	45	-
51	2	2	-	13	2	2	1	1	-	7	933	9	1
52	-	-	-	6	-	1	-	-	-	5	332	6	-
53	-	-	-	2	-	1	-	-	-	1	231	1	-
54	1	1	-	12	3	-	-	-	-	9	951	12	2
55	2	1	1	24	1	3	1	4	-	15	1,065	13	-
56	5	4	1	22	4	2	-	3	-	13	1,311	19	-
57	10	3	7	26	4	3	2	1	-	16	2,247	30	2
58	17	6	11	54	9	7	1	6	1	30	3,725	54	1
59	33	11	22	116	12	14	6	13	1	70	4,874	73	5
60	30	11	19	112	13	6	3	7	1	82	3,301	58	6
61	9	2	7	48	4	5	-	7	-	32	685	14	1
62	-	-	-	-	-	-	-	-	-	-	-	-	-
	113	42	71	466	52	52	14	45	3	300	22,718	334	18

International Nos. Short List.		LANARK COUNTY—(continued).							Marginal Index Numbers.
		Coatbridge B.	Glasgow B.	Hamilton B.	Lanark B.	Motherwell & Wishaw B.	Rutherglen B.	Landward.	
	Population (Estimated) - - -	44,488	1,119,863	38,991	6,082	67,392	25,453	296,405	1
	Total Births Registered (including Illegitimate)	743	23,268	964	67	1,340	241	5,640	2
	„ „ Corrected for Transfers	974	22,180	894	96	1,350	348	5,821	3
	„ „ „ Male - -	505	11,318	455	52	710	197	2,991	4
	„ „ „ Female - -	469	10,862	439	44	640	151	2,830	5
	„ „ „ Illegitimate	27	1,271	49	4	66	21	298	6
	„ Marriages Registered - -	312	10,597	324	63	506	256	1,853	7
	„ Deaths Registered - -	570	18,008	429	87	660	204	3,167	8
	„ „ Corrected for Transfers	655	16,379	509	84	820	336	3,583	9
	„ „ „ Male - -	366	8,611	292	44	433	169	1,888	10
	„ „ „ Female - -	289	7,768	217	40	387	167	1,695	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	1	5	-	-	-	-	-	12
4	Measles - - - - -	-	29	1	-	4	2	9	13
5	Scarlet fever - - - - -	1	31	-	-	1	1	3	14
6	Whooping-cough - - - - -	21	284	-	-	12	-	21	15
7	Diphtheria - - - - -	4	118	8	-	6	-	29	16
8	Influenza - - - - -	28	505	24	1	38	11	130	17
14 (1)	Cerebro-spinal fever - - - - -	-	54	-	-	3	1	6	18
14 (2)	Other epidemic diseases (2, 3, 9) *	5	64	2	-	1	1	16	19
10	Tuberculosis of respiratory system - -	34	951	12	3	39	23	127	20
11	Other tuberculous diseases - - - - -	20	241	12	1	6	5	52	21
14 (3)	Other infectious and parasitic dis. (12, 13)	1	61	2	-	3	1	13	22
15	Cancer, malignant disease - - - - -	62	1,635	54	7	97	37	393	23
18	Diabetes mellitus - - - - -	8	182	3	2	9	3	61	24
20	Other general dis., chronic poisonings (16, 17, 19)	10	357	12	1	26	6	102	25
22	Cerebral hæmorrhage, &c. - - - - -	40	1,205	39	12	70	40	312	26
23	Oth. dis. of nerv. syst. and sense org. (21)	17	342	8	2	24	8	85	27
24	Heart disease - - - - -	112	3,088	95	12	150	60	704	28
25	Other circulatory diseases - - - - -	8	249	11	1	14	10	69	29
26	Bronchitis - - - - -	42	1,015	23	1	56	21	203	30
27	Pneumonia (all forms) - - - - -	59	1,688	43	2	44	25	251	31
28	Other respiratory diseases - - - - -	4	198	15	1	11	4	54	32
32 (1)	Gastric and duodenal ulcer - - - - -	5	134	5	1	8	2	32	33
29	Diarrhœa, &c. (all ages) - - - - -	11	469	11	3	20	5	67	34
30	Appendicitis - - - - -	7	98	5	-	5	-	30	35
31 (1)	Cirrhosis of liver - - - - -	2	55	2	-	2	3	6	36
31 (2)	Other diseases of liver, &c. - - - - -	2	78	3	-	6	-	19	37
32 (2)	Other digestive diseases - - - - -	10	245	9	1	14	5	60	38
33	Acute and chronic nephritis - - - - -	12	364	14	3	25	11	91	39
34	Other dis. of genito-urinary system - -	10	206	10	1	10	5	60	40
35	Puerperal sepsis - - - - -	4	46	-	-	2	3	5	41
36	Other puerperal causes - - - - -	3	64	3	-	5	1	11	42
37	Diseases of skin and locomotor system	5	136	8	-	4	3	17	43
38	Congen. debil., prem. birth, malform., &c.	44	911	33	7	47	14	211	44
39	Old age - - - - -	24	359	13	17	22	14	126	45
40	Suicide - - - - -	3	98	3	1	5	4	12	46
42	Other violence (41) - - - - -	25	523	18	4	22	5	150	47
43	Causes ill-defined or unknown - - - -	11	291	8	-	9	2	46	48
	ALL CAUSES - - - - -	655	16,379	509	84	820	336	3,583	49
	AGES AT DEATH.								
	Under 1 - - - - -	96	2,314	65	8	97	25	413	50
	1-4 - - - - -	44	686	21	1	33	7	131	51
	5-9 - - - - -	7	229	9	-	12	1	68	52
	10-14 - - - - -	13	161	6	1	10	2	37	53
	15-24 - - - - -	38	658	25	2	41	20	153	54
	25-34 - - - - -	37	783	25	3	45	19	140	55
	35-44 - - - - -	34	978	31	3	32	21	193	56
	45-54 - - - - -	63	1,655	46	5	83	30	333	57
	55-64 - - - - -	91	2,708	82	16	138	72	563	58
	65-74 - - - - -	135	3,460	118	11	171	79	822	59
	75-84 - - - - -	80	2,292	67	22	142	43	591	60
	85 and over - - - - -	17	455	14	12	16	17	139	61
	Not stated - - - - -	-	-	-	-	-	-	-	62
	ALL AGES - - - - -	655	16,379	509	84	820	336	3,583	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	MIDLOTHIAN COUNTY.								MORAY COUNTY.			
	Midlothian County.	Bonnyrigg and Lasswade B.	Dalkeith B.	Edinburgh B.	Loanhead B.	Musselburgh B.	Penicuik B.	Landward.	Moray County.	Burghead B.	Elgin B.	Forres B.
1	556,203	5,171	7,698	466,817	4,066	17,450	4,097	50,904	41,002	1,314	9,172	4,375
2	9,505	58	81	8,342	53	164	73	734	744	27	166	61
3	8,884	82	120	7,375	69	274	85	879	742	27	150	66
4	4,625	39	58	3,833	36	143	45	471	389	17	83	35
5	4,259	43	62	3,542	33	131	40	408	353	10	67	31
6	541	2	8	462	2	9	4	54	80	4	11	4
7	5,069	25	63	4,451	41	132	34	323	271	6	104	36
8	8,462	49	86	7,655	41	113	28	490	571	9	169	48
9	7,582	76	121	6,544	48	181	50	562	594	14	136	66
10	3,712	43	55	3,178	24	86	19	307	305	9	62	31
11	3,870	33	66	3,366	24	95	31	255	289	5	74	35
12	-	-	-	-	-	-	-	-	-	-	-	-
13	13	-	-	13	-	-	-	-	1	-	-	-
14	10	-	1	8	-	1	-	-	-	-	-	-
15	77	-	3	65	1	1	-	7	1	-	-	-
16	47	1	-	35	-	2	-	9	2	-	1	-
17	334	6	4	299	1	7	-	17	20	-	3	3
18	9	-	-	8	-	1	-	-	-	-	-	-
19	33	2	1	29	-	-	-	1	1	-	-	-
20	322	1	1	300	2	5	4	9	16	1	3	2
21	97	-	1	79	-	3	1	13	6	-	1	1
22	29	-	-	26	-	-	-	3	3	1	-	-
23	970	9	10	854	5	26	5	61	74	-	18	8
24	89	-	3	76	-	3	-	7	8	-	1	-
25	161	-	3	133	3	7	1	14	17	-	2	2
26	698	9	8	604	8	16	5	48	70	3	16	12
27	136	1	1	123	-	3	1	7	19	1	4	1
28	1,725	9	32	1,482	11	39	10	142	107	1	24	9
29	160	1	2	134	3	5	3	12	17	-	4	5
30	367	9	5	308	2	17	-	26	16	-	5	2
31	524	3	9	484	2	4	-	22	34	2	6	2
32	133	4	5	110	1	3	2	8	9	-	3	1
33	93	-	4	77	-	3	1	8	4	1	2	1
34	75	3	3	51	-	-	3	15	5	1	-	-
35	40	-	3	35	1	-	1	-	3	-	2	-
36	20	-	-	17	-	-	-	3	3	-	1	1
37	45	-	3	36	-	2	-	4	4	-	1	1
38	110	-	2	95	1	4	2	6	8	-	1	1
39	213	2	2	177	2	13	4	13	15	1	2	1
40	126	1	4	108	-	2	-	11	13	-	2	2
41	10	-	1	9	-	-	-	-	-	-	-	-
42	30	-	-	26	-	1	1	2	3	-	2	-
43	42	2	1	33	-	1	1	4	3	-	-	-
44	310	5	3	272	2	5	1	22	37	1	10	3
45	172	3	1	145	2	-	1	20	45	-	13	6
46	64	1	1	59	-	-	-	3	2	-	-	-
47	267	3	3	218	-	6	2	35	20	1	6	2
48	31	1	1	16	1	1	1	10	8	-	3	-
49	7,582	76	121	6,544	48	181	50	562	594	14	136	66
50	614	8	12	516	5	9	5	59	59	2	12	5
51	204	1	2	181	2	6	2	10	9	-	1	-
52	76	1	1	64	1	3	-	6	7	-	-	-
53	52	2	-	43	-	2	-	5	6	-	2	-
54	243	2	3	205	-	9	1	23	11	-	-	3
55	296	5	5	259	3	5	1	18	17	3	5	-
56	405	4	5	357	1	10	5	23	25	-	7	2
57	686	9	12	600	4	15	6	40	46	2	15	8
58	1,209	11	23	1,058	2	31	3	81	74	2	16	10
59	1,850	19	31	1,584	13	48	10	145	142	2	30	19
60	1,541	8	20	1,328	15	38	12	120	143	2	37	13
61	406	6	7	349	2	5	5	32	55	1	11	6
62	-	-	-	-	-	-	-	-	-	-	-	-
63	7,582	76	121	6,544	48	181	50	562	594	14	136	66

International Nos. Short List.	MORAY COUNTY— (continued).				NAIRN COUNTY.			Marginal Index Numbers.	
	Granton-on-Spey B.	Lossiemouth B.	Rothies B.	Landward.	Nairn County.	Nairn B.	Landward.		
	Population (Estimated) - - -	1,444	3,979	1,271	19,447	8,292	4,301	3,991	1
	Total Births Registered (including Illegitimate)	13	86	27	364	145	30	115	2
	" " Corrected for Transfers	26	83	27	363	129	72	57	3
	" " " Male - -	16	34	13	191	58	30	28	4
	" " " Female -	10	49	14	172	71	42	29	5
	" " " Illegitimate	2	7	5	47	5	1	4	6
	" Marriages Registered - - -	9	31	8	77	41	31	10	7
	" Deaths Registered - - -	13	49	8	275	109	49	60	8
	" " Corrected for Transfers	17	63	14	284	115	64	51	9
	" " " Male - -	10	28	10	155	60	34	26	10
	" " " Female -	7	35	4	129	55	30	25	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	12
4	Measles - - - - -	-	-	-	1	-	-	-	13
5	Scarlet fever - - - - -	-	-	-	-	-	-	-	14
6	Whooping-cough - - - - -	-	-	-	1	1	1	-	15
7	Diphtheria - - - - -	-	-	-	1	-	-	-	16
8	Influenza - - - - -	1	1	1	11	8	5	3	17
14 (1)	Cerebro-spinal fever - - - - -	-	-	-	-	-	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	-	1	-	-	-	-	-	19
10	Tuberculosis of respiratory system - -	-	-	-	10	2	1	1	20
11	Other tuberculous diseases - - - - -	-	-	-	4	-	-	-	21
14 (3)	Other infectious and parasitic dis. (12, 13)	-	1	-	1	1	1	-	22
15	Cancer, malignant disease - - - - -	3	8	4	33	14	10	4	23
18	Diabetes mellitus - - - - -	-	1	-	6	2	1	1	24
20	Other general dis., chronic poisonings (16, 17, 19)	2	2	-	9	4	1	3	25
22	Cerebral hæmorrhage, &c. - - - - -	1	10	1	27	15	9	6	26
23	Oth. dis. of nerv. syst. and sense org. (21)	1	4	-	8	1	1	-	27
24	Heart disease - - - - -	4	8	2	59	27	11	16	28
25	Other circulatory diseases - - - - -	-	-	-	8	6	5	1	29
26	Bronchitis - - - - -	-	3	-	6	3	1	2	30
27	Pneumonia (all forms) - - - - -	1	3	-	20	7	3	4	31
28	Other respiratory diseases - - - - -	1	3	-	1	4	3	1	32
32 (1)	Gastric and duodenal ulcer - - - - -	-	-	-	-	1	-	1	33
29	Diarrhœa, &c. (all ages) - - - - -	-	2	-	2	1	1	-	34
30	Appendicitis - - - - -	-	-	-	1	-	-	-	35
31 (1)	Cirrhosis of liver - - - - -	-	-	-	1	-	-	-	36
31 (2)	Other diseases of liver, &c. - - - - -	-	-	-	2	-	-	-	37
32 (2)	Other digestive diseases - - - - -	-	3	-	3	1	-	1	38
33	Acute and chronic nephritis - - - - -	-	1	-	10	1	1	-	39
34	Other dis. of genito-urinary system - -	-	1	2	6	1	1	-	40
35	Puerperal sepsis - - - - -	-	-	-	-	-	-	-	41
36	Other puerperal causes - - - - -	-	-	-	1	-	-	-	42
37	Diseases of skin and locomotor system -	-	-	1	2	1	1	-	43
38	Congen. debil., prem. birth, malform., &c.	-	6	1	16	3	2	1	44
39	Old age - - - - -	3	1	1	21	6	3	3	45
40	Suicide - - - - -	-	-	-	2	-	-	-	46
42	Other violence (41) - - - - -	-	2	1	8	4	1	3	47
43	Causes ill-defined or unknown - - - -	-	2	-	3	1	1	-	48
	ALL CAUSES - - - - -	17	63	14	284	115	64	51	49
	AGES AT DEATH.								
	Under 1 - - - - -	-	11	2	27	7	5	2	50
	1-4 - - - - -	-	1	-	7	2	2	-	51
	5-9 - - - - -	-	1	-	6	-	-	-	52
	10-14 - - - - -	-	-	1	3	1	-	1	53
	15-24 - - - - -	1	1	-	6	4	2	2	54
	25-34 - - - - -	1	1	-	7	5	2	3	55
	35-44 - - - - -	-	2	1	13	5	2	3	56
	45-54 - - - - -	2	5	1	13	4	1	3	57
	55-64 - - - - -	3	7	-	36	13	11	2	58
	65-74 - - - - -	5	15	3	68	25	14	11	59
	75-84 - - - - -	2	14	3	72	33	15	18	60
	85 and over - - - - -	3	5	3	26	16	10	6	61
	Not stated - - - - -	-	-	-	-	-	-	-	62
	ALL AGES - - - - -	17	63	14	284	115	64	51	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	ORKNEY COUNTY.				PEEBLES COUNTY.				PERTH COUNTY.				
	Orkney County.	Kirkwall B.	Stromness B.	Landward.	Peebles County.	Innerleithen B.	Peebles B.	Landward.	Perth County.	Aberfeldy B.	Abernethy B.	Alyth B.	Auchterarder B.
1	21,730	3,617	1,559	16,554	14,501	2,265	5,944	6,292	119,729	1,467	626	1,798	2,237
2	331	54	21	256	160	16	100	44	1,590	15	3	79	18
3	333	51	21	261	175	26	70	79	1,620	12	6	48	18
4	167	20	16	131	78	11	27	40	816	6	4	23	10
5	166	31	5	130	97	15	43	39	804	6	2	25	8
6	15	2	1	12	8	-	4	4	130	-	1	4	2
7	199	52	16	101	98	22	41	35	755	11	3	22	15
8	402	90	24	288	165	28	79	58	1,757	23	7	28	43
9	416	60	25	331	203	35	82	86	1,823	31	9	32	47
10	199	25	14	160	101	17	41	43	869	13	5	13	19
11	217	35	11	171	102	18	41	43	954	18	4	19	28
12	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	1	-	1	-	1	-	-	-	-
14	1	-	1	-	-	-	-	-	2	-	-	-	-
15	1	-	-	1	-	-	-	-	6	-	-	-	-
16	-	-	-	-	1	1	-	-	3	1	-	-	-
17	30	2	-	28	7	2	1	4	84	1	1	-	2
18	-	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	2	-	-	-	-
20	3	1	1	1	5	1	2	2	56	1	-	3	2
21	5	-	-	5	1	-	-	1	11	-	-	-	-
22	-	-	-	-	1	-	1	-	5	-	-	-	-
23	56	13	3	40	32	5	13	14	243	5	-	7	6
24	2	-	-	2	3	2	-	1	23	-	-	-	-
25	13	1	-	12	4	1	1	2	50	1	-	-	-
26	44	8	-	36	24	2	12	10	212	6	1	5	3
27	7	1	1	5	2	-	2	-	49	1	1	-	2
28	74	11	6	57	40	8	14	18	363	5	3	7	11
29	8	1	-	7	12	1	10	1	65	1	-	-	5
30	14	2	1	11	10	3	2	5	82	3	1	1	3
31	7	2	-	5	11	4	3	4	72	-	-	-	1
32	4	1	1	2	6	1	3	2	30	-	-	-	1
33	6	-	-	6	1	-	-	1	21	-	-	-	-
34	4	-	-	4	1	-	-	1	20	-	-	-	-
35	1	-	-	1	-	-	-	-	15	1	-	-	1
36	1	-	-	1	-	-	-	-	5	-	-	-	-
37	2	1	-	1	-	-	-	-	15	-	-	-	-
38	7	1	-	6	4	-	2	2	22	-	-	-	1
39	16	3	-	13	8	1	4	3	53	2	-	2	1
40	7	1	-	6	5	-	3	2	46	-	-	-	4
41	-	-	-	-	-	-	-	-	2	-	-	-	-
42	-	-	-	-	1	-	-	1	6	-	-	-	-
43	1	1	-	-	1	-	-	1	8	-	-	-	-
44	13	1	3	9	1	-	-	1	51	-	-	2	-
45	49	6	7	36	4	-	-	4	70	3	-	1	1
46	-	-	-	-	3	-	3	-	13	-	1	-	1
47	27	2	-	25	6	1	1	4	72	-	1	-	-
48	13	1	1	11	8	2	4	2	45	-	-	4	2
49	416	60	25	331	203	35	82	86	1,823	31	9	32	47
50	20	2	3	15	6	-	5	1	96	-	-	2	-
51	3	1	-	2	4	1	1	2	27	-	-	-	-
52	1	-	1	-	2	1	-	1	13	1	1	-	-
53	-	-	-	-	-	-	-	-	11	-	-	-	-
54	13	1	-	12	-	-	-	-	46	2	-	1	2
55	11	1	-	10	5	-	2	3	72	-	1	1	4
56	22	3	2	17	7	1	1	5	68	1	-	1	1
57	20	4	-	16	23	4	12	7	147	2	1	1	2
58	48	6	4	38	25	5	13	7	264	2	2	3	10
59	92	16	6	70	58	11	22	25	445	12	-	10	9
60	136	20	7	109	57	7	21	29	473	7	3	11	14
61	48	6	2	40	16	5	5	6	161	4	1	2	5
62	2	-	-	2	-	-	-	-	-	-	-	-	-
63	416	60	25	331	203	35	82	86	1,823	31	9	32	47

International Nos. Short List.		PERTH COUNTY—(continued).								Marginal Index Numbers.
		Blairgowrie and Rattray B.	Callander B.	Coupar-Angus B.	Crieff B.	Doune B.	Dunblane B.	Perth B.	Landward.	
	Population (Estimated) - - -	4,807	1,487	1,996	5,263	840	2,727	35,995	60,486	1
	Total Births Registered (including Illegitimate)	63	10	23	59	12	31	718	559	2
	„ „ Corrected for Transfers	78	13	28	75	12	36	526	768	3
	„ „ „ Male - -	44	9	13	34	7	19	261	386	4
	„ „ „ Female - -	34	4	15	41	5	17	265	382	5
	„ „ „ Illegitimate	5	2	3	5	-	-	38	70	6
	„ Marriages Registered - -	33	12	14	28	9	20	336	252	7
	„ Deaths Registered - -	87	16	21	87	8	30	696	711	8
	„ „ Corrected for Transfers	98	21	31	98	13	48	502	892	9
	„ „ „ Male - -	53	8	15	51	8	22	248	414	10
	„ „ „ Female - -	45	13	16	47	5	26	254	479	11
	CAUSES OF DEATH.									
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	-	12
4	Measles - - - - -	-	-	-	1	-	-	-	-	13
5	Scarlet Fever - - - - -	-	-	-	-	-	-	1	1	14
6	Whooping-cough - - - - -	-	-	-	1	-	-	-	5	15
7	Diphtheria - - - - -	-	1	-	-	-	-	1	-	16
8	Influenza - - - - -	3	-	-	5	-	-	14	58	17
14 (1)	Cerebro-spinal fever - - - - -	-	-	-	-	-	-	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	-	-	-	-	-	-	-	2	19
10	Tuberculosis of respiratory system - -	4	1	-	1	-	2	24	18	20
11	Other tuberculous diseases - - - - -	3	-	-	1	-	-	4	3	21
14 (3)	Other infectious and parasitic dis. (12, 13)	-	-	-	-	-	-	2	3	22
15	Cancer, malignant disease - - - - -	13	6	2	9	2	12	54	127	23
18	Diabetes mellitus - - - - -	1	-	-	1	2	1	5	13	24
20	Other general dis., chronic poisonings (16, 17, 19)	1	2	1	4	-	1	13	27	25
22	Cerebral hæmorrhage, &c. - - - - -	11	2	7	11	4	1	62	99	26
23	Oth. dis. of nerv. syst. and sense org. (21)	-	-	-	2	-	1	15	27	27
24	Heart disease - - - - -	21	-	4	14	-	11	106	181	28
25	Other circulatory diseases - - - - -	1	2	-	2	-	4	11	39	29
26	Bronchitis - - - - -	5	1	1	2	-	3	30	32	30
27	Pneumonia (all forms) - - - - -	6	-	1	7	-	-	20	37	31
28	Other respiratory diseases - - - - -	3	-	-	1	1	-	16	8	32
32 (1)	Gastric and duodenal ulcer - - - - -	-	-	-	2	2	1	2	14	33
29	Diarrhœa, &c. (all ages) - - - - -	1	-	1	-	-	1	11	6	34
30	Appendicitis - - - - -	5	2	1	-	-	-	1	4	35
31 (1)	Cirrhosis of liver - - - - -	-	-	-	1	-	-	1	3	36
31 (2)	Other diseases of liver, &c. - - - - -	-	-	1	-	1	-	3	10	37
32 (2)	Other digestive diseases - - - - -	4	-	-	2	-	1	7	7	38
33	Acute and chronic nephritis - - - - -	3	1	1	1	-	1	15	26	39
34	Other dis. of genito-urinary system - -	2	-	2	6	-	-	13	19	40
35	Puerperal sepsis - - - - -	-	-	-	1	-	-	-	1	41
36	Other puerperal causes - - - - -	-	-	-	2	-	-	2	2	42
37	Diseases of skin and locomotor system	-	1	1	-	-	-	4	2	43
38	Congen. debil., prem. birth, malform., &c.	3	1	1	4	-	3	21	16	44
39	Old age - - - - -	2	-	1	10	1	-	18	33	45
40	Suicide - - - - -	2	-	2	-	-	-	-	7	46
42	Other violence (41) - - - - -	2	1	4	4	-	4	15	41	47
43	Causes ill-defined or unknown - - -	2	-	-	3	-	1	11	22	48
	ALL CAUSES - - -	98	21	31	98	13	48	502	893	49
	AGES AT DEATH.									
	Under 1 - - - - -	7	1	1	3	-	5	42	35	50
	1-4 - - - - -	1	1	1	4	-	-	12	8	51
	5-9 - - - - -	-	-	-	-	-	-	4	7	52
	10-14 - - - - -	1	-	-	-	-	-	4	6	53
	15-24 - - - - -	3	1	-	3	1	1	12	20	54
	25-34 - - - - -	3	3	1	2	-	1	27	29	55
	35-44 - - - - -	3	1	2	4	-	2	23	30	56
	45-54 - - - - -	11	2	4	5	-	4	40	75	57
	55-64 - - - - -	8	1	5	14	4	5	68	142	58
	65-74 - - - - -	25	6	9	21	5	12	111	225	59
	75-84 - - - - -	33	5	7	28	3	15	125	222	60
	85 and over - - - - -	3	-	1	14	-	3	34	94	61
	Not stated - - - - -	-	-	-	-	-	-	-	-	62
	ALL AGES - - -	98	21	31	98	13	48	502	893	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	RENFREW COUNTY.									ROSS AND CROMARTY COUNTY.				
	Renfrew County.	Barthead B.	Gourock B.	Greenock B.	Johnstone B.	Paisley B.	Port-Glasgow B.	Renfrew B.	Landward.	Ross and Cromarty County.	Cromarty B.	Dingwall B.	Fortrose B.	Invergordon B.
1	314,244	12,523	8,995	80,957	13,797	90,774	19,638	16,355	71,205	62,704	811	2,785	839	1,479
2	5,567	152	92	1,734	166	1,705	357	151	1,210	834	9	55	10	14
3	5,788	218	124	1,749	308	1,716	475	263	935	875	6	49	6	17
4	2,940	108	60	874	171	868	244	132	483	439	6	18	2	10
5	2,848	110	64	875	137	848	231	131	452	436	-	31	4	7
6	231	11	3	80	11	70	22	10	24	95	1	3	-	2
7	1,989	91	47	552	112	676	132	86	293	268	4	33	1	5
8	3,977	117	81	1,298	102	1,167	184	124	904	924	11	37	33	12
9	4,137	174	121	1,263	164	1,175	243	191	806	1,019	14	30	26	19
10	2,180	83	60	713	82	606	118	102	416	484	7	10	9	8
11	1,957	91	61	550	82	569	125	89	390	535	7	20	17	11
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	18	-	-	11	-	1	4	-	2	-	-	-	-	-
14	7	-	-	1	1	1	1	-	3	3	-	-	-	-
15	56	-	1	31	2	12	-	5	5	-	-	-	-	-
16	39	2	1	2	1	26	-	1	6	2	-	-	-	-
17	125	14	3	46	5	22	8	3	24	49	-	3	-	2
18	15	-	-	-	1	11	-	2	1	1	-	-	-	-
19	13	1	1	5	1	1	1	-	3	9	-	1	-	-
20	217	11	8	82	5	61	5	13	32	60	-	1	-	1
21	66	5	2	25	2	21	1	-	10	15	-	1	1	-
22	11	-	1	3	-	2	1	-	4	1	-	-	-	-
23	478	20	18	129	11	158	23	21	98	109	1	2	2	3
24	44	1	-	10	1	17	3	-	12	9	1	-	-	-
25	87	4	3	30	4	20	4	6	16	32	1	-	-	-
26	372	10	12	113	11	91	19	27	89	91	2	1	7	2
27	105	4	5	40	6	26	5	1	18	25	1	1	-	-
28	809	42	34	187	45	212	54	49	186	180	2	9	2	6
29	80	3	1	26	2	22	4	3	19	16	1	-	2	-
30	202	3	5	86	6	57	13	7	25	37	-	-	1	-
31	268	8	6	88	11	81	21	15	38	33	1	2	-	-
32	60	3	2	16	4	16	2	-	17	17	-	-	-	-
33	41	-	1	14	2	14	3	2	5	13	1	1	-	1
34	96	1	1	37	6	28	7	7	9	8	-	2	-	-
35	30	-	-	8	2	8	1	3	8	7	-	-	-	-
36	5	2	-	-	-	2	1	-	-	2	-	-	-	-
37	22	1	-	9	2	6	-	-	4	4	-	-	-	-
38	70	2	1	20	1	24	6	4	12	14	-	-	1	-
39	124	4	2	32	6	32	10	3	35	33	-	1	-	1
40	64	3	3	21	3	14	3	1	16	17	-	1	-	-
41	8	2	-	1	-	3	1	-	1	1	-	-	-	-
42	19	-	-	8	1	3	4	1	2	2	-	-	-	-
43	24	1	-	10	1	9	1	-	2	7	-	-	-	-
44	209	11	5	57	9	84	10	5	28	29	-	3	1	-
45	128	8	2	47	2	23	9	2	35	110	3	1	5	2
46	24	-	1	8	-	10	1	-	4	6	-	-	-	-
47	155	7	1	48	9	47	10	7	26	32	-	-	1	1
48	46	1	1	12	1	10	7	3	11	45	-	-	3	-
49	4,137	174	121	1,263	164	1,175	243	191	806	1,019	14	30	26	19
50	487	17	8	169	21	160	39	21	52	44	-	4	1	-
51	177	4	1	79	6	52	14	4	17	11	-	-	-	-
52	65	3	-	19	2	26	-	2	13	11	-	-	-	-
53	48	3	1	17	2	12	4	2	7	9	-	-	-	-
54	162	8	4	74	10	31	5	8	22	27	-	1	-	-
55	192	9	7	62	7	56	7	12	32	55	1	4	-	-
56	239	16	5	79	6	73	15	10	35	56	-	3	2	-
57	360	11	11	116	16	105	22	16	63	59	3	2	2	4
58	593	27	16	151	23	174	34	32	136	122	1	3	3	1
59	960	40	35	277	36	263	59	43	207	203	3	2	8	4
60	715	30	25	182	31	195	37	36	179	284	6	9	8	8
61	139	6	8	38	4	28	7	5	43	138	-	2	2	2
62	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	4,137	174	121	1,263	164	1,175	243	191	806	1,019	14	30	26	19

International Nos. Short List.				ROSS AND CROMARTY COUNTY—(contd.).			ROXBURGH COUNTY.			Marginal Index Numbers.
				Stornoway B.	Tain B.	Landward.	Roxburgh County.	Hawick B.	Jedburgh B.	
	Population (Estimated) - - -			4,462	1,459	50,869	45,908	17,079	3,439	1
	Total	Births	Registered (including Illegitimate)	106	15	625	584	253	89	2
	"	"	Corrected for Transfers	78	18	701	636	211	77	3
	"	"	Male -	28	8	367	349	116	34	4
	"	"	Female -	50	10	334	287	95	43	5
	"	"	Illegitimate	5	2	82	41	10	4	6
	"	Marriages	Registered -	28	18	179	313	124	21	7
	"	Deaths	Registered -	98	11	722	653	252	41	8
	"	"	Corrected for Transfers	63	13	854	683	268	46	9
	"	"	Male -	30	5	415	316	120	19	10
	"	"	Female -	33	8	439	367	148	27	11
	CAUSES OF DEATH.									
1	Typhoid fever (including Paratyphoid)			-	-	-	-	-	-	12
4	Measles - - - - -			-	-	-	-	-	-	13
5	Scarlet fever - - - - -			-	-	3	2	-	1	14
6	Whooping-cough - - - - -			-	-	-	5	3	-	15
7	Diphtheria - - - - -			-	-	2	3	3	-	16
8	Influenza - - - - -			7	-	37	29	13	1	17
14 (1)	Cerebro-spinal fever - - - - -			1	-	-	1	-	1	18
14 (2)	Other epidemic diseases (2, 3, 9) *			1	-	7	1	-	-	19
10	Tuberculosis of respiratory system -			3	-	55	13	5	1	20
11	Other tuberculous diseases - - - -			1	-	12	9	5	-	21
14 (3)	Other infectious and parasitic dis. (12, 13)			-	-	1	2	1	-	22
15	Cancer, malignant disease - - - -			7	-	94	72	30	4	23
18	Diabetes mellitus - - - - -			-	-	8	13	4	-	24
20	Other general dis., chronic poisonings (16, 17, 19)			1	-	30	17	4	3	25
22	Cerebral hæmorrhage, &c. - - - -			8	3	68	82	33	3	26
23	Oth. dis. of nerv. syst. and sense org. (21)			-	-	23	28	8	2	27
24	Heart disease - - - - -			11	5	145	169	73	12	28
25	Other circulatory diseases - - - -			-	-	13	22	6	1	29
26	Bronchitis - - - - -			6	-	30	32	14	-	30
27	Pneumonia (all forms) - - - - -			5	-	25	19	4	2	31
28	Other respiratory diseases - - - -			-	-	17	11	3	-	32
32 (1)	Gastric and duodenal ulcer - - - -			-	-	10	8	2	-	33
29	Diarrhœa, &c. (all ages) - - - -			1	-	5	9	2	-	34
30	Appendicitis - - - - -			-	-	7	4	2	-	35
31 (1)	Cirrhosis of liver - - - - -			-	-	2	3	1	1	36
31 (2)	Other diseases of liver, &c. - - - -			-	-	4	4	2	-	37
32 (2)	Other digestive diseases - - - - -			-	1	12	7	2	-	38
33	Acute and chronic nephritis - - - -			2	1	28	23	9	6	39
34	Other dis. of genito-urinary system -			3	-	13	8	2	1	40
35	Puerperal sepsis - - - - -			-	-	1	2	-	-	41
36	Other puerperal causes - - - - -			-	-	2	4	2	1	42
37	Diseases of skin and locomotor system			2	-	5	4	1	-	43
38	Congen. debil., prem. birth, malform., &c.			1	-	24	27	15	2	44
39	Old age - - - - -			1	2	96	20	7	1	45
40	Suicide - - - - -			-	1	5	8	5	1	46
42	Other violence (41) - - - - -			1	-	29	16	6	2	47
42	Causes ill-defined or unknown - -			1	-	41	6	1	-	48
	ALL CAUSES - - -			63	13	854	683	268	46	49
	AGES AT DEATH.									
	Under 1	-	-	3	-	36	40	19	3	50
	1-4	-	-	-	-	11	15	9	2	51
	5-9	-	-	-	-	11	3	3	-	52
	10-14	-	-	1	-	8	5	-	-	53
	15-24	-	-	1	-	25	11	4	1	54
	25-34	-	-	2	1	47	23	9	3	55
	35-44	-	-	6	-	45	26	11	1	56
	45-54	-	-	3	-	45	54	19	6	57
	55-64	-	-	9	3	102	110	40	3	58
	65-74	-	-	19	3	164	181	71	15	59
	75-84	-	-	16	5	232	166	69	6	60
	85 and over	-	-	3	1	128	49	14	6	61
	Not stated	-	-	-	-	-	-	-	-	62
	ALL AGES - - -			63	13	854	683	268	46	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	ROXBURGH COUNTY —(continued).			SELKIRK COUNTY.				STIRLING COUNTY.					
	Kelso B.	Melrose B.	Landward.	Selkirk County.	Galashiels B.	Selkirk B.	Landward.	Stirling County.	Bridge of Allan B.	Denny and Dunipace B.	Falkirk B.	Grangemouth B.	Kilsyth B.
1	3,866	2,061	19,463	21,967	12,909	5,473	3,585	172,659	2,878	5,916	38,004	13,355	8,587
2	27	13	202	263	135	109	19	3,192	22	73	855	160	135
3	31	21	293	259	143	70	46	3,172	31	107	632	241	186
4	19	11	169	127	69	37	21	1,611	16	61	324	125	96
5	15	10	124	132	74	33	25	1,561	15	46	308	116	90
6	1	1	25	12	5	4	3	158	1	5	19	11	5
7	36	10	122	146	93	47	6	1,240	20	37	330	84	81
8	71	56	233	296	172	93	31	2,236	29	55	557	107	77
9	56	35	278	340	200	93	47	2,166	35	69	443	141	117
10	28	18	131	145	87	38	20	1,139	13	32	237	79	63
11	28	17	147	195	113	55	27	1,027	22	37	206	62	54
12	-	-	-	-	-	-	-	2	-	-	-	-	-
13	-	-	-	-	-	-	-	5	-	-	-	1	-
14	-	-	1	-	-	-	-	2	-	-	-	-	-
15	-	-	2	1	-	1	-	19	-	-	2	4	-
16	-	-	-	-	-	-	-	24	-	-	1	-	5
17	1	4	10	14	11	2	1	92	3	1	16	6	11
18	-	-	-	-	-	-	-	2	-	-	-	-	2
19	-	-	1	3	3	-	-	9	-	1	2	-	1
20	1	-	6	5	3	2	-	60	-	-	19	1	1
21	1	-	3	2	1	1	-	29	-	-	3	2	2
22	-	1	-	-	-	-	-	5	-	-	-	-	-
23	7	3	28	33	16	9	8	240	6	12	68	11	11
24	2	-	7	10	6	3	1	38	1	2	9	3	2
25	3	-	7	5	3	-	2	45	-	-	15	3	2
26	4	4	38	45	32	10	3	197	2	11	27	21	8
27	4	1	13	8	6	1	1	51	1	1	9	5	4
28	9	11	64	91	48	26	17	422	16	8	87	27	24
29	4	-	11	9	5	3	1	40	1	-	5	5	-
30	4	1	13	8	3	2	3	88	1	3	17	7	10
31	2	1	10	12	7	4	1	144	3	4	37	11	7
32	4	-	4	4	1	2	1	39	-	-	8	4	1
33	1	-	5	9	5	2	2	29	-	-	3	1	3
34	-	1	6	-	-	-	-	18	-	3	6	-	-
35	-	-	2	1	1	-	-	16	-	-	3	2	2
36	-	-	1	1	1	-	-	7	-	-	1	1	1
37	1	-	1	3	2	-	1	14	-	-	2	1	1
38	-	-	5	2	-	2	-	27	-	1	4	4	1
39	1	3	4	6	5	-	1	49	-	-	10	4	2
40	-	-	5	6	5	1	-	32	-	-	10	1	2
41	-	-	2	1	1	-	-	8	-	1	-	-	-
42	-	-	1	-	-	-	-	10	-	-	2	-	-
43	-	-	3	1	-	-	1	16	-	-	2	-	-
44	-	1	9	9	4	3	2	128	-	6	29	3	6
45	2	3	7	31	19	12	-	107	5	8	20	3	1
46	1	-	1	4	1	2	1	15	-	-	2	1	-
47	2	-	6	11	9	2	-	107	1	5	16	9	5
48	2	1	2	5	2	3	-	30	1	2	8	-	2
49	56	35	278	340	200	93	47	2,166	35	69	443	141	117
50	1	1	16	12	5	4	3	222	-	8	44	15	16
51	1	-	3	2	1	1	-	87	1	4	9	9	7
52	-	-	-	-	-	-	-	38	-	-	5	-	4
53	-	-	5	1	-	1	-	24	-	-	2	2	1
54	1	-	5	4	3	1	-	72	-	1	15	3	5
55	2	1	8	11	8	2	1	90	-	2	13	11	2
56	5	1	8	14	8	6	-	120	-	5	33	2	11
57	4	4	21	29	15	12	2	183	1	8	44	15	4
58	8	5	54	47	24	17	6	322	7	6	76	21	19
59	11	11	73	93	58	19	16	498	9	17	104	37	26
60	16	8	67	100	63	22	15	421	13	16	87	23	20
61	7	4	18	27	15	8	4	89	4	2	11	3	2
62	-	-	-	-	-	-	-	-	-	-	-	-	-
63	56	35	278	340	200	93	47	2,166	35	69	443	141	117

International Nos. Short List.		STIRLING COUNTY— (continued).		SUTHERLAND COUNTY.			WEST LOTHIAN COUNTY.			Marginal Index Numbers.
		Stirling B.	Landward.	Sutherland County.	Dornoch B.	Landward.	West Lothian County.	Armada B.	Bathgate B.	
	Population (Estimated) - - -	23,667	80,252	15,442	679	14,763	83,484	5,345	10,363	1
	Total Births Registered (including Illegitimate)	745	1,202	202	8	194	1,415	89	168	2
	" Corrected for Transfers	517	1,458	213	10	203	1,616	105	185	3
	" " Male - -	261	728	103	6	97	825	53	101	4
	" " Female - -	256	730	110	4	106	791	52	84	5
	" " Illegitimate	28	89	21	-	21	77	9	11	6
	" Marriages Registered - -	218	470	57	5	52	534	45	94	7
	" Deaths Registered - - -	458	953	242	9	233	726	35	66	8
	" Corrected for Transfers	326	1,035	250	12	238	949	56	114	9
	" " Male - - -	175	540	121	5	116	512	29	61	10
	" " Female - -	151	495	129	7	122	437	27	53	11
	CAUSES OF DEATH.									
1	Typhoid fever (including Paratyphoid)	1	1	-	-	-	-	-	-	12
4	Measles - - - - -	-	4	1	-	1	-	-	-	13
5	Scarlet fever - - - - -	1	1	-	-	-	1	1	-	14
6	Whooping-cough - - - - -	1	12	-	-	-	6	-	2	15
7	Diphtheria - - - - -	4	14	-	-	-	8	2	1	16
8	Influenza - - - - -	8	47	14	-	14	33	2	5	17
14 (1)	Cerebro-spinal fever - - - - -	-	-	-	-	-	2	1	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	3	2	-	-	-	2	-	1	19
10	Tuberculosis of respiratory system - -	8	31	9	-	9	31	3	2	20
11	Other tuberculous diseases - - - - -	5	17	3	1	2	16	-	2	21
14 (3)	Other infectious and parasitic dis. (12, 13)	2	3	1	-	1	4	-	-	22
15	Cancer, malignant disease - - - - -	32	100	32	2	30	109	6	13	23
18	Diabetes mellitus - - - - -	5	16	2	-	2	6	-	1	24
20	Other general dis., chronic poisonings (16, 17, 19)	8	17	8	-	8	29	2	1	25
22	Cerebral hæmorrhage, &c. - - - - -	28	100	31	1	30	77	4	6	26
23	Oth. dis. of nerv. syst. and sense org. (21)	5	26	7	-	7	22	2	3	27
24	Heart disease - - - - -	69	197	57	3	54	166	11	26	28
25	Other circulatory diseases - - - - -	6	23	11	1	10	14	-	3	29
26	Bronchitis - - - - -	7	43	3	-	3	49	4	4	30
27	Pneumonia (all forms) - - - - -	14	68	10	1	9	70	5	6	31
28	Other respiratory diseases - - - - -	9	17	3	1	2	14	1	5	32
32 (1)	Gastric and duodenal ulcer - - - - -	6	16	1	-	1	13	-	4	33
29	Diarrhœa, &c. (all ages) - - - - -	1	8	-	-	-	10	1	-	34
30	Appendicitis - - - - -	1	8	2	1	1	4	-	2	35
31 (1)	Cirrhosis of liver - - - - -	2	2	-	-	-	4	-	1	36
31 (2)	Other diseases of liver, &c. - - - - -	3	7	1	-	1	6	-	3	37
32 (2)	Other digestive diseases - - - - -	6	11	4	-	4	19	-	1	38
33	Acute and chronic nephritis - - - - -	10	23	6	-	6	27	1	2	39
34	Other dis. of genito-urinary system - -	4	15	1	-	1	10	-	1	40
35	Puerperal sepsis - - - - -	1	6	-	-	-	3	-	-	41
36	Other puerperal causes - - - - -	2	6	1	-	1	2	-	-	42
37	Diseases of skin and locomotor system -	2	12	-	-	-	12	-	2	43
38	Congen. debil., prem. birth, malform., &c.	27	57	3	-	3	71	5	6	44
39	Old age - - - - -	22	48	24	-	24	36	1	3	45
40	Suicide - - - - -	4	8	1	-	1	7	-	-	46
42	Other violence (41) - - - - -	16	55	8	1	7	57	3	7	47
43	Causes ill-defined or unknown - - -	3	14	6	-	6	9	1	1	48
	ALL CAUSES - - -	326	1,035	250	12	238	949	56	114	49
	AGES AT DEATH.									
	Under 1 - - - - -	38	101	7	1	6	119	7	10	50
	1-4 - - - - -	13	44	4	-	4	24	2	1	51
	5-9 - - - - -	5	24	1	-	1	14	1	1	52
	10-14 - - - - -	3	16	2	-	2	14	1	2	53
	15-24 - - - - -	10	38	4	-	4	44	5	3	54
	25-34 - - - - -	15	47	8	-	8	56	3	9	55
	35-44 - - - - -	18	51	17	1	16	54	2	11	56
	45-54 - - - - -	32	79	13	1	12	91	5	11	57
	55-64 - - - - -	40	153	34	3	31	142	8	16	58
	65-74 - - - - -	69	236	52	4	48	207	12	24	59
	75-84 - - - - -	61	201	74	2	72	152	9	24	60
	85 and over - - - - -	22	45	34	-	34	32	1	2	61
	Not stated - - - - -	-	-	-	-	-	-	-	-	62
	ALL AGES - - -	326	1,035	250	12	238	949	56	114	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	WEST LOTHIAN COUNTY— (continued).					WIGTOWN COUNTY.						ZETLAND COUNTY.		
	Bo'ness B.	Linlithgow B.	Queensferry B.	Whitburn B.	Landward.	Wigtown County.	Newton- Stewart B.	Stranraer B.	Whithorn B.	Wigtown B.	Landward.	Zetland County.	Lerwick B.	Landward.
1	10,426	3,501	1,958	3,981	47,910	29,783	1,993	7,153	979	1,265	18,393	20,704	4,003	16,701
2	164	45	29	123	797	560	34	145	13	23	345	274	59	215
3	187	68	40	128	903	574	35	140	13	23	363	275	52	223
4	83	28	18	62	480	298	19	72	8	11	188	153	19	134
5	104	40	22	66	423	276	16	68	5	12	175	122	33	89
6	11	3	3	5	35	83	3	14	2	2	62	16	4	12
7	96	25	15	12	247	200	19	62	6	14	99	101	44	57
8	81	22	20	20	482	416	21	138	15	22	220	358	87	271
9	99	45	30	31	574	453	28	112	18	28	267	372	69	303
10	48	24	16	19	315	207	13	46	4	13	131	191	37	154
11	51	21	14	12	259	246	15	66	14	16	136	181	32	149
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	2	-	-	-	2	4	-	2	-	-	2	-	-	-
16	-	1	-	-	4	-	-	-	-	-	-	-	-	-
17	4	-	1	1	20	24	1	9	2	1	11	23	7	16
18	-	-	-	-	1	2	-	-	-	-	2	-	-	-
19	-	-	-	-	1	1	-	1	-	-	-	-	-	-
20	2	4	1	1	18	7	-	2	1	2	2	12	3	9
21	5	1	-	1	7	9	-	4	-	-	5	11	-	11
22	1	-	1	1	1	2	-	-	-	1	1	-	-	-
23	13	5	4	4	64	43	2	15	1	2	23	50	11	39
24	1	-	-	-	4	4	1	1	-	1	1	3	2	1
25	3	4	-	1	18	12	-	2	1	-	9	5	-	5
26	6	5	2	1	53	46	-	13	1	3	29	38	8	30
27	2	2	2	-	11	5	1	1	-	-	3	8	1	7
28	19	7	5	6	92	120	12	31	2	6	69	62	9	53
29	1	1	1	-	8	13	3	2	1	1	6	7	3	4
30	5	4	2	3	27	16	2	3	1	1	9	19	3	16
31	7	1	1	4	46	17	1	4	-	-	12	11	1	10
32	1	-	-	-	7	6	-	2	-	1	3	7	-	7
33	-	1	-	-	8	5	-	1	-	-	4	2	1	1
34	1	1	-	-	7	4	-	2	-	1	1	-	-	-
35	-	-	-	-	2	2	-	-	-	-	2	5	2	3
36	1	1	-	-	1	3	-	3	-	-	-	-	-	-
37	-	-	-	-	3	4	1	1	-	1	1	2	-	2
38	-	1	2	-	15	9	-	1	-	-	8	6	2	4
39	6	1	-	1	16	20	1	2	2	4	11	11	4	7
40	-	-	-	-	9	1	-	-	-	-	1	7	2	5
41	-	-	-	-	3	1	-	-	-	-	1	-	-	-
42	-	-	-	-	2	4	-	-	-	-	4	5	3	2
43	1	1	2	-	6	3	-	-	1	-	2	1	-	1
44	8	-	-	3	49	20	2	5	2	-	11	7	1	6
45	1	-	3	-	28	17	-	1	1	1	14	47	5	42
46	1	1	-	1	4	5	1	1	-	1	2	1	-	1
47	8	2	3	3	31	18	-	3	1	1	13	12	1	11
48	-	1	-	-	6	6	-	-	1	-	5	10	-	10
49	99	45	30	31	574	453	28	112	18	28	267	372	69	303
50	8	2	3	7	82	36	2	8	2	1	23	10	2	8
51	8	2	-	-	11	14	-	7	-	-	7	3	-	3
52	-	-	-	-	12	4	-	2	-	-	2	2	-	2
53	1	-	1	-	9	1	-	-	-	-	1	1	-	1
54	5	1	-	2	28	13	1	2	1	-	9	8	2	6
55	2	3	1	4	34	15	-	1	-	1	13	14	3	11
56	2	1	1	2	35	26	-	7	-	4	15	14	3	11
57	11	8	2	3	51	32	3	8	2	1	18	26	7	19
58	21	8	5	4	80	63	4	17	-	3	39	42	11	31
59	24	11	7	6	123	98	7	30	7	4	50	74	12	62
60	15	6	9	3	86	112	7	25	5	9	66	125	21	104
61	2	3	1	-	23	39	4	5	1	5	24	53	8	45
62	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	99	45	30	31	574	453	28	112	18	28	267	372	69	303

NOTES ON METEOROLOGICAL TABLES, 1937.

Up to and including the year 1930 tables giving monthly values for a large number of individual stations were printed *in extenso*. So far as possible the tables have now been reduced to summary form. More detailed information may be obtained from the Meteorological Office, Edinburgh, and from the following official publications :

The Monthly Weather Report of the Meteorological Office, price 1s. net each month.

The Weekly Weather Report of the Meteorological Office, published in an annual volume, price 7s. 6d. net.

The Book of Normals of Meteorological Elements of the British Isles, price 12s. 6d. complete, but obtainable in sections.

Averages of Temperature for the British Isles for periods ending 1935, price 1s. 3d. net.

Averages of Bright Sunshine for the British Isles for periods ending 1935, price 1s. net.

The observations of pressure in Table II have been reduced to mean sea-level, and reduced for the value of gravity to Lat. 45°.

The Air Temperatures throughout are from standard thermometers exposed in the regulation "Stevenson Screen."

Averages or normals in the case of pressure and rainfall refer to the period 1881-1915. In the case of temperature and sunshine, percentages of and departures from normal are calculated with reference to the period 1906-35; all the absolute values of the District Averages given in Table I refer to the period 1881-1915 however.

In Table II the figures, with the exception mentioned in the footnote, are extracted from the Monthly Reports already published by the Registrar-General for Scotland and relate to the eleven towns, Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Perth, Kirkcaldy, Kilmarnock, Ayr and Dunfermline.

TABLE I.—DISTRICT VALUES of AIR TEMPERATURE, RAINFALL and SUNSHINE.

DISTRICT.	MONTH.	AIR TEMPERATURE.			RAINFALL.		SUNSHINE.	NORMAL VALUES 1881-1915.			
		Highest.	Lowest.	Deviation from Average Daily Mean 1901-30.	Percentage of Normal.	Number of Days Deviation from Normal.	Percentage of Average Duration 1901-30.	Daily Mean Temperature.	Total Rainfall.	Number of Days.	Daily Sunshine.
		YEAR 1937.						YEARS 1881-1915.			
		°F.	°F.	°F.	%		%	°F.	Inch.		Hours
North Scotland.	Jan.	56	19	+1.0	122	+ 1	87	38.4	5.79	23	0.84
	Feb.	51	16	-1.5	105	+ 4	115	38.3	4.57	21	1.89
	Mar.	51	4	-4.2	60	- 2	116	39.2	4.41	23	3.05
	Apl.	66	21	+2.4	40	- 5	77	42.9	3.23	19	4.55
	May	71	24	+2.3	76	- 6	118	48.1	2.80	19	5.36
	June	71	28	+0.4	139	+ 3	92	52.4	2.72	16	5.17
	July	76	34	+0.1	79	- 2	71	54.7	3.35	19	4.18
	Aug.	80	35	+1.2	112	- 6	114	54.6	4.18	21	3.69
	Sept.	68	27	+0.5	100	+ 2	95	51.8	3.78	19	3.49
	Oct.	63	20	+1.7	69	- 2	96	46.4	5.00	22	2.50
	Nov.	61	19	+0.1	36	- 2	91	41.8	5.63	23	1.22
	Dec.	56	0	-2.3	46	- 6	133	39.1	6.18	24	0.61
	Year	80	0	+0.2	80	-23	98	45.6	51.64	249	3.05
East Scotland.	Jan.	58	22	+1.3	159	+ 3	96	37.2	2.57	17	1.37
	Feb.	54	11	-0.8	147	+ 3	134	37.4	2.24	16	2.50
	Mar.	52	0	-4.4	122	+ 3	89	39.2	2.48	19	3.51
	Apl.	71	25	+2.0	73	+ 1	63	43.2	1.85	16	4.94
	May	75	26	+2.0	104	- 3	109	48.2	2.24	16	5.76
	June	78	31	+1.3	87	+ 2	93	53.7	2.13	14	6.03
	July	80	34	+0.4	147	0	77	56.4	2.87	17	5.09
	Aug.	79	34	+1.3	120	- 3	103	55.8	3.15	18	4.70
	Sept.	72	28	+0.9	66	- 2	111	52.3	2.24	15	4.06
	Oct.	67	19	+1.1	112	- 3	83	46.5	3.27	19	2.80
	Nov.	61	15	+0.3	29	- 5	80	41.1	3.11	19	1.73
	Dec.	56	-7	-3.1	132	0	83	37.9	3.11	19	1.04
	Year	80	-7	+0.2	109	- 3	93	45.7	31.26	205	3.63
West Scotland.	Jan.	59	22	+1.3	136	+ 3	76	39.4	4.57	20	1.17
	Feb.	55	19	-0.4	130	+ 7	136	39.3	3.94	18	2.10
	Mar.	55	13	-4.2	54	- 5	111	40.7	3.58	19	3.51
	Apl.	68	27	+2.7	104	+ 1	50	44.7	2.76	16	5.15
	May	70	29	+2.2	65	- 2	114	49.7	2.91	16	6.16
	June	73	32	+0.3	111	+ 3	89	55.0	2.87	15	6.32
	July	77	40	-0.2	110	- 1	82	57.1	3.46	17	5.73
	Aug.	84	34	+1.8	80	- 5	112	56.6	4.41	18	4.99
	Sept.	72	32	+0.3	107	+ 3	103	53.5	3.66	16	4.24
	Oct.	64	26	+0.4	83	- 5	83	47.9	4.69	19	2.68
	Nov.	58	19	+0.1	26	-11	105	43.2	5.16	19	1.59
	Dec.	57	9	-3.5	60	- 6	138	40.6	5.63	22	0.96
	Year	84	9	0.0	88	18	95	47.3	47.64	215	3.67

TABLE II.—SUMMARY TABLE of mean Values of Air Pressure, Air Temperature and Wind Direction at the Principal Towns, together with extremes of temperature for Scotland as a whole and generalised figures for Rain in the British Isles.*

1937.		Air Pressure at 32° F. and Mean Sea Level.		AIR TEMPERATURE.							
		Mean. Difference from Normal.		Means of		Mean of A and B.	Difference of Mean from Normal.	Daily Range.		Absolute Extremes	
				A Maximum.	B Minimum.			Mean = A-B.	Difference from Normal.	Highest.	Lowest.
In.	In.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.		
January ...	29·618	- 0·279	45·1	36·1	40·6	+ 1·5	9·0	+ 0·1	59	19	
February ...	29·462	- 0·410	43·5	34·5	39·0	- 0·5	9·0	- 0·5	55	11	
March ...	29·707	- 0·123	42·4	31·5	36·9	- 4·0	10·9	- 0·4	55	0	
April ...	29·834	- 0·085	52·3	41·2	46·7	+ 2·2	11·1	- 2·5	71	21	
May ...	29·987	+ 0·010	59·3	44·9	52·1	+ 2·1	14·4	0·0	75	24	
June ...	29·983	- 0·015	62·9	48·6	55·7	+ 0·8	14·3	- 1·0	78	28	
July ...	29·910	- 0·019	65·3	51·7	58·5	+ 0·1	13·6	- 0·7	80	34	
August ...	30·038	+ 0·150	66·2	52·0	59·1	+ 1·5	14·2	+ 0·9	84	34	
September ...	29·820	- 0·157	60·6	47·5	54·0	+ 0·4	13·1	- 0·1	72	27	
October ...	29·972	+ 0·095	54·3	42·7	48·5	+ 0·3	11·6	+ 0·3	67	19	
November ...	30·046	+ 0·196	47·5	36·4	41·9	0·0	11·1	+ 1·2	61	15	
December ...	29·908	+ 0·137	40·7	31·0	35·8	- 4·2	9·7	+ 1·0	57	- 7	
Means ...	29·857	- 0·042	53·3	41·5	47·4	0·0	11·8	- 0·1	84	- 7	

1937.	RAIN.				WIND.								
	Percentage of Normal.				No. of Observations—Total = 730.								
	Scotland.	England and Wales.	Ireland.	British Isles.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	%	%	%	%									
January ...	162	185	178	176	1	2	10	11	13	12	8	3	2
February ...	136	218	158	182	3	4	7	3	5	11	15	6	2
March ...	77	139	109	115	10	12	10	5	2	3	5	11	4
April ...	71	152	113	122	2	8	15	4	6	8	10	4	3
May...	78	136	80	107	3	7	13	6	8	8	10	4	3
June ...	103	71	78	81	5	4	5	1	5	11	17	9	3
July...	126	84	141	109	4	3	5	4	8	11	16	7	4
August ...	91	46	76	63	3	4	7	3	5	10	13	8	9
September ...	85	97	133	101	3	3	3	2	7	15	14	7	6
October ...	81	83	66	80	3	6	6	3	3	9	14	8	10
November ...	30	62	61	54	3	5	6	5	3	8	12	10	8
December ...	76	108	71	93	10	7	7	3	3	7	8	8	9
Year ...	92	111	104	105	50	65	94	50	68	113	142	85	63

* In this Table Air Pressure and Wind Observations are based on records at seven towns and the means of Air Temperature and Daily Range of Temperature on records at eleven towns. The Absolute Extremes of Temperature refer to Scotland as a whole. The generalized figures for Rain are based on a large number of observations and are extracted from the Monthly Weather Report of the Meteorological Office.

TABLE III.—NUMBER OF HOURS BRIGHT SUNSHINE.

1937.	NUMBER OF HOURS.												YEAR.
	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total. Hours.
NORTH SCOTLAND—													
Baltasound ...	17	48	121	114	154	144	82	143	102	64	25	5	1019
Lerwick ...	12	59	127	117	129	139	66	123	90	59	38	15	974
Deerness ...	23	82	112	105	158	156	101	141	106	67	34	26	1111
Kirkwall ...	25	87	129	117	177	144	107	149	106	77	41	26	1185
Stornoway ...	29	71	142	105	236	154	103	116	102	62	41	37	1198
Skye, Duntulm ...	32	64	144	113	259	151	98	122	98	59	41	33	1214
Fortrose ...	44	67	99	91	213	160	113	149	116	88	43	32	1215
Dalwhinnie ...	17	47	97	90	186	137	91	131	97	71	29	16	1009
Fort Augustus ...	26	35	99	82	175	119	85	132	86	71	22	20	952
Fort-William ...	15	43	130	83	214	134	109	126	83	76	30	11	1054
Inverness ...	51	66	105	97	220	178	126	166	129	101	47	35	1321
Onich ...	23	55	137	78	193	128	101	115	82	79	49	38	1078
EAST SCOTLAND—													
Nairn ...	45	72	99	100	227	162	115	154	126	106	42	30	1278
Forres ...	53	65	92	105	232	161	125	167	127	103	51	41	1322
Gordon Castle ...	36	63	83	99	229	134	117	156	121	88	48	30	1204
Banff ...	39	80	97	121	212	138	123	139	140	89	49	25	1252
Aberdeen ...	42	101	99	81	164	187	127	127	160	76	44	29	1237
Braemar ...	17	51	85	83	191	163	131	149	120	76	23	11	1100
Craibstone... ..	50	109	106	92	196	189	128	137	162	83	56	40	1348
Stonehaven ...	46	103	103	85	164	206	133	136	164	76	59	35	1310
Arbroath ...	48	107	103	104	175	206	132	139	163	75	60	41	1353
Carnoustie... ..	41	98	101	100	168	195	126	127	157	69	55	39	1276
Dundee ...	49	104	99	86	165	175	119	135	151	72	52	39	1246
Montrose ...	53	105	99	103	170	197	122	143	167	80	41	50	1330
Perth ...	30	96	102	81	165	190	118	139	142	68	40	37	1208
Dunfermline ...	34	89	110	86	170	150	109	136	125	69	57	36	1171
Leuchars ...	49	108	110	98	183	203	134	144	152	80	58	44	1363
St. Andrews ...	48	103	91	99	179	187	133	142	150	74	58	43	1307
Balerno ..	37	85	74	98	170	190	142	151	112	72	45	35	1211
Boghall ...	48	99	98	95	166	169	119	156	125	85	51	36	1247
Edinburgh ...	52	103	97	99	179	182	135	151	129	84	57	38	1306
Dunbar ...	56	104	93	84	177	193	142	140	141	84	57	33	1304
North Berwick ...	48	(100)	101	85	173	179	133	151	128	78	48	34	1258
Peebles ...	28	75	73	71	153	141	109	125	81	58	34	31	979
Marchmont ...	37	86	88	67	166	150	115	146	123	47	42	24	1091
WEST SCOTLAND—													
Dunoon (Ben More)	14	58	101	56	171	143	106	108	100	57	30	31	975
Dunoon ...	24	69	124	73	196	169	129	124	122	73	45	45	1193
Oban ...	25	72	143	87	239	155	119	127	118	81	50	65	1281
Tiree ...	38	73	180	98	266	163	152	161	126	73	41	48	1419
Rothsay ..	25	67	121	65	211	174	137	146	126	80	48	45	1245
Cardross ...	21	79	101	74	179	162	127	123	100	59	49	45	1119
Helensburgh ...	22	72	119	78	186	179	129	129	121	66	50	40	1191
Stirling ...	26	89	94	72	160	179	112	129	94	61	54	36	1106
Greenock ...	16	62	107	79	203	181	133	142	123	63	32	18	1159
Paisley ...	26	79	90	71	182	187	139	141	128	52	45	30	1170
Renfrew (Abbotsinch)	27	82	95	73	187	196	131	140	127	53	50	36	1197
Carluke (Law Junct.)	47	85	99	70	185	180	121	165	129	67	63	38	1249
Auchincruive ...	32	72	115	79	202	165	123	152	138	81	60	41	1260
Ayr ...	28	71	120	82	206	177	136	147	146	86	62	47	1308
Kilmarnock ...	33	73	109	83	204	177	127	162	137	78	55	46	1284
Prestwick ...	27	74	126	82	207	175	130	153	142	85	51	35	1287
Troon ...	32	77	123	81	218	189	142	160	144	85	60	50	1361
Turnberry ...	37	73	135	83	221	176	126	176	148	80	50	60	1365
Dumfries ...	26	77	98	67	187	165	117	159	127	67	66	33	1189
Eskdalemuir ..	24	79	95	64	154	153	98	147	115	66	61	49	1105
Ruthwell ...	20	67	89	65	160	122	114	174	131	67	58	26	1093

TABLE IV.—MONTHLY and ANNUAL AMOUNTS of RAINFALL and
Number of Days of RAIN at Selected Stations.

1937.	AMOUNTS.													Number of Days of Rain exceeding ·01 inch.
	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.	YEAR.
NORTH SCOTLAND—	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
Baltasound ...	5·85	6·42	3·54	1·99	2·78	4·58	1·43	1·69	3·58	4·30	3·15	6·89	46·20	307
Lerwick ...	4·85	3·21	2·15	1·39	2·60	4·29	1·46	1·93	2·59	3·13	2·13	3·76	33·49	232
Deerness ...	5·88	4·78	2·55	0·92	0·36	2·70	1·65	2·35	3·12	2·54	1·83	2·22	30·90	245
Kirkwall ...	4·89	4·08	2·18	0·81	0·37	2·46	1·92	2·20	3·37	3·23	2·19	2·15	29·85	229
Skallary ...	5·13	4·62	1·28	1·86	2·99	2·00	2·04	2·68	4·05	3·04	2·41	3·47	35·57	244
Stornoway ...	4·79	4·16	1·96	1·78	2·65	3·43	1·60	4·05	4·41	2·32	2·23	2·40	35·78	247
Duntulm ...	5·32	3·68	2·04	1·84	2·87	2·99	3·56	4·50	5·24	3·09	2·32	3·25	40·70	234
Wick ...	3·90	3·47	1·96	1·15	0·69	2·77	1·96	3·09	1·75	2·51	1·46	2·20	26·91	213
Achnashellach ...	(11·75)	8·07	2·01	1·87	(2·96)	4·10	3·81	3·38	6·62	4·32	2·67	2·17	53·73	211
Fortrose ...	2·71	2·96	1·50	0·35	1·49	1·81	2·67	3·99	1·20	1·75	0·35	0·96	21·74	171
Dalwhinnie ...	12·49	5·77	1·50	0·87	2·62	1·69	4·58	3·22	3·64	2·42	0·58	2·80	42·18	215
Fort Augustus ...	5·68	3·43	1·10	0·36	1·25	1·47	2·76	3·09	3·62	1·61	0·51	1·20	26·08	195
Fort-William ...	12·49	6·53	1·39	2·25	3·10	4·90	6·36	4·20	9·33	2·86	1·08	3·70	58·19	208
Inverness ...	3·59	2·34	1·61	0·32	1·25	1·52	2·58	5·67	1·62	2·17	0·57	0·97	24·21	157
Onich ...	10·76	6·06	1·33	3·06	3·37	5·87	7·78	3·69	6·67	3·74	1·97	3·29	57·59	223
EAST SCOTLAND—														
Nairn ...	2·61	1·83	1·39	0·60	1·19	1·83	3·15	5·43	1·13	2·32	0·62	1·56	23·66	176
Forres ...	2·35	1·78	2·06	0·40	0·91	2·78	3·43	2·49	1·61	2·40	0·76	1·76	22·73	181
Gordon Castle ...	3·78	3·28	2·72	0·45	1·81	2·26	3·07	2·60	1·09	2·32	1·73	2·81	27·92	200
Banff ...	5·35	3·23	2·19	0·53	1·08	1·36	3·45	2·23	0·90	2·08	1·60	3·14	27·17	221
Aberdeen ...	4·96	2·32	2·70	1·05	1·52	1·26	3·93	2·71	1·53	3·37	1·65	4·31	31·31	206
Balmoral ...	11·80	3·01	5·31	0·96	1·73	0·73	3·32	1·74	0·99	3·05	0·79	3·64	37·07	221
Braemar ...	13·41	3·85	4·13	1·11	2·28	1·11	3·14	3·22	1·49	2·70	0·65	2·73	39·82	197
Craibstone ...	6·98	2·37	3·35	1·67	1·62	1·21	4·28	2·09	1·27	3·85	1·50	3·87	34·06	194
Logie Coldstone ...	(8·60)	2·31	4·49	1·41	2·00	1·07	(2·70)	1·96	0·50	2·75	1·07	4·70	33·56	206
Stonehaven ...	4·40	2·88	2·85	1·42	1·96	1·50	2·84	3·49	0·88	3·77	0·96	5·20	32·15	186
Arbroath ...	3·32	3·16	2·56	2·02	2·12	2·24	3·35	3·92	1·23	3·74	0·71	4·12	32·49	162
Carnoustie ...	3·05	2·83	1·96	2·00	2·19	2·20	3·34	3·54	1·33	2·70	0·56	3·34	29·04	185
Dundee (May- field) ...	3·50	2·98	3·52	2·01	2·41	2·49	5·21	3·25	1·14	2·97	0·57	3·57	33·62	189
Kettins ...	5·02	3·35	2·92	1·44	1·74	1·49	4·68	4·28	1·02	3·28	0·25	2·50	31·97	183
Montrose ...	3·52	2·54	2·34	1·66	2·04	1·79	3·74	7·21	1·32	2·77	0·70	3·50	33·13	171
Crieff ...	4·63	3·52	2·68	2·15	2·96	2·00	4·39	4·05	2·66	3·62	0·39	2·65	35·70	196
Perth ...	3·49	2·94	3·12	1·57	2·14	1·54	3·91	3·94	1·22	3·57	0·46	2·85	30·75	167
Cupar ...	2·85	3·45	2·77	1·23	2·17	2·29	3·98	4·38	1·15	2·83	0·28	3·60	30·98	178
Dunfermline ...	2·38	3·91	2·16	1·44	2·60	2·25	4·62	4·19	1·26	3·06	0·30	2·57	30·74	189
Kirkcaldy ...	2·61	3·58	2·34	1·43	2·57	1·23	4·28	5·67	1·47	3·54	0·35	3·22	32·29	156
Leuchars ...	2·92	2·89	2·61	1·86	2·37	1·93	3·64	3·42	1·10	3·54	0·52	3·19	29·99	177
St. Andrews ...	3·41	2·82	2·39	2·13	2·56	2·39	3·63	3·28	1·45	3·04	0·31	3·22	30·63	177
Balerno ...	4·69	3·76	(2·15)	1·26	2·35	1·46	4·45	4·61	2·20	5·35	0·38	2·13	34·79	183
Boghall ...	3·05	4·72	2·38	1·41	3·08	1·17	4·69	4·12	2·38	4·31	0·31	3·06	34·68	205
Edinburgh (Blackford Hill)	2·04	3·02	1·70	1·10	2·52	1·00	5·37	4·13	1·64	3·87	0·24	2·34	28·97	197
Dunbar ...	2·93	2·33	2·54	1·06	2·81	1·68	3·51	3·00	0·98	2·86	0·57	4·09	28·36	184
North Berwick ...	2·48	2·55	2·97	0·99	2·88	1·95	2·89	2·66	1·36	2·12	1·05	3·71	27·61	183
Marchmont ...	3·11	3·73	3·76	1·42	3·68	1·45	2·65	2·87	1·52	3·55	0·70	5·95	34·39	211
St. Abbs Head, ...	2·76	3·10	3·05	1·63	3·17	1·68	2·60	2·22	1·23	3·11	0·83	4·45	29·83	190
West Linton ...	5·05	4·93	2·44	1·40	2·42	2·22	4·48	4·52	2·43	3·92	0·70	5·06	39·57	202
Peebles ...	4·18	3·55	2·03	1·11	3·13	1·14	4·84	(3·08)	1·50	2·35	0·37	1·45	28·73	178
Kelso (Broom- lands) ...	2·21	2·68	2·52	0·95	3·14	1·60	3·67	2·37	2·18	3·12	0·36	3·54	28·34	192
Wolfelee ...	4·61	4·90	2·72	1·79	3·60	1·24	3·80	2·91	2·38	3·12	0·76	4·12	35·95	209

TABLE IV.—MONTHLY and ANNUAL AMOUNTS of RAINFALL and Number of Days of RAIN at Selected Stations—*continued*.

1936.	AMOUNTS.													Number of Days of Rain exceeding ·01 inch.
	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.	
	YEAR.													
WEST SCOTLAND—														
Ardtornish ...	12·31	6·20	2·51	4·09	3·56	4·37	7·51	4·43	6·58	4·40	1·85	3·93	61·74	212
Colonsay ...	6·67	4·37	1·15	2·88	2·56	3·03	6·12	3·88	5·01	4·09	2·30	2·62	44·68	252
Dunoon ...	8·44	8·39	1·85	3·63	1·90	4·81	7·28	4·94	6·01	3·77	1·33	5·35	57·70	193
Dunoon (Ben More)	12·96	9·47	3·20	4·90	3·45	5·54	6·84	4·51	6·11	4·25	1·87	5·14	68·24	215
Glenbranter ...	16·11	9·43	2·26	3·90	2·66	6·53	4·72	5·06	6·00	3·82	1·73	4·96	67·18	181
Oban ...	8·65	4·47	0·39	1·72	2·36	4·12	7·15	3·69	6·25	3·79	1·97	2·20	46·76	188
Rothsay ...	6·73	5·56	2·16	3·16	1·75	4·53	4·94	4·24	3·34	3·12	1·53	3·33	44·39	201
Tiree ...	4·82	2·94	1·18	2·46	2·53	2·49	3·38	3·54	4·53	2·23	1·81	2·61	34·52	213
Cardross...	6·70	5·79	1·86	2·27	1·78	3·18	3·11	3·36	3·04	2·97	1·08	2·83	37·97	192
Helensburgh ...	9·03	6·78	2·35	2·71	1·59	4·30	3·98	4·22	3·29	3·17	1·13	3·44	45·99	200
Stirling ...	3·70	4·16	2·10	2·02	1·55	1·78	3·34	3·99	2·39	3·92	0·48	2·62	32·05	185
Greenock ...	9·39	5·86	1·65	2·81	1·74	2·96	4·15	3·69	4·48	2·84	1·76	4·15	45·48	196
Paisley ...	4·34	5·05	1·60	1·90	1·52	1·84	3·62	3·52	3·60	3·52	0·64	2·83	33·98	183
Renfrew (Abbots- inch) ...	4·30	4·76	1·46	1·80	1·44	1·78	3·33	3·39	2·63	3·29	0·55	2·54	31·27	188
Dungavel ...	6·54	6·08	1·28	2·57	1·70	3·98	4·80	4·56	3·57	4·62	1·05	3·13	43·88	209
Carluke (Law Junct.)	3·01	3·48	1·14	1·23	1·24	2·00	3·76	4·04	1·62	3·73	0·46	2·07	27·78	206
Auchincruive ...	4·31	4·39	0·83	1·67	1·22	2·39	5·19	2·30	1·99	3·29	0·33	2·19	30·10	186
Ayr ...	3·67	3·82	0·87	1·57	0·94	2·33	5·00	2·41	1·76	3·02	0·29	1·46	27·14	149
Colmonell ...	8·17	6·19	2·19	2·51	1·10	2·49	3·43	2·71	2·49	3·98	0·99	3·61	39·86	207
Kilmarnock ...	4·55	4·76	0·86	1·71	1·53	3·25	5·03	3·34	2·55	2·81	0·61	2·67	33·67	188
Prestwick ...	3·24	3·70	0·66	1·53	1·05	2·37	4·72	2·27	1·87	3·18	0·37	2·07	27·03	185
Troon ...	3·79	4·34	0·75	1·48	1·08	2·87	4·54	2·50	1·91	3·07	0·57	2·17	29·07	187
Turnberry ...	5·49	4·83	0·69	2·17	0·98	3·16	3·84	3·04	1·26	2·11	0·52	1·82	29·91	187
Glenlee ...	10·42	7·20	2·89	3·17	2·39	3·65	5·30	3·66	2·79	3·70	1·31	3·79	50·27	205
Dumfries ...	4·59	4·45	1·68	3·28	1·63	2·56	3·18	2·25	2·60	4·75	0·98	2·55	34·50	191
Eskdalemuir ...	9·14	6·48	3·21	2·90	2·59	3·94	4·48	3·85	4·80	3·87	1·19	4·79	51·24	208
Ruthwell ...	3·20	4·22	1·33	2·70	1·70	2·62	2·58	1·84	3·04	3·71	1·25	2·91	31·10	186

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE

By J. Skinner & Co. Ltd., Thistle Street, Edinburgh.

Wt. 551/23. 375. 9.38. J.S.&Co., Ltd. G. 157.

